

NQU_ABK_ADVENTURE_BOOK

Spalte	Typ	Null	Standard	Kommentare
ABK_ID (Primärschlüssel)	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
PLN_ID	bigint(20)	Nein		
STO_ID	bigint(20)	Nein		
ABK_TITLE	varchar(200)	Nein		
ABK_COVER_IMAGE_KEY	varchar(150)	Ja	NULL	
ABK_COMPLETED_AT	datetime	Ja	NULL	
ABK_ACTIVE_FLAG	tinyint(1)	Nein	1	
ABK_CREATED_AT	datetime	Nein	current_timestamp()	
ABK_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	ABK_ID	1	A	Nein	
NQU_UK_ABK_CHILD_PLAN	BTREE	Ja	Nein	CHP_ID	1	A	Nein	
				PLN_ID	1	A	Nein	
NQU_IX_ABK_STORY	BTREE	Nein	Nein	STO_ID	1	A	Nein	
NQU_FK_ABK_PLAN	BTREE	Nein	Nein	PLN_ID	1	A	Nein	

NQU_ABP_ADVENTURE_BOOK_PART

Spalte	Typ	Null	Standard	Kommentare
ABP_ID (Primärschlüssel)	bigint(20)	Nein		
ABK_ID	bigint(20)	Nein		
STP_ID	bigint(20)	Nein		
ABP_UNLOCKED_AT	datetime	Nein	current_timestamp()	
ABP_READ_AT	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	ABP_ID	0	A	Nein	
NQU_UK_ABP_BOOK_PART	BTREE	Ja	Nein	ABK_ID	0	A	Nein	
				STP_ID	0	A	Nein	
NQU_IX_ABP_PART	BTREE	Nein	Nein	STP_ID	0	A	Nein	

NQU_ARR_ARRIVAL_SCENE

Spalte	Typ	Null	Standard	Kommentare
ARR_ID (Primärschlüssel)	bigint(20)	Nein		
STO_ID	bigint(20)	Ja	NULL	
STD_ID	bigint(20)	Ja	NULL	
CMP_ID	bigint(20)	Ja	NULL	
ARR_CODE	varchar(100)	Nein		
ARR_SCENE_TYPE	enum('WEEK_START', 'DAY_START', 'MISSION_RESUME', 'DAY_COMPLETE')	Nein		

	'WEEK_COMPLETE', 'WAITING', 'GENERIC')			
ARR_MIN_ROUND	tinyint(3)	Ja	NULL	
ARR_MAX_ROUND	tinyint(3)	Ja	NULL	
ARR_REQUIRED_STEP	tinyint(3)	Ja	NULL	
ARR_TEXT_GRADE_1	varchar(1000)	Nein		
ARR_TEXT_GRADE_2	varchar(1500)	Nein		
ARR_TEXT_GRADE_3	varchar(2000)	Nein		
ARR_TEXT_GRADE_4	varchar(2500)	Nein		
ARR_BUTTON_LABEL_G1	varchar(120)	Nein		
ARR_BUTTON_LABEL_G2	varchar(120)	Nein		
ARR_BUTTON_LABEL_G3	varchar(120)	Nein		
ARR_BUTTON_LABEL_G4	varchar(120)	Nein		
ARR_LOCATION_CODE	varchar(100)	Ja	NULL	
ARR_ILLUSTRATION_KEY	varchar(150)	Ja	NULL	
ARR_AMBIENCE_KEY	varchar(150)	Ja	NULL	
ARR_SORT_ORDER	int(10)	Nein	1	
ARR_ACTIVE_FLAG	tinyint(1)	Nein	1	
ARR_CREATED_AT	datetime	Nein	current_timestamp()	
ARR_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	ARR_ID	1	A	Nein	
NQU_UK_ARR_CODE	BTREE	Ja	Nein	ARR_CODE	1	A	Nein	
NQU_IX_ARR_STORY	BTREE	Nein	Nein	STO_ID	1	A	Ja	
NQU_IX_ARR_DAY	BTREE	Nein	Nein	STD_ID	1	A	Ja	
NQU_IX_ARR_COMPANION	BTREE	Nein	Nein	CMP_ID	1	A	Ja	
NQU_IX_ARR_TYPE	BTREE	Nein	Nein	ARR_SCENE_TYPE	1	A	Nein	

NQU_BAD_BADGE

Spalte	Typ	Null	Standard	Kommentare
BAD_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
BAD_CODE	varchar(80)	Nein		
BAD_NAME	varchar(150)	Nein		
BAD_DESCRIPTION	varchar(1000)	Ja	NULL	
BAD_IMAGE_KEY	varchar(150)	Ja	NULL	
BAD_ACTIVE_FLAG	tinyint(1)	Nein	1	
BAD_CREATED_AT	datetime	Nein	current_timestamp()	
BAD_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	BAD_ID	1	A	Nein	
NQU_UK_BAD_CODE	BTREE	Ja	Nein	BAD_CODE	1	A	Nein	

NQU_CAR_CHILD_ADULT_RELATION

Spalte	Typ	Null	Standard	Kommentare
--------	-----	------	----------	------------

CAR_ID (Primärschlüssel)	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
ADULT_USR_ID	bigint(20)	Nein		
CAR_RELATION_TYPE	enum('PARENT', 'TEACHER', 'CAREGIVER')	Nein		
CAR_CAN_CREATE_TASKS	tinyint(1)	Nein	1	
CAR_CAN_VIEW_PROGRESS	tinyint(1)	Nein	1	
CAR_CAN_WRITE_HINTS	tinyint(1)	Nein	1	
CAR_ACTIVE_FLAG	tinyint(1)	Nein	1	
CAR_CREATED_AT	datetime	Nein	current_timestamp()	
CAR_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	CAR_ID	2	A	Nein	
NQU_UK_CAR_RELATION	BTREE	Ja	Nein	CHP_ID	1	A	Nein	
				ADULT_USR_ID	2	A	Nein	
				CAR_RELATION_TYPE	2	A	Nein	
NQU_IX_CAR_ADULT	BTREE	Nein	Nein	ADULT_USR_ID	2	A	Nein	

NQU_CBB_CHILD_BADGE

Spalte	Typ	Null	Standard	Kommentare
CBB_ID (Primärschlüssel)	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
BAD_ID	bigint(20)	Nein		
PLN_ID	bigint(20)	Ja	NULL	
CBB_AWARDED_AT	datetime	Nein	current_timestamp()	
CBB_REASON	varchar(1000)	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	CBB_ID	0	A	Nein	
NQU_UK_CBB_CHILD_BADGE_PLAN	BTREE	Ja	Nein	CHP_ID	0	A	Nein	
				BAD_ID	0	A	Nein	
				PLN_ID	0	A	Ja	
NQU_FK_CBB_BADGE	BTREE	Nein	Nein	BAD_ID	0	A	Nein	
NQU_FK_CBB_PLAN	BTREE	Nein	Nein	PLN_ID	0	A	Ja	

NQU_CER_CERTIFICATE

Spalte	Typ	Null	Standard	Kommentare
CER_ID (Primärschlüssel)	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
PLN_ID	bigint(20)	Nein		
CER_TITLE	varchar(200)	Nein		
CER_TEXT	text	Nein		
CER_ISSUED_AT	datetime	Nein	current_timestamp()	
CER_DOCUMENT_URL	varchar(500)	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	CER_ID	0	A	Nein	
NQU_UK_CER_CHILD_PLAN	BTREE	Ja	Nein	CHP_ID	0	A	Nein	
				PLN_ID	0	A	Nein	
NQU_FK_CER_PLAN	BTREE	Nein	Nein	PLN_ID	0	A	Nein	

NQU_CHP_CHILD_PROFILE

Spalte	Typ	Null	Standard	Kommentare
CHP_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
USR_ID	bigint(20)	Nein		
CHP_FIRST_NAME	varchar(80)	Nein		
CHP_GRADE_LEVEL	tinyint(3)	Nein		
CHP_AVATAR_CODE	varchar(80)	Ja	NULL	
CHP_PREFERRED_COMPANION	varchar(80)	Ja	NULL	
CHP_READING_SUPPORT	enum('STANDARD', 'LARGE_TEXT', 'READ_ALOUD', 'REDUCED_TEXT')	Nein	STANDARD	
CHP_ACTIVE_FLAG	tinyint(1)	Nein	1	
CHP_CREATED_AT	datetime	Nein	current_timestamp()	
CHP_UPDATED_AT	datetime	Nein	current_timestamp()	
CHP_DELETED_AT	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	CHP_ID	1	A	Nein	
NQU_UK_CHP_USER	BTREE	Ja	Nein	USR_ID	1	A	Nein	

NQU_CMP_COMPANION

Spalte	Typ	Null	Standard	Kommentare
CMP_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
CMP_CODE	varchar(60)	Nein		
CMP_NAME	varchar(120)	Nein		
CMP_SPECIES	varchar(120)	Ja	NULL	
CMP_DESCRIPTION	text	Ja	NULL	
CMP_PERSONALITY	text	Ja	NULL	
CMP_IMAGE_KEY	varchar(150)	Ja	NULL	
CMP_ACTIVE_FLAG	tinyint(1)	Nein	1	
CMP_CREATED_AT	datetime	Nein	current_timestamp()	
CMP_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	CMP_ID	1	A	Nein	
NQU_UK_CMP_CODE	BTREE	Ja	Nein	CMP_CODE	1	A	Nein	

NQU_MRD_MISSION_ROUND

Spalte	Typ	Null	Standard	Kommentare
MRD_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
MSN_ID	bigint(20)	Nein		
STP_ID	bigint(20)	Nein		
MRD_ROUND_NUMBER	tinyint(3)	Nein		
MRD_SENTENCE_TEXT	text	Nein		
MRD_TASK_TITLE	varchar(200)	Ja	NULL	
MRD_TASK_DESCRIPTION	text	Ja	NULL	
MRD_CREATED_BY_USR_ID	bigint(20)	Nein		
MRD_CREATED_AT	datetime	Nein	current_timestamp()	
MRD_UPDATED_AT	datetime	Nein	current_timestamp()	
MRD_DELETED_AT	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	MRD_ID	5	A	Nein	
NQU_UK_MRD_MISSION_ROUND	BTREE	Ja	Nein	MSN_ID	1	A	Nein	
				MRD_ROUND_NUMBER	5	A	Nein	
NQU_UK_MRD_MISSION_STORY_PART	BTREE	Ja	Nein	MSN_ID	1	A	Nein	
				STP_ID	5	A	Nein	
NQU_IX_MRD_CREATOR	BTREE	Nein	Nein	MRD_CREATED_BY_USR_ID	1	A	Nein	
NQU_FK_MRD_STORY_PART	BTREE	Nein	Nein	STP_ID	5	A	Nein	

NQU_MRP_MISSION_ROUND_PROGRESS

Spalte	Typ	Null	Standard	Kommentare
MRP_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
MRD_ID	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
MRP_PUNCTUATION_DONE	tinyint(1)	Nein	0	
MRP_SENTENCE_WRITTEN	tinyint(1)	Nein	0	
MRP_SENTENCE_REVIEWED	tinyint(1)	Nein	0	
MRP_MARKED_COMPLETE	tinyint(1)	Nein	0	
MRP_STORY_UNLOCKED	tinyint(1)	Nein	0	
MRP_CURRENT_STEP	tinyint(3)	Nein	1	
MRP_PUNCTUATION_AT	datetime	Ja	NULL	
MRP_WRITTEN_AT	datetime	Ja	NULL	
MRP_REVIEWED_AT	datetime	Ja	NULL	
MRP_COMPLETED_AT	datetime	Ja	NULL	
MRP_STORY_UNLOCKED_AT	datetime	Ja	NULL	
MRP_CREATED_AT	datetime	Nein	current_timestamp()	
MRP_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	MRP_ID	5	A	Nein	
NQU_UK_MRP_ROUND_CHILD	BTREE	Ja	Nein	MRD_ID	5	A	Nein	
				CHP_ID	5	A	Nein	
NQU_IX_MRP_CHILD	BTREE	Nein	Nein	CHP_ID	1	A	Nein	

NQU_IX_MRP_STEP	BTREE	Nein	Nein	MRP_CURRENT_STEP	1	A	Nein	
-----------------	-------	------	------	------------------	---	---	------	--

NQU_MSG_MESSAGE

Spalte	Typ	Null	Standard	Kommentare
MSG_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
AUTHOR_USR_ID	bigint(20)	Nein		
MSG_TYPE	enum('MOTIVATION', 'INSTRUCTION', 'INFORMATION')	Nein	MOTIVATION	
MSG_TEXT	varchar(1000)	Nein		
MSG_VISIBLE_FROM	datetime	Ja	NULL	
MSG_VISIBLE_UNTIL	datetime	Ja	NULL	
MSG_READ_AT	datetime	Ja	NULL	
MSG_CREATED_AT	datetime	Nein	current_timestamp()	
MSG_UPDATED_AT	datetime	Nein	current_timestamp()	
MSG_DELETED_AT	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	MSG_ID	0	A	Nein	
NQU_IX_MSG_CHILD	BTREE	Nein	Nein	CHP_ID	0	A	Nein	
NQU_IX_MSG_AUTHOR	BTREE	Nein	Nein	AUTHOR_USR_ID	0	A	Nein	
NQU_IX_MSG_VISIBLE	BTREE	Nein	Nein	MSG_VISIBLE_FROM	0	A	Ja	
				MSG_VISIBLE_UNTIL	0	A	Ja	

NQU_MSN_MISSION

Spalte	Typ	Null	Standard	Kommentare
MSN_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
PLN_ID	bigint(20)	Nein		
STD_ID	bigint(20)	Nein		
MSN_DAY_NUMBER	tinyint(3)	Nein		
MSN_PLANNED_DATE	date	Nein		
MSN_TITLE	varchar(200)	Nein		
MSN_STATUS	enum('LOCKED', 'AVAILABLE', 'IN_PROGRESS', 'COMPLETED', 'PAUSED')	Nein	LOCKED	
MSN_CURRENT_ROUND	tinyint(3)	Nein	1	
MSN_CREATED_AT	datetime	Nein	current_timestamp()	
MSN_UPDATED_AT	datetime	Nein	current_timestamp()	
MSN_STARTED_AT	datetime	Ja	NULL	
MSN_COMPLETED_AT	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	MSN_ID	1	A	Nein	
NQU_UK_MSN_PLAN_DAY	BTREE	Ja	Nein	PLN_ID	1	A	Nein	
				MSN_DAY_NUMBER	1	A	Nein	

NQU_UK_MSN_PLAN_STORY_DAY	BTREE	Ja	Nein	PLN_ID	1	A	Nein	
				STD_ID	1	A	Nein	
NQU_IX_MSN_STATUS	BTREE	Nein	Nein	MSN_STATUS	1	A	Nein	
NQU_IX_MSN_DATE	BTREE	Nein	Nein	MSN_PLANNED_DATE	1	A	Nein	
NQU_FK_MSN_STORY_DAY	BTREE	Nein	Nein	STD_ID	1	A	Nein	

NQU_MSP_MISSION_PROGRESS

Spalte	Typ	Null	Standard	Kommentare
MSP_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
MSN_ID	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
MSP_STATUS	enum('NOT_STARTED', 'IN_PROGRESS', 'COMPLETED')	Nein	NOT_STARTED	
MSP_CURRENT_ROUND	tinyint(3)	Nein	1	
MSP_UNLOCKED_PARTS	tinyint(3)	Nein	0	
MSP_LOCATION_CODE	varchar(100)	Ja	NULL	
MSP_LAST_STORY_PART_ID	bigint(20)	Ja	NULL	
MSP_STARTED_AT	datetime	Ja	NULL	
MSP_COMPLETED_AT	datetime	Ja	NULL	
MSP_LAST_ACTIVITY_AT	datetime	Ja	NULL	
MSP_CREATED_AT	datetime	Nein	current_timestamp()	
MSP_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	MSP_ID	1	A	Nein	
NQU_UK_MSP_MISSION_CHILD	BTREE	Ja	Nein	MSN_ID	1	A	Nein	
				CHP_ID	1	A	Nein	
NQU_IX_MSP_CHILD	BTREE	Nein	Nein	CHP_ID	1	A	Nein	
NQU_IX_MSP_STATUS	BTREE	Nein	Nein	MSP_STATUS	1	A	Nein	
NQU_IX_MSP_LAST_STORY_PART	BTREE	Nein	Nein	MSP_LAST_STORY_PART_ID	1	A	Ja	

NQU_PLN_WEEK_PLAN

Spalte	Typ	Null	Standard	Kommentare
PLN_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
CHP_ID	bigint(20)	Nein		
STO_ID	bigint(20)	Nein		
PLN_TITLE	varchar(200)	Nein		
PLN_WEEK_START_DATE	date	Nein		
PLN_WEEK_END_DATE	date	Nein		
PLN_STATUS	enum('PLANNED', 'ACTIVE', 'COMPLETED', 'PAUSED', 'CANCELLED')	Nein	PLANNED	
PLN_CREATED_BY_USR_ID	bigint(20)	Nein		
PLN_CREATED_AT	datetime	Nein	current_timestamp()	
PLN_UPDATED_AT	datetime	Nein	current_timestamp()	
PLN_COMPLETED_AT	datetime	Ja	NULL	

PLN_DELETED_AT	datetime	Ja	NULL	
----------------	----------	----	------	--

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	PLN_ID	1	A	Nein	
NQU_UK_PLN_CHILD_WEEK	BTREE	Ja	Nein	CHP_ID	1	A	Nein	
				PLN_WEEK_START_DATE	1	A	Nein	
NQU_IX_PLN_STORY	BTREE	Nein	Nein	STO_ID	1	A	Nein	
NQU_IX_PLN_CREATOR	BTREE	Nein	Nein	PLN_CREATED_BY_USR_ID	1	A	Nein	
NQU_IX_PLN_STATUS	BTREE	Nein	Nein	PLN_STATUS	1	A	Nein	

NQU_REG_REGION

Spalte	Typ	Null	Standard	Kommentare
REG_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
WRL_ID	bigint(20)	Nein		
REG_CODE	varchar(60)	Nein		
REG_NAME	varchar(150)	Nein		
REG_DESCRIPTION	text	Ja	NULL	
REG_SORT_ORDER	int(10)	Nein	1	
REG_ACTIVE_FLAG	tinyint(1)	Nein	1	
REG_CREATED_AT	datetime	Nein	current_timestamp()	
REG_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	REG_ID	1	A	Nein	
NQU_UK_REG_CODE	BTREE	Ja	Nein	REG_CODE	1	A	Nein	
NQU_IX_REG_WORLD	BTREE	Nein	Nein	WRL_ID	1	A	Nein	

NQU_RIN_ROUND_INSTRUCTION

Spalte	Typ	Null	Standard	Kommentare
RIN_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
MRD_ID	bigint(20)	Nein		
AUTHOR_USR_ID	bigint(20)	Nein		
RIN_SOURCE_TYPE	enum('TEACHER', 'PARENT', 'CAREGIVER', 'SYSTEM')	Nein		
RIN_INSTRUCTION_TYPE	enum('PUNCTUATION', 'WRITING', 'CONTROL', 'GENERAL', 'MOTIVATION')	Nein	GENERAL	
RIN_TEXT	varchar(2000)	Nein		
RIN_SORT_ORDER	int(10)	Nein	1	
RIN_ACTIVE_FLAG	tinyint(1)	Nein	1	
RIN_CREATED_AT	datetime	Nein	current_timestamp()	
RIN_UPDATED_AT	datetime	Nein	current_timestamp()	
RIN_DELETED_AT	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	RIN_ID	20	A	Nein	
NQU_IX_RIN_ROUND	BTREE	Nein	Nein	MRD_ID	5	A	Nein	
NQU_IX_RIN_AUTHOR	BTREE	Nein	Nein	AUTHOR_USR_ID	2	A	Nein	

NQU_ROL_ROLE

Spalte	Typ	Null	Standard	Kommentare
ROL_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
ROL_CODE	varchar(30)	Nein		
ROL_NAME	varchar(100)	Nein		
ROL_DESCRIPTION	varchar(500)	Ja	NULL	
ROL_ACTIVE_FLAG	tinyint(1)	Nein	1	
ROL_CREATED_AT	datetime	Nein	current_timestamp()	
ROL_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	ROL_ID	4	A	Nein	
NQU_UK_ROL_CODE	BTREE	Ja	Nein	ROL_CODE	4	A	Nein	

NQU_STD_STORY_DAY

Spalte	Typ	Null	Standard	Kommentare
STD_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
STO_ID	bigint(20)	Nein		
STD_CODE	varchar(100)	Nein		
STD_DAY_NUMBER	tinyint(3)	Nein		
STD_TITLE	varchar(200)	Nein		
STD_SUMMARY	text	Ja	NULL	
STD_DAILY_VALUE	varchar(500)	Ja	NULL	
STD_FINAL_MESSAGE_G1	varchar(1000)	Ja	NULL	
STD_FINAL_MESSAGE_G2	varchar(1500)	Ja	NULL	
STD_FINAL_MESSAGE_G3	varchar(2000)	Ja	NULL	
STD_FINAL_MESSAGE_G4	varchar(2500)	Ja	NULL	
STD_ILLUSTRATION_KEY	varchar(150)	Ja	NULL	
STD_ACTIVE_FLAG	tinyint(1)	Nein	1	
STD_CREATED_AT	datetime	Nein	current_timestamp()	
STD_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	STD_ID	1	A	Nein	
NQU_UK_STD_CODE	BTREE	Ja	Nein	STD_CODE	1	A	Nein	
NQU_UK_STD_STORY_DAY	BTREE	Ja	Nein	STO_ID	1	A	Nein	
				STD_DAY_NUMBER	1	A	Nein	

NQU_STO_STORY

Spalte	Typ	Null	Standard	Kommentare
STO_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
REG_ID	bigint(20)	Nein		
CMP_ID	bigint(20)	Nein		
STO_CODE	varchar(80)	Nein		
STO_TITLE	varchar(200)	Nein		
STO_DESCRIPTION	text	Ja	<i>NULL</i>	
STO_THEME	varchar(200)	Ja	<i>NULL</i>	
STO_VALUE_MESSAGE	varchar(500)	Ja	<i>NULL</i>	
STO_MIN_GRADE	tinyint(3)	Nein	1	
STO_MAX_GRADE	tinyint(3)	Nein	4	
STO_STATUS	enum('DRAFT', 'REVIEW', 'PUBLISHED', 'ARCHIVED')	Nein	DRAFT	
STO_VERSION	varchar(30)	Nein	1.0.0	
STO_CREATED_AT	datetime	Nein	current_timestamp()	
STO_UPDATED_AT	datetime	Nein	current_timestamp()	
STO_DELETED_AT	datetime	Ja	<i>NULL</i>	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	STO_ID	1	A	Nein	
NQU_UK_STO_CODE	BTREE	Ja	Nein	STO_CODE	1	A	Nein	
NQU_IX_STO_REGION	BTREE	Nein	Nein	REG_ID	1	A	Nein	
NQU_IX_STO_COMPANION	BTREE	Nein	Nein	CMP_ID	1	A	Nein	
NQU_IX_STO_STATUS	BTREE	Nein	Nein	STO_STATUS	1	A	Nein	

NQU_STP_STORY_PART

Spalte	Typ	Null	Standard	Kommentare
STP_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
STD_ID	bigint(20)	Nein		
STP_PART_NUMBER	tinyint(3)	Nein		
STP_UNLOCK_AFTER_ROUND	tinyint(3)	Nein		
STP_TITLE	varchar(200)	Ja	<i>NULL</i>	
STP_TEXT_GRADE_1	text	Nein		
STP_TEXT_GRADE_2	text	Nein		
STP_TEXT_GRADE_3	text	Nein		
STP_TEXT_GRADE_4	text	Nein		
STP_ENCOURAGEMENT_G1	varchar(1000)	Ja	<i>NULL</i>	
STP_ENCOURAGEMENT_G2	varchar(1000)	Ja	<i>NULL</i>	
STP_ENCOURAGEMENT_G3	varchar(1500)	Ja	<i>NULL</i>	
STP_ENCOURAGEMENT_G4	varchar(1500)	Ja	<i>NULL</i>	
STP_ILLUSTRATION_KEY	varchar(150)	Ja	<i>NULL</i>	
STP_LOCATION_CODE	varchar(100)	Ja	<i>NULL</i>	
STP_ACTIVE_FLAG	tinyint(1)	Nein	1	
STP_CREATED_AT	datetime	Nein	current_timestamp()	
STP_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	STP_ID	5	A	Nein	
NQU_UK_STP_DAY_PART	BTREE	Ja	Nein	STD_ID	1	A	Nein	
				STP_PART_NUMBER	5	A	Nein	
NQU_UK_STP_DAY_UNLOCK	BTREE	Ja	Nein	STD_ID	1	A	Nein	
				STP_UNLOCK_AFTER_ROUND	5	A	Nein	

NQU_USR_USER

Spalte	Typ	Null	Standard	Kommentare
USR_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
ROL_ID	bigint(20)	Nein		
USR_PUBLIC_ID	char(36)	Nein		
USR_EMAIL	varchar(254)	Ja	<i>NULL</i>	
USR_USERNAME	varchar(80)	Nein		
USR_PASSWORD_HASH	varchar(255)	Nein		
USR_DISPLAY_NAME	varchar(120)	Nein		
USR_STATUS	enum('PENDING', 'ACTIVE', 'LOCKED', 'DISABLED')	Nein	ACTIVE	
USR_LAST_LOGIN_AT	datetime	Ja	<i>NULL</i>	
USR_EMAIL_VERIFIED_AT	datetime	Ja	<i>NULL</i>	
USR_CREATED_AT	datetime	Nein	current_timestamp()	
USR_UPDATED_AT	datetime	Nein	current_timestamp()	
USR_DELETED_AT	datetime	Ja	<i>NULL</i>	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	USR_ID	4	A	Nein	
NQU_UK_USR_PUBLIC_ID	BTREE	Ja	Nein	USR_PUBLIC_ID	4	A	Nein	
NQU_UK_USR_USERNAME	BTREE	Ja	Nein	USR_USERNAME	4	A	Nein	
NQU_UK_USR_EMAIL	BTREE	Ja	Nein	USR_EMAIL	4	A	Ja	
NQU_IX_USR_ROLE	BTREE	Nein	Nein	ROL_ID	4	A	Nein	
NQU_IX_USR_STATUS	BTREE	Nein	Nein	USR_STATUS	1	A	Nein	
NQU_IX_USR_DELETED	BTREE	Nein	Nein	USR_DELETED_AT	1	A	Ja	

NQU_V_ADVENTURE_BOOK

Tabellenkommentar: VIEW

Spalte	Typ	Null	Standard	Kommentare
ABK_ID	bigint(20)	Nein	0	
CHP_ID	bigint(20)	Nein		
CHP_FIRST_NAME	varchar(80)	Nein		
CHP_GRADE_LEVEL	tinyint(3)	Nein		
ABK_TITLE	varchar(200)	Nein		
ABK_COVER_IMAGE_KEY	varchar(150)	Ja	<i>NULL</i>	
ABK_COMPLETED_AT	datetime	Ja	<i>NULL</i>	
STO_ID	bigint(20)	Nein	0	
STO_CODE	varchar(80)	Nein		

STO_TITLE	varchar(200)	Nein		
STD_DAY_NUMBER	tinyint(3)	Nein		
DAY_TITLE	varchar(200)	Nein		
STP_PART_NUMBER	tinyint(3)	Nein		
STORY_TEXT	mediumtext	Ja	NULL	
STP_ILLUSTRATION_KEY	varchar(150)	Ja	NULL	
ABP_UNLOCKED_AT	datetime	Nein	current_timestamp()	
ABP_READ_AT	datetime	Ja	NULL	

NQU_V_CHILD_PROGRESS

Tabellenkommentar: VIEW

Spalte	Typ	Null	Standard	Kommentare
CHP_ID	bigint(20)	Nein	0	
CHP_FIRST_NAME	varchar(80)	Nein		
CHP_GRADE_LEVEL	tinyint(3)	Nein		
PLN_ID	bigint(20)	Nein	0	
PLN_TITLE	varchar(200)	Nein		
PLN_STATUS	enum('PLANNED', 'ACTIVE', 'COMPLETED', 'PAUSED', 'CANCELLED')	Nein	PLANNED	
MSN_ID	bigint(20)	Nein	0	
MSN_DAY_NUMBER	tinyint(3)	Nein		
MSN_TITLE	varchar(200)	Nein		
MSN_STATUS	enum('LOCKED', 'AVAILABLE', 'IN_PROGRESS', 'COMPLETED', 'PAUSED')	Nein	LOCKED	
TOTAL_ROUNDS	bigint(21)	Nein	0	
COMPLETED_ROUNDS	decimal(23,0)	Ja	NULL	
UNLOCKED_STORY_PARTS	decimal(23,0)	Ja	NULL	
NEXT_ROUND_NUMBER	decimal(3,0)	Ja	NULL	
LAST_ACTIVITY_AT	datetime	Ja	current_timestamp()	

NQU_V_CURRENT_MISSION

Tabellenkommentar: VIEW

Spalte	Typ	Null	Standard	Kommentare
CHP_ID	bigint(20)	Nein	0	
CHP_FIRST_NAME	varchar(80)	Nein		
CHP_GRADE_LEVEL	tinyint(3)	Nein		
PLN_ID	bigint(20)	Nein	0	
PLN_TITLE	varchar(200)	Nein		
MSN_ID	bigint(20)	Nein	0	
MSN_DAY_NUMBER	tinyint(3)	Nein		
MSN_TITLE	varchar(200)	Nein		
MSP_STATUS	enum('NOT_STARTED', 'IN_PROGRESS', 'COMPLETED')	Nein	NOT_STARTED	

MSP_CURRENT_ROUND	tinyint(3)	Nein	1	
MSP_UNLOCKED_PARTS	tinyint(3)	Nein	0	
MRD_ID	bigint(20)	Ja	0	
MRD_SENTENCE_TEXT	text	Ja	NULL	
MRP_CURRENT_STEP	tinyint(3)	Ja	1	
MRP_PUNCTUATION_DONE	tinyint(1)	Ja	0	
MRP_SENTENCE_WRITTEN	tinyint(1)	Ja	0	
MRP_SENTENCE_REVIEWED	tinyint(1)	Ja	0	
MRP_MARKED_COMPLETE	tinyint(1)	Ja	0	
MRP_STORY_UNLOCKED	tinyint(1)	Ja	0	

NQU_V_ROUND_PROGRESS

Tabellenkommentar: VIEW

Spalte	Typ	Null	Standard	Kommentare
CHP_ID	bigint(20)	Nein	0	
CHP_FIRST_NAME	varchar(80)	Nein		
CHP_GRADE_LEVEL	tinyint(3)	Nein		
PLN_ID	bigint(20)	Nein	0	
PLN_TITLE	varchar(200)	Nein		
MSN_ID	bigint(20)	Nein	0	
MSN_DAY_NUMBER	tinyint(3)	Nein		
MSN_TITLE	varchar(200)	Nein		
MRD_ID	bigint(20)	Nein	0	
MRD_ROUND_NUMBER	tinyint(3)	Nein		
MRD_SENTENCE_TEXT	text	Nein		
MRP_CURRENT_STEP	tinyint(3)	Nein	1	
MRP_PUNCTUATION_DONE	tinyint(1)	Nein	0	
MRP_SENTENCE_WRITTEN	tinyint(1)	Nein	0	
MRP_SENTENCE_REVIEWED	tinyint(1)	Nein	0	
MRP_MARKED_COMPLETE	tinyint(1)	Nein	0	
MRP_STORY_UNLOCKED	tinyint(1)	Nein	0	
STP_ID	bigint(20)	Nein	0	
STP_PART_NUMBER	tinyint(3)	Nein		
STORY_TEXT	mediumtext	Ja	NULL	
ENCOURAGEMENT_TEXT	text	Ja	NULL	

NQU_WRL_WORLD

Spalte	Typ	Null	Standard	Kommentare
WRL_ID (<i>Primärschlüssel</i>)	bigint(20)	Nein		
WRL_CODE	varchar(60)	Nein		
WRL_NAME	varchar(150)	Nein		
WRL_DESCRIPTION	text	Ja	NULL	
WRL_ACTIVE_FLAG	tinyint(1)	Nein	1	
WRL_CREATED_AT	datetime	Nein	current_timestamp()	
WRL_UPDATED_AT	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
---------------	-----	--------	---------	--------	--------------	-----------	------	-----------

PRIMARY	BTREE	Ja	Nein	WRL_ID	1	A	Nein	
NQU_UK_WRL_CODE	BTREE	Ja	Nein	WRL_CODE	1	A	Nein	

nq_children

Spalte	Typ	Null	Standard	Kommentare				
id (Primärschlüssel)	bigint(20)	Nein						
display_name	varchar(100)	Nein						
grade_level	tinyint(3)	Nein	2					
created_at	datetime	Nein	current_timestamp()					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	1	A	Nein	

nq_companions

Spalte	Typ	Null	Standard	Kommentare				
id (Primärschlüssel)	bigint(20)	Nein						
code	varchar(50)	Nein						
name	varchar(100)	Nein						
description	text	Ja	NULL					
active_flag	tinyint(1)	Nein	1					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	1	A	Nein	
code	BTREE	Ja	Nein	code	1	A	Nein	

nq_day_rounds

Spalte	Typ	Null	Standard	Kommentare				
id (Primärschlüssel)	bigint(20)	Nein						
story_day_id	bigint(20)	Nein						
round_number	tinyint(3)	Nein						
instruction_symbol	varchar(20)	Nein	★					
sentence_text	varchar(500)	Nein						
search_instruction	varchar(255)	Nein						

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nq_day_round	BTREE	Ja	Nein	story_day_id	0	A	Nein	
				round_number	0	A	Nein	

nq_day_runs

Spalte	Typ	Null	Standard	Kommentare				
id (Primärschlüssel)	bigint(20)	Nein						
child_id	bigint(20)	Nein						

story_day_id	bigint(20)	Nein		
run_number	int(10)	Nein		
current_round	tinyint(3)	Nein	1	
current_step	tinyint(3)	Nein	1	
status	enum('active', 'completed', 'abandoned')	Nein	active	
started_at	datetime	Nein	current_timestamp()	
completed_at	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nq_day_run_number	BTREE	Ja	Nein	child_id	0	A	Nein	
				story_day_id	0	A	Nein	
				run_number	0	A	Nein	
idx_nq_day_runs_active	BTREE	Nein	Nein	child_id	0	A	Nein	
				story_day_id	0	A	Nein	
				status	0	A	Nein	
fk_nq_day_runs_day	BTREE	Nein	Nein	story_day_id	0	A	Nein	

nq_run_round_progress

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
day_run_id	bigint(20)	Nein		
round_number	tinyint(3)	Nein		
current_step	tinyint(3)	Nein	1	
completed_flag	tinyint(1)	Nein	0	
completed_at	datetime	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nq_run_round_progress	BTREE	Ja	Nein	day_run_id	0	A	Nein	
				round_number	0	A	Nein	

nq_stories

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
code	varchar(50)	Nein		
title	varchar(200)	Nein		
description	text	Ja	NULL	
status	enum('draft', 'active', 'archived')	Nein	draft	
created_at	datetime	Nein	current_timestamp()	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
---------------	-----	--------	---------	--------	--------------	-----------	------	-----------

PRIMARY	BTREE	Ja	Nein	id	1	A	Nein	
code	BTREE	Ja	Nein	code	1	A	Nein	

nq_story_days

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
story_id	bigint(20)	Nein		
day_number	tinyint(3)	Nein		
title	varchar(200)	Nein		
location_name	varchar(160)	Nein		
arrival_headline	varchar(255)	Nein		
arrival_text	text	Nein		
completion_text	text	Nein		

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	5	A	Nein	
uq_nq_story_day	BTREE	Ja	Nein	story_id	1	A	Nein	
				day_number	5	A	Nein	

nq_story_day_companions

Spalte	Typ	Null	Standard	Kommentare
story_day_id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
companion_id (<i>Primärschlüssel</i>)	bigint(20)	Nein		

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	story_day_id	0	A	Nein	
				companion_id	0	A	Nein	
fk_nq_sdc_companion	BTREE	Nein	Nein	companion_id	0	A	Nein	

nq_story_parts

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
story_day_id	bigint(20)	Nein		
round_number	tinyint(3)	Nein		
part_number	tinyint(3)	Nein		
text_content	text	Nein		

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	25	A	Nein	
uq_nq_story_part	BTREE	Ja	Nein	story_day_id	5	A	Nein	
				part_number	25	A	Nein	

nq_story_unlocks

Spalte	Typ	Null	Standard	Kommentare
--------	-----	------	----------	------------

id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
child_id	bigint(20)	Nein		
story_part_id	bigint(20)	Nein		
first_unlocked_at	datetime	Nein	current_timestamp()	
last_read_at	datetime	Ja	NULL	
read_count	int(10)	Nein	0	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nq_story_unlock	BTREE	Ja	Nein	child_id	0	A	Nein	
				story_part_id	0	A	Nein	
fk_nq_story_unlock_part	BTREE	Nein	Nein	story_part_id	0	A	Nein	

nr_assignment_targets

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
commitment_id	bigint(20)	Nein		
target_type_code	varchar(30)	Nein		
person_id	bigint(20)	Ja	NULL	
group_id	bigint(20)	Ja	NULL	
membership_role_code	varchar(50)	Ja	NULL	
resolution_mode_code	varchar(30)	Nein	SNAPSHOT	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_assignment_target_commitment	BTREE	Nein	Nein	commitment_id	0	A	Nein	
fk_nr_assignment_target_person	BTREE	Nein	Nein	person_id	0	A	Ja	
fk_nr_assignment_target_group	BTREE	Nein	Nein	group_id	0	A	Ja	

nr_block_feedback

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
timer_session_id	bigint(20)	Nein		
completion_level_code	varchar(30)	Ja	NULL	
focus_quality	tinyint(3)	Ja	NULL	
energy_before	tinyint(3)	Ja	NULL	
energy_after	tinyint(3)	Ja	NULL	
stress_before	tinyint(3)	Ja	NULL	
stress_after	tinyint(3)	Ja	NULL	
felt_duration_code	varchar(30)	Ja	NULL	
comment_text	varchar(2000)	Ja	NULL	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
---------------	-----	--------	---------	--------	--------------	-----------	------	-----------

PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
timer_session_id	BTREE	Ja	Nein	timer_session_id	0	A	Nein	

nr_block_types

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
code	varchar(50)	Nein		
name	varchar(120)	Nein		
description	varchar(1000)	Ja	<i>NULL</i>	
default_duration_minutes	smallint(5)	Ja	<i>NULL</i>	
default_domain_code	varchar(30)	Ja	<i>NULL</i>	
counts_as_work_default	tinyint(1)	Nein	0	
requires_transition_before	tinyint(1)	Nein	0	
requires_transition_after	tinyint(1)	Nein	0	
is_active	tinyint(1)	Nein	1	
sort_order	int(11)	Nein	0	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
code	BTREE	Ja	Nein	code	0	A	Nein	
fk_nr_block_types_domain	BTREE	Nein	Nein	default_domain_code	0	A	Ja	

nr_commitments

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
public_id	char(36)	Nein		
title	varchar(200)	Nein		
description	text	Ja	<i>NULL</i>	
commitment_type_code	varchar(50)	Nein		
domain_code	varchar(30)	Nein		
created_by_person_id	bigint(20)	Nein		
requested_by_person_id	bigint(20)	Ja	<i>NULL</i>	
responsible_person_id	bigint(20)	Ja	<i>NULL</i>	
planning_mode_code	varchar(50)	Nein		
schedule_control_code	varchar(50)	Nein		
priority_level	tinyint(3)	Nein	3	
importance_reason	varchar(1000)	Ja	<i>NULL</i>	
earliest_start_at	datetime(3)	Ja	<i>NULL</i>	
latest_finish_at	datetime(3)	Ja	<i>NULL</i>	
due_at	datetime(3)	Ja	<i>NULL</i>	
fixed_start_at	datetime(3)	Ja	<i>NULL</i>	
fixed_end_at	datetime(3)	Ja	<i>NULL</i>	
estimated_total_minutes	int(10)	Ja	<i>NULL</i>	
minimum_block_minutes	smallint(5)	Ja	<i>NULL</i>	
maximum_block_minutes	smallint(5)	Ja	<i>NULL</i>	
required_block_count	smallint(5)	Ja	<i>NULL</i>	
splittable	tinyint(1)	Nein	1	

requires_completion	tinyint(1)	Nein	1	
context_id	bigint(20)	Ja	NULL	
status_code	varchar(30)	Nein	OPEN	
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	
completed_at	datetime(3)	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	3	A	Nein	
public_id	BTREE	Ja	Nein	public_id	3	A	Nein	
fk_nr_commitments_type	BTREE	Nein	Nein	commitment_type_code	3	A	Nein	
fk_nr_commitments_domain	BTREE	Nein	Nein	domain_code	1	A	Nein	
fk_nr_commitments_created_by	BTREE	Nein	Nein	created_by_person_id	1	A	Nein	
fk_nr_commitments_requested_by	BTREE	Nein	Nein	requested_by_person_id	1	A	Ja	
fk_nr_commitments_planning_mode	BTREE	Nein	Nein	planning_mode_code	3	A	Nein	
fk_nr_commitments_schedule_control	BTREE	Nein	Nein	schedule_control_code	3	A	Nein	
fk_nr_commitments_context	BTREE	Nein	Nein	context_id	1	A	Ja	
ix_nr_commitments_due	BTREE	Nein	Nein	due_at	3	A	Ja	
				status_code	3	A	Nein	
ix_nr_commitments_fixed	BTREE	Nein	Nein	fixed_start_at	3	A	Ja	
				fixed_end_at	3	A	Ja	
ix_nr_commitments_responsible	BTREE	Nein	Nein	responsible_person_id	1	A	Ja	
				status_code	1	A	Nein	

nr_commitment_links

Spalte	Typ	Null	Standard	Kommentare
id (Primärschlüssel)	bigint(20)	Nein		
source_commitment_id	bigint(20)	Nein		
target_commitment_id	bigint(20)	Nein		
link_type_code	varchar(30)	Nein		
offset_minutes	int(11)	Ja	NULL	
sequence_number	int(11)	Ja	NULL	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_commitment_links	BTREE	Ja	Nein	source_commitment_id	0	A	Nein	
				target_commitment_id	0	A	Nein	
				link_type_code	0	A	Nein	
fk_nr_commitment_links_target	BTREE	Nein	Nein	target_commitment_id	0	A	Nein	

nr_commitment_participants

Spalte	Typ	Null	Standard	Kommentare
id (Primärschlüssel)	bigint(20)	Nein		
commitment_id	bigint(20)	Nein		
person_id	bigint(20)	Nein		

group_id	bigint(20)	Ja	NULL	
participation_role_code	varchar(50)	Nein	PARTICIPANT	
participation_status_code	varchar(30)	Nein	PLANNED	
attendance_required	tinyint(1)	Nein	1	
individual_start_at	datetime(3)	Ja	NULL	
individual_end_at	datetime(3)	Ja	NULL	
individual_preparation_minutes	smallint(5)	Nein	0	
individual_travel_before_minutes	smallint(5)	Nein	0	
individual_travel_after_minutes	smallint(5)	Nein	0	
individual_recovery_minutes	smallint(5)	Nein	0	
confirmed_by_person_id	bigint(20)	Ja	NULL	
confirmed_at	datetime(3)	Ja	NULL	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_commitment_participant	BTREE	Ja	Nein	commitment_id	0	A	Nein	
				person_id	0	A	Nein	
fk_nr_commitment_part_group	BTREE	Nein	Nein	group_id	0	A	Ja	
fk_nr_commitment_part_status	BTREE	Nein	Nein	participation_status_code	0	A	Nein	
fk_nr_commitment_part_confirmed_by	BTREE	Nein	Nein	confirmed_by_person_id	0	A	Ja	
ix_nr_commitment_part_person	BTREE	Nein	Nein	person_id	0	A	Nein	
				participation_status_code	0	A	Nein	

nr_commitment_types

Spalte	Typ	Null	Standard	Kommentare
code (<i>Primärschlüssel</i>)	varchar(50)	Nein		
name	varchar(120)	Nein		
description	varchar(500)	Ja	NULL	
is_active	tinyint(1)	Nein	1	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	8	A	Nein	

nr_commitment_visibility

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
commitment_id	bigint(20)	Nein		
viewer_person_id	bigint(20)	Ja	NULL	
viewer_group_id	bigint(20)	Ja	NULL	
visibility_level_code	varchar(30)	Nein		
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	

fk_nr_commitment_visibility_commitment	BTREE	Nein	Nein	commitment_id	0	A	Nein	
fk_nr_commitment_visibility_person	BTREE	Nein	Nein	viewer_person_id	0	A	Ja	
fk_nr_commitment_visibility_group	BTREE	Nein	Nein	viewer_group_id	0	A	Ja	
fk_nr_commitment_visibility_level	BTREE	Nein	Nein	visibility_level_code	0	A	Nein	

nr_completion_events

Spalte	Typ	Null	Standard	Kommentare				
id (<i>Primärschlüssel</i>)	bigint(20)	Nein						
person_id	bigint(20)	Nein						
timer_session_id	bigint(20)	Ja	NULL					
event_type_code	varchar(50)	Nein						
planned_minutes	int(10)	Ja	NULL					
actual_minutes	int(10)	Ja	NULL					
saved_minutes	int(11)	Ja	NULL					
created_at	datetime(3)	Nein	current_timestamp(3)					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_completion_person	BTREE	Nein	Nein	person_id	0	A	Nein	
fk_nr_completion_timer	BTREE	Nein	Nein	timer_session_id	0	A	Ja	

nr_contexts

Spalte	Typ	Null	Standard	Kommentare				
id (<i>Primärschlüssel</i>)	bigint(20)	Nein						
code	varchar(50)	Nein						
name	varchar(120)	Nein						
description	varchar(1000)	Ja	NULL					
cognitive_load	tinyint(3)	Nein	1					
sensory_load	tinyint(3)	Nein	1					
social_load	tinyint(3)	Nein	1					
is_active	tinyint(1)	Nein	1					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
code	BTREE	Ja	Nein	code	0	A	Nein	

nr_day_plans

Spalte	Typ	Null	Standard	Kommentare				
id (<i>Primärschlüssel</i>)	bigint(20)	Nein						
person_id	bigint(20)	Nein						
plan_date	date	Nein						
status_code	varchar(30)	Nein	DRAFT					
planned_work_minutes	int(10)	Nein	0					
planned_private_minutes	int(10)	Nein	0					
planned_break_minutes	int(10)	Nein	0					

planning_strategy_code	varchar(30)	Nein	NAMI	
generated_at	datetime(3)	Ja	NULL	
confirmed_at	datetime(3)	Ja	NULL	
created_by_person_id	bigint(20)	Nein		
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_day_plan	BTREE	Ja	Nein	person_id	0	A	Nein	
				plan_date	0	A	Nein	
fk_nr_day_plan_created_by	BTREE	Nein	Nein	created_by_person_id	0	A	Nein	

nr_domains

Spalte	Typ	Null	Standard	Kommentare
code (<i>Primärschlüssel</i>)	varchar(30)	Nein		
name	varchar(100)	Nein		
description	varchar(500)	Ja	NULL	
is_active	tinyint(1)	Nein	1	
sort_order	int(11)	Nein	0	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	3	A	Nein	

nr_experiments

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
person_id	bigint(20)	Nein		
hypothesis_id	bigint(20)	Ja	NULL	
title	varchar(200)	Nein		
description	text	Nein		
starts_on	date	Nein		
ends_on	date	Nein		
success_criterion	varchar(2000)	Nein		
status_code	varchar(30)	Nein	PLANNED	
result_summary	text	Ja	NULL	
created_at	datetime(3)	Nein	current_timestamp(3)	
completed_at	datetime(3)	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_experiment_person	BTREE	Nein	Nein	person_id	0	A	Nein	
fk_nr_experiment_hypothesis	BTREE	Nein	Nein	hypothesis_id	0	A	Ja	

nr_flow_templates

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
owner_person_id	bigint(20)	Nein		
code	varchar(80)	Nein		
name	varchar(180)	Nein		
description	text	Ja	<i>NULL</i>	
trigger_type_code	varchar(50)	Ja	<i>NULL</i>	
estimated_minutes	smallint(5)	Ja	<i>NULL</i>	
is_active	tinyint(1)	Nein	1	
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_flow_template_code	BTREE	Ja	Nein	owner_person_id	0	A	Nein	
				code	0	A	Nein	

nr_flow_template_steps

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
flow_template_id	bigint(20)	Nein		
sequence_number	int(11)	Nein		
instruction_text	varchar(1000)	Nein		
block_type_id	bigint(20)	Ja	<i>NULL</i>	
estimated_minutes	smallint(5)	Ja	<i>NULL</i>	
is_optional	tinyint(1)	Nein	0	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_flow_step_sequence	BTREE	Ja	Nein	flow_template_id	0	A	Nein	
				sequence_number	0	A	Nein	
fk_nr_flow_step_block_type	BTREE	Nein	Nein	block_type_id	0	A	Ja	

nr_groups

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
public_id	char(36)	Nein		
name	varchar(150)	Nein		
group_type_code	varchar(50)	Nein		
owner_person_id	bigint(20)	Nein		
parent_group_id	bigint(20)	Ja	<i>NULL</i>	
is_dynamic	tinyint(1)	Nein	0	
valid_from	date	Ja	<i>NULL</i>	
valid_until	date	Ja	<i>NULL</i>	
status_code	varchar(30)	Nein	ACTIVE	
created_at	datetime(3)	Nein	current_timestamp(3)	

updated_at	datetime(3)	Nein	current_timestamp(3)	
------------	-------------	------	----------------------	--

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	2	A	Nein	
public_id	BTREE	Ja	Nein	public_id	2	A	Nein	
fk_nr_groups_type	BTREE	Nein	Nein	group_type_code	2	A	Nein	
fk_nr_groups_owner	BTREE	Nein	Nein	owner_person_id	2	A	Nein	
fk_nr_groups_parent	BTREE	Nein	Nein	parent_group_id	1	A	Ja	

nr_group_memberships

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
group_id	bigint(20)	Nein		
person_id	bigint(20)	Nein		
membership_role_code	varchar(50)	Nein	MEMBER	
valid_from	date	Ja	NULL	
valid_until	date	Ja	NULL	
status_code	varchar(30)	Nein	ACTIVE	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	2	A	Nein	
uq_nr_group_membership	BTREE	Ja	Nein	group_id	1	A	Nein	
				person_id	2	A	Nein	
				membership_role_code	2	A	Nein	
				valid_from	2	A	Ja	
fk_nr_group_membership_person	BTREE	Nein	Nein	person_id	2	A	Nein	
ix_nr_group_membership_active	BTREE	Nein	Nein	group_id	1	A	Nein	
				status_code	1	A	Nein	
				valid_from	1	A	Ja	
				valid_until	1	A	Ja	

nr_group_types

Spalte	Typ	Null	Standard	Kommentare
code (<i>Primärschlüssel</i>)	varchar(50)	Nein		
name	varchar(120)	Nein		
description	varchar(500)	Ja	NULL	
is_active	tinyint(1)	Nein	1	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	9	A	Nein	

nr_hypotheses

Spalte	Typ	Null	Standard	Kommentare

id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
person_id	bigint(20)	Nein		
observation_id	bigint(20)	Ja	<i>NULL</i>	
hypothesis_text	varchar(2000)	Nein		
confidence_level	tinyint(3)	Nein	1	
status_code	varchar(30)	Nein	PROPOSED	
created_at	datetime(3)	Nein	current_timestamp(3)	
confirmed_at	datetime(3)	Ja	<i>NULL</i>	
rejected_at	datetime(3)	Ja	<i>NULL</i>	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_hypothesis_person	BTREE	Nein	Nein	person_id	0	A	Nein	
fk_nr_hypothesis_observation	BTREE	Nein	Nein	observation_id	0	A	Ja	

nr_motivation_messages

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
event_type_code	varchar(50)	Nein		
minimum_saved_minutes	int(11)	Ja	<i>NULL</i>	
maximum_saved_minutes	int(11)	Ja	<i>NULL</i>	
message_text	varchar(1000)	Nein		
locale	varchar(20)	Nein	de-DE	
is_active	tinyint(1)	Nein	1	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	

nr_observations

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
person_id	bigint(20)	Nein		
observation_type_code	varchar(50)	Nein		
period_start	date	Nein		
period_end	date	Nein		
sample_size	int(10)	Nein		
metric_name	varchar(100)	Nein		
metric_value	decimal(12,4)	Ja	<i>NULL</i>	
unit_code	varchar(30)	Ja	<i>NULL</i>	
comparison_value	decimal(12,4)	Ja	<i>NULL</i>	
observation_text	varchar(2000)	Nein		
generated_at	datetime(3)	Nein	current_timestamp(3)	
status_code	varchar(30)	Nein	NEW	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
---------------	-----	--------	---------	--------	--------------	-----------	------	-----------

PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_observation_person	BTREE	Nein	Nein	person_id	0	A	Nein	

nr_participation_statuses

Spalte	Typ	Null	Standard	Kommentare				
code (<i>Primärschlüssel</i>)	varchar(30)	Nein						
name	varchar(100)	Nein						

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	0	A	Nein	

nr_permission_levels

Spalte	Typ	Null	Standard	Kommentare				
code (<i>Primärschlüssel</i>)	varchar(30)	Nein						
name	varchar(100)	Nein						
rank_value	smallint(5)	Nein						
description	varchar(500)	Ja	NULL					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	0	A	Nein	

nr_personal_rules

Spalte	Typ	Null	Standard	Kommentare				
id (<i>Primärschlüssel</i>)	bigint(20)	Nein						
person_id	bigint(20)	Nein						
rule_code	varchar(100)	Nein						
rule_name	varchar(200)	Nein						
condition_json	longtext	Nein						
action_json	longtext	Nein						
source_experiment_id	bigint(20)	Ja	NULL					
priority_level	tinyint(3)	Nein	3					
is_active	tinyint(1)	Nein	1					
valid_from	date	Nein						
valid_until	date	Ja	NULL					
created_at	datetime(3)	Nein	current_timestamp(3)					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_personal_rule_code	BTREE	Ja	Nein	person_id	0	A	Nein	
				rule_code	0	A	Nein	
fk_nr_personal_rule_experiment	BTREE	Nein	Nein	source_experiment_id	0	A	Ja	

nr_persons

Spalte	Typ	Null	Standard	Kommentare				
--------	-----	------	----------	------------	--	--	--	--

id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
public_id	char(36)	Nein		
display_name	varchar(150)	Nein		
person_type_code	varchar(50)	Nein	ADULT	
timezone	varchar(100)	Nein	Europe/Berlin	
locale	varchar(20)	Nein	de-DE	
birth_year	smallint(5)	Ja	<i>NULL</i>	
is_login_user	tinyint(1)	Nein	0	
is_active	tinyint(1)	Nein	1	
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	4	A	Nein	
public_id	BTREE	Ja	Nein	public_id	4	A	Nein	

nr_person_relationships

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
from_person_id	bigint(20)	Nein		
to_person_id	bigint(20)	Nein		
relationship_type_code	varchar(50)	Nein		
valid_from	date	Ja	<i>NULL</i>	
valid_until	date	Ja	<i>NULL</i>	
status_code	varchar(30)	Nein	ACTIVE	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	2	A	Nein	
uq_nr_person_relationships	BTREE	Ja	Nein	from_person_id	2	A	Nein	
				to_person_id	2	A	Nein	
				relationship_type_code	2	A	Nein	
fk_nr_person_rel_to	BTREE	Nein	Nein	to_person_id	2	A	Nein	
fk_nr_person_rel_type	BTREE	Nein	Nein	relationship_type_code	2	A	Nein	

nr_planning_modes

Spalte	Typ	Null	Standard	Kommentare
code (<i>Primärschlüssel</i>)	varchar(50)	Nein		
name	varchar(120)	Nein		
description	varchar(500)	Ja	<i>NULL</i>	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	5	A	Nein	

nr_planning_permissions

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
granting_person_id	bigint(20)	Nein		
planner_person_id	bigint(20)	Nein		
scope_type_code	varchar(30)	Nein	PERSON	
scope_reference_id	bigint(20)	Ja	<i>NULL</i>	
permission_level_code	varchar(30)	Nein		
valid_from	datetime(3)	Ja	<i>NULL</i>	
valid_until	datetime(3)	Ja	<i>NULL</i>	
granted_by_person_id	bigint(20)	Nein		
status_code	varchar(30)	Nein	ACTIVE	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_plan_perm_granting	BTREE	Nein	Nein	granting_person_id	0	A	Nein	
fk_nr_plan_perm_planner	BTREE	Nein	Nein	planner_person_id	0	A	Nein	
fk_nr_plan_perm_level	BTREE	Nein	Nein	permission_level_code	0	A	Nein	
fk_nr_plan_perm_granted_by	BTREE	Nein	Nein	granted_by_person_id	0	A	Nein	

nr_plan_blocks

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
day_plan_id	bigint(20)	Nein		
block_type_id	bigint(20)	Nein		
domain_code	varchar(30)	Nein		
context_id	bigint(20)	Ja	<i>NULL</i>	
commitment_id	bigint(20)	Ja	<i>NULL</i>	
starts_at	datetime(3)	Nein		
ends_at	datetime(3)	Nein		
planned_minutes	int(10)	Nein		
sequence_number	int(11)	Nein		
is_fixed	tinyint(1)	Nein	0	
is_optional	tinyint(1)	Nein	0	
counts_as_work	tinyint(1)	Nein	0	
planning_reason	varchar(1000)	Ja	<i>NULL</i>	
context_switch_cost	decimal(6,2)	Ja	<i>NULL</i>	
status_code	varchar(30)	Nein	PLANNED	
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_plan_block_sequence	BTREE	Ja	Nein	day_plan_id	0	A	Nein	
				sequence_number	0	A	Nein	
fk_nr_plan_block_type	BTREE	Nein	Nein	block_type_id	0	A	Nein	

fk_nr_plan_block_domain	BTREE	Nein	Nein	domain_code	0	A	Nein	
fk_nr_plan_block_context	BTREE	Nein	Nein	context_id	0	A	Ja	
fk_nr_plan_block_commitment	BTREE	Nein	Nein	commitment_id	0	A	Ja	
ix_nr_plan_blocks_time	BTREE	Nein	Nein	day_plan_id	0	A	Nein	
				starts_at	0	A	Nein	
				ends_at	0	A	Nein	

nr_relationship_types

Spalte	Typ	Null	Standard	Kommentare				
code (<i>Primärschlüssel</i>)	varchar(50)	Nein						
name	varchar(120)	Nein						
description	varchar(500)	Ja	NULL					
is_active	tinyint(1)	Nein	1					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	7	A	Nein	

nr_rhythm_occurrences

Spalte	Typ	Null	Standard	Kommentare				
id (<i>Primärschlüssel</i>)	bigint(20)	Nein						
rhythm_rule_id	bigint(20)	Nein						
commitment_id	bigint(20)	Nein						
occurrence_date	date	Nein						
generated_at	datetime(3)	Nein	current_timestamp(3)					
status_code	varchar(30)	Nein	GENERATED					

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_rhythm_occurrence	BTREE	Ja	Nein	rhythm_rule_id	0	A	Nein	
				occurrence_date	0	A	Nein	
				commitment_id	0	A	Nein	
fk_nr_rhythm_occ_commitment	BTREE	Nein	Nein	commitment_id	0	A	Nein	

nr_rhythm_rules

Spalte	Typ	Null	Standard	Kommentare				
id (<i>Primärschlüssel</i>)	bigint(20)	Nein						
public_id	char(36)	Nein						
name	varchar(200)	Nein						
description	text	Ja	NULL					
rule_type_code	varchar(50)	Nein						
owner_person_id	bigint(20)	Nein						
created_by_person_id	bigint(20)	Nein						
applies_to_person_id	bigint(20)	Ja	NULL					
applies_to_group_id	bigint(20)	Ja	NULL					
recurrence_rule	varchar(1000)	Nein						

preferred_time_start	time	Ja	NULL	
preferred_time_end	time	Ja	NULL	
latest_time	time	Ja	NULL	
default_duration_minutes	smallint(5)	Ja	NULL	
planning_flexibility_minutes	smallint(5)	Nein	0	
context_id	bigint(20)	Ja	NULL	
priority_level	tinyint(3)	Nein	3	
is_mandatory	tinyint(1)	Nein	1	
generation_horizon_days	smallint(5)	Nein	30	
valid_from	date	Nein		
valid_until	date	Ja	NULL	
status_code	varchar(30)	Nein	ACTIVE	
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	1	A	Nein	
public_id	BTREE	Ja	Nein	public_id	1	A	Nein	
fk_nr_rhythm_owner	BTREE	Nein	Nein	owner_person_id	1	A	Nein	
fk_nr_rhythm_created_by	BTREE	Nein	Nein	created_by_person_id	1	A	Nein	
fk_nr_rhythm_person	BTREE	Nein	Nein	applies_to_person_id	1	A	Ja	
fk_nr_rhythm_group	BTREE	Nein	Nein	applies_to_group_id	1	A	Ja	
fk_nr_rhythm_context	BTREE	Nein	Nein	context_id	1	A	Ja	
ix_nr_rhythm_rule_active	BTREE	Nein	Nein	status_code	1	A	Nein	
				valid_from	1	A	Nein	
				valid_until	1	A	Ja	

nr_schedule_controls

Spalte	Typ	Null	Standard	Kommentare
code (<i>Primärschlüssel</i>)	varchar(50)	Nein		
name	varchar(120)	Nein		
description	varchar(500)	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	6	A	Nein	

nr_timer_pauses

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
timer_session_id	bigint(20)	Nein		
paused_at	datetime(3)	Nein		
resumed_at	datetime(3)	Ja	NULL	
pause_seconds	int(10)	Ja	NULL	
reason_code	varchar(50)	Ja	NULL	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_timer_pause_session	BTREE	Nein	Nein	timer_session_id	0	A	Nein	

nr_timer_sessions

Spalte	Typ	Null	Standard	Kommentare
id (Primärschlüssel)	bigint(20)	Nein		
person_id	bigint(20)	Nein		
plan_block_id	bigint(20)	Ja	NULL	
block_type_id	bigint(20)	Nein		
commitment_id	bigint(20)	Ja	NULL	
started_at	datetime(3)	Nein		
ended_at	datetime(3)	Ja	NULL	
planned_minutes	int(10)	Ja	NULL	
actual_seconds	int(10)	Ja	NULL	
rounded_minutes	int(10)	Ja	NULL	
rounding_minutes	smallint(5)	Nein	5	
completion_reason_code	varchar(50)	Ja	NULL	
was_interrupted	tinyint(1)	Nein	0	
counts_as_work	tinyint(1)	Nein	0	
status_code	varchar(30)	Nein	RUNNING	
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_timer_plan_block	BTREE	Nein	Nein	plan_block_id	0	A	Ja	
fk_nr_timer_block_type	BTREE	Nein	Nein	block_type_id	0	A	Nein	
fk_nr_timer_commitment	BTREE	Nein	Nein	commitment_id	0	A	Ja	
ix_nr_timer_person_time	BTREE	Nein	Nein	person_id	0	A	Nein	
				started_at	0	A	Nein	
				ended_at	0	A	Ja	

nr_transitions

Spalte	Typ	Null	Standard	Kommentare
id (Primärschlüssel)	bigint(20)	Nein		
person_id	bigint(20)	Nein		
from_timer_session_id	bigint(20)	Ja	NULL	
to_timer_session_id	bigint(20)	Ja	NULL	
from_context_id	bigint(20)	Ja	NULL	
to_context_id	bigint(20)	Ja	NULL	
planned_transition_minutes	smallint(5)	Ja	NULL	
actual_transition_seconds	int(10)	Ja	NULL	
started_at	datetime(3)	Ja	NULL	
ended_at	datetime(3)	Ja	NULL	
difficulty_level	tinyint(3)	Ja	NULL	

energy_cost_level	tinyint(3)	Ja	NULL	
success_code	varchar(30)	Ja	NULL	
support_used_code	varchar(50)	Ja	NULL	
comment_text	varchar(2000)	Ja	NULL	
created_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
fk_nr_transition_from_timer	BTREE	Nein	Nein	from_timer_session_id	0	A	Ja	
fk_nr_transition_to_timer	BTREE	Nein	Nein	to_timer_session_id	0	A	Ja	
fk_nr_transition_from_context	BTREE	Nein	Nein	from_context_id	0	A	Ja	
fk_nr_transition_to_context	BTREE	Nein	Nein	to_context_id	0	A	Ja	
ix_nr_transition_person_time	BTREE	Nein	Nein	person_id	0	A	Nein	
				started_at	0	A	Ja	

nr_transition_steps

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
transition_id	bigint(20)	Nein		
sequence_number	int(11)	Nein		
instruction_text	varchar(1000)	Nein		
estimated_minutes	smallint(5)	Ja	NULL	
completed_at	datetime(3)	Ja	NULL	
skipped_at	datetime(3)	Ja	NULL	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	0	A	Nein	
uq_nr_transition_step_sequence	BTREE	Ja	Nein	transition_id	0	A	Nein	
				sequence_number	0	A	Nein	

nr_user_accounts

Spalte	Typ	Null	Standard	Kommentare
id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
person_id	bigint(20)	Nein		
email	varchar(255)	Nein		
password_hash	varchar(255)	Ja	NULL	
status_code	varchar(30)	Nein	ACTIVE	
last_login_at	datetime(3)	Ja	NULL	
created_at	datetime(3)	Nein	current_timestamp(3)	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	id	2	A	Nein	
person_id	BTREE	Ja	Nein	person_id	2	A	Nein	

email	BTREE	Ja	Nein	email	2	A	Nein	
-------	-------	----	------	-------	---	---	------	--

nr_user_settings

Spalte	Typ	Null	Standard	Kommentare
person_id (<i>Primärschlüssel</i>)	bigint(20)	Nein		
rounding_minutes	smallint(5)	Nein	5	
default_focus_minutes	smallint(5)	Nein	45	
default_break_minutes	smallint(5)	Nein	15	
auto_start_break	tinyint(1)	Nein	0	
show_remaining_minutes	tinyint(1)	Nein	1	
sound_enabled	tinyint(1)	Nein	1	
vibration_enabled	tinyint(1)	Nein	1	
planning_strategy_code	varchar(30)	Nein	NAMI	
context_switch_weight	decimal(5,2)	Nein	1.00	
updated_at	datetime(3)	Nein	current_timestamp(3)	

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	person_id	0	A	Nein	

nr_visibility_levels

Spalte	Typ	Null	Standard	Kommentare
code (<i>Primärschlüssel</i>)	varchar(30)	Nein		
name	varchar(100)	Nein		
rank_value	smallint(5)	Nein		

Indizes

Schlüsselname	Typ	Unique	Gepackt	Spalte	Kardinalität	Kollation	Null	Kommentar
PRIMARY	BTREE	Ja	Nein	code	0	A	Nein	