

⚠ Die aktuelle Markierung enthält keine eindeutige („unique“) Spalte. Gitter-Bearbeitungsfunktion, Kontrollkästchen, Bearbeiten, Kopieren und Löschen von Links sind nicht verfügbar. 🗣

✅ Zeige Datensätze 0 - 389 (390 insgesamt, Die Abfrage dauerte 0.0065 Sekunden.) [TABLE_NAME: NQU_ABK_ADVENTURE_BOOK... - NQ_STORY_UNLOCKS...]
[ORDINAL_POSITION: 1... - 6...]

```
/* ===== B - SPALTENINVENTAR READ ONLY ===== */
SELECT c.TABLE_NAME, c.ORDINAL_POSITION, c.COLUMN_NAME,
c.COLUMN_TYPE, c.DATA_TYPE, c.CHARACTER_MAXIMUM_LENGTH, c.NUMERIC_PRECISION, c.NUMERIC_SCALE, c.IS_NULLABLE, c.COLUMN_DEFAULT,
c.EXTRA, CASE WHEN c.EXTRA LIKE '%auto_increment%' THEN 'YES' ELSE 'NO' END AS is_auto_increment, c.CHARACTER_SET_NAME,
c.COLLATION_NAME, c.COLUMN_KEY, c.COLUMN_COMMENT FROM information_schema.COLUMNS c WHERE c.TABLE_SCHEMA = 'dbs15945095' AND (
c.TABLE_NAME LIKE 'NQU\%' ESCAPE '\\' OR c.TABLE_NAME LIKE 'nq\%' ESCAPE '\\') ORDER BY c.TABLE_NAME, c.ORDINAL_POSITION
```

TABLE_NAME	ORDINAL_POSITION	COLUMN_NAME	COLUMN_TYPE	DATA_TYPE
NQU_ABK_ADVENTURE_BOOK	1	ABK_ID	bigint(20) unsigned	bigint
NQU_ABK_ADVENTURE_BOOK	2	CHP_ID	bigint(20) unsigned	bigint
NQU_ABK_ADVENTURE_BOOK	3	PLN_ID	bigint(20) unsigned	bigint
NQU_ABK_ADVENTURE_BOOK	4	STO_ID	bigint(20) unsigned	bigint
NQU_ABK_ADVENTURE_BOOK	5	ABK_TITLE	varchar(200)	varchar
NQU_ABK_ADVENTURE_BOOK	6	ABK_COVER_IMAGE_KEY	varchar(150)	varchar
NQU_ABK_ADVENTURE_BOOK	7	ABK_COMPLETED_AT	datetime	datetime
NQU_ABK_ADVENTURE_BOOK	8	ABK_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_ABK_ADVENTURE_BOOK	9	ABK_CREATED_AT	datetime	datetime
NQU_ABK_ADVENTURE_BOOK	10	ABK_UPDATED_AT	datetime	datetime
NQU_ABP_ADVENTURE_BOOK_PART	1	ABP_ID	bigint(20) unsigned	bigint
NQU_ABP_ADVENTURE_BOOK_PART	2	ABK_ID	bigint(20) unsigned	bigint
NQU_ABP_ADVENTURE_BOOK_PART	3	STP_ID	bigint(20) unsigned	bigint
NQU_ABP_ADVENTURE_BOOK_PART	4	ABP_UNLOCKED_AT	datetime	datetime
NQU_ABP_ADVENTURE_BOOK_PART	5	ABP_READ_AT	datetime	datetime
NQU_ARR_ARRIVAL_SCENE	1	ARR_ID	bigint(20) unsigned	bigint
NQU_ARR_ARRIVAL_SCENE	2	STO_ID	bigint(20) unsigned	bigint
NQU_ARR_ARRIVAL_SCENE	3	STD_ID	bigint(20) unsigned	bigint
NQU_ARR_ARRIVAL_SCENE	4	CMP_ID	bigint(20) unsigned	bigint
NQU_ARR_ARRIVAL_SCENE	5	ARR_CODE	varchar(100)	varchar
NQU_ARR_ARRIVAL_SCENE	6	ARR_SCENE_TYPE	enum('WEEK_START','DAY_START','MISSION_RESUME','DA...	enum
NQU_ARR_ARRIVAL_SCENE	7	ARR_MIN_ROUND	tinyint(3) unsigned	tinyint
NQU_ARR_ARRIVAL_SCENE	8	ARR_MAX_ROUND	tinyint(3) unsigned	tinyint
NQU_ARR_ARRIVAL_SCENE	9	ARR_REQUIRED_STEP	tinyint(3) unsigned	tinyint
NQU_ARR_ARRIVAL_SCENE	10	ARR_TEXT_GRADE_1	varchar(1000)	varchar
NQU_ARR_ARRIVAL_SCENE	11	ARR_TEXT_GRADE_2	varchar(1500)	varchar
NQU_ARR_ARRIVAL_SCENE	12	ARR_TEXT_GRADE_3	varchar(2000)	varchar
NQU_ARR_ARRIVAL_SCENE	13	ARR_TEXT_GRADE_4	varchar(2500)	varchar
NQU_ARR_ARRIVAL_SCENE	14	ARR_BUTTON_LABEL_G1	varchar(120)	varchar
NQU_ARR_ARRIVAL_SCENE	15	ARR_BUTTON_LABEL_G2	varchar(120)	varchar
NQU_ARR_ARRIVAL_SCENE	16	ARR_BUTTON_LABEL_G3	varchar(120)	varchar
NQU_ARR_ARRIVAL_SCENE	17	ARR_BUTTON_LABEL_G4	varchar(120)	varchar
NQU_ARR_ARRIVAL_SCENE	18	ARR_LOCATION_CODE	varchar(100)	varchar
NQU_ARR_ARRIVAL_SCENE	19	ARR_ILLUSTRATION_KEY	varchar(150)	varchar
NQU_ARR_ARRIVAL_SCENE	20	ARR_AMBIENCE_KEY	varchar(150)	varchar
NQU_ARR_ARRIVAL_SCENE	21	ARR_SORT_ORDER	int(10) unsigned	int
NQU_ARR_ARRIVAL_SCENE	22	ARR_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_ARR_ARRIVAL_SCENE	23	ARR_CREATED_AT	datetime	datetime
NQU_ARR_ARRIVAL_SCENE	24	ARR_UPDATED_AT	datetime	datetime
NQU_BAD_BADGE	1	BAD_ID	bigint(20) unsigned	bigint
NQU_BAD_BADGE	2	BAD_CODE	varchar(80)	varchar
NQU_BAD_BADGE	3	BAD_NAME	varchar(150)	varchar
NQU_BAD_BADGE	4	BAD_DESCRIPTION	varchar(1000)	varchar
NQU_BAD_BADGE	5	BAD_IMAGE_KEY	varchar(150)	varchar
NQU_BAD_BADGE	6	BAD_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_BAD_BADGE	7	BAD_CREATED_AT	datetime	datetime
NQU_BAD_BADGE	8	BAD_UPDATED_AT	datetime	datetime
NQU_CAR_CHILD_ADULT_RELATION	1	CAR_ID	bigint(20) unsigned	bigint
NQU_CAR_CHILD_ADULT_RELATION	2	CHP_ID	bigint(20) unsigned	bigint
NQU_CAR_CHILD_ADULT_RELATION	3	ADULT_USR_ID	bigint(20) unsigned	bigint
NQU_CAR_CHILD_ADULT_RELATION	4	CAR_RELATION_TYPE	enum('PARENT','TEACHER','CAREGIVER')	enum
NQU_CAR_CHILD_ADULT_RELATION	5	CAR_CAN_CREATE_TASKS	tinyint(1)	tinyint
NQU_CAR_CHILD_ADULT_RELATION	6	CAR_CAN_VIEW_PROGRESS	tinyint(1)	tinyint
NQU_CAR_CHILD_ADULT_RELATION	7	CAR_CAN_WRITE_HINTS	tinyint(1)	tinyint
NQU_CAR_CHILD_ADULT_RELATION	8	CAR_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_CAR_CHILD_ADULT_RELATION	9	CAR_CREATED_AT	datetime	datetime
NQU_CAR_CHILD_ADULT_RELATION	10	CAR_UPDATED_AT	datetime	datetime
NQU_CBB_CHILD_BADGE	1	CBB_ID	bigint(20) unsigned	bigint

NQU_CBB_CHILD_BADGE	2	CHP_ID	bigint(20) unsigned	bigint
NQU_CBB_CHILD_BADGE	3	BAD_ID	bigint(20) unsigned	bigint
NQU_CBB_CHILD_BADGE	4	PLN_ID	bigint(20) unsigned	bigint
NQU_CBB_CHILD_BADGE	5	CBB_AWARDED_AT	datetime	datetime
NQU_CBB_CHILD_BADGE	6	CBB_REASON	varchar(1000)	varchar
NQU_CER_CERTIFICATE	1	CER_ID	bigint(20) unsigned	bigint
NQU_CER_CERTIFICATE	2	CHP_ID	bigint(20) unsigned	bigint
NQU_CER_CERTIFICATE	3	PLN_ID	bigint(20) unsigned	bigint
NQU_CER_CERTIFICATE	4	CER_TITLE	varchar(200)	varchar
NQU_CER_CERTIFICATE	5	CER_TEXT	text	text
NQU_CER_CERTIFICATE	6	CER_ISSUED_AT	datetime	datetime
NQU_CER_CERTIFICATE	7	CER_DOCUMENT_URL	varchar(500)	varchar
NQU_CHP_CHILD_PROFILE	1	CHP_ID	bigint(20) unsigned	bigint
NQU_CHP_CHILD_PROFILE	2	USR_ID	bigint(20) unsigned	bigint
NQU_CHP_CHILD_PROFILE	3	CHP_FIRST_NAME	varchar(80)	varchar
NQU_CHP_CHILD_PROFILE	4	CHP_GRADE_LEVEL	tinyint(3) unsigned	tinyint
NQU_CHP_CHILD_PROFILE	5	CHP_AVATAR_CODE	varchar(80)	varchar
NQU_CHP_CHILD_PROFILE	6	CHP_PREFERRED_COMPANION	varchar(80)	varchar
NQU_CHP_CHILD_PROFILE	7	CHP_READING_SUPPORT	enum('STANDARD','LARGE_TEXT','READ_ALOUD','REDUCED...)	enum
NQU_CHP_CHILD_PROFILE	8	CHP_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_CHP_CHILD_PROFILE	9	CHP_CREATED_AT	datetime	datetime
NQU_CHP_CHILD_PROFILE	10	CHP_UPDATED_AT	datetime	datetime
NQU_CHP_CHILD_PROFILE	11	CHP_DELETED_AT	datetime	datetime
NQU_CMP_COMPANION	1	CMP_ID	bigint(20) unsigned	bigint
NQU_CMP_COMPANION	2	CMP_CODE	varchar(60)	varchar
NQU_CMP_COMPANION	3	CMP_NAME	varchar(120)	varchar
NQU_CMP_COMPANION	4	CMP_SPECIES	varchar(120)	varchar
NQU_CMP_COMPANION	5	CMP_DESCRIPTION	text	text
NQU_CMP_COMPANION	6	CMP_PERSONALITY	text	text
NQU_CMP_COMPANION	7	CMP_IMAGE_KEY	varchar(150)	varchar
NQU_CMP_COMPANION	8	CMP_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_CMP_COMPANION	9	CMP_CREATED_AT	datetime	datetime
NQU_CMP_COMPANION	10	CMP_UPDATED_AT	datetime	datetime
NQU_MRD_MISSION_ROUND	1	MRD_ID	bigint(20) unsigned	bigint
NQU_MRD_MISSION_ROUND	2	MSN_ID	bigint(20) unsigned	bigint
NQU_MRD_MISSION_ROUND	3	STP_ID	bigint(20) unsigned	bigint
NQU_MRD_MISSION_ROUND	4	MRD_ROUND_NUMBER	tinyint(3) unsigned	tinyint
NQU_MRD_MISSION_ROUND	5	MRD_SENTENCE_TEXT	text	text
NQU_MRD_MISSION_ROUND	6	MRD_TASK_TITLE	varchar(200)	varchar
NQU_MRD_MISSION_ROUND	7	MRD_TASK_DESCRIPTION	text	text
NQU_MRD_MISSION_ROUND	8	MRD_CREATED_BY_USR_ID	bigint(20) unsigned	bigint
NQU_MRD_MISSION_ROUND	9	MRD_CREATED_AT	datetime	datetime
TABLE_NAME ▲ 1	ORDINAL_POSITION	COLUMN_NAME	COLUMN_TYPE	DATA_TYPE
NQU_MRD_MISSION_ROUND	10	MRD_UPDATED_AT	datetime	datetime
NQU_MRD_MISSION_ROUND	11	MRD_DELETED_AT	datetime	datetime
NQU_MRP_MISSION_ROUND_PROGRESS	1	MRP_ID	bigint(20) unsigned	bigint
NQU_MRP_MISSION_ROUND_PROGRESS	2	MRD_ID	bigint(20) unsigned	bigint
NQU_MRP_MISSION_ROUND_PROGRESS	3	CHP_ID	bigint(20) unsigned	bigint
NQU_MRP_MISSION_ROUND_PROGRESS	4	MRP_PUNCTUATION_DONE	tinyint(1)	tinyint
NQU_MRP_MISSION_ROUND_PROGRESS	5	MRP_SENTENCE_WRITTEN	tinyint(1)	tinyint
NQU_MRP_MISSION_ROUND_PROGRESS	6	MRP_SENTENCE_REVIEWED	tinyint(1)	tinyint
NQU_MRP_MISSION_ROUND_PROGRESS	7	MRP_MARKED_COMPLETE	tinyint(1)	tinyint
NQU_MRP_MISSION_ROUND_PROGRESS	8	MRP_STORY_UNLOCKED	tinyint(1)	tinyint
NQU_MRP_MISSION_ROUND_PROGRESS	9	MRP_CURRENT_STEP	tinyint(3) unsigned	tinyint
NQU_MRP_MISSION_ROUND_PROGRESS	10	MRP_PUNCTUATION_AT	datetime	datetime
NQU_MRP_MISSION_ROUND_PROGRESS	11	MRP_WRITTEN_AT	datetime	datetime
NQU_MRP_MISSION_ROUND_PROGRESS	12	MRP_REVIEWED_AT	datetime	datetime
NQU_MRP_MISSION_ROUND_PROGRESS	13	MRP_COMPLETED_AT	datetime	datetime
NQU_MRP_MISSION_ROUND_PROGRESS	14	MRP_STORY_UNLOCKED_AT	datetime	datetime
NQU_MRP_MISSION_ROUND_PROGRESS	15	MRP_CREATED_AT	datetime	datetime
NQU_MRP_MISSION_ROUND_PROGRESS	16	MRP_UPDATED_AT	datetime	datetime
NQU_MSG_MESSAGE	1	MSG_ID	bigint(20) unsigned	bigint
NQU_MSG_MESSAGE	2	CHP_ID	bigint(20) unsigned	bigint
NQU_MSG_MESSAGE	3	AUTHOR_USR_ID	bigint(20) unsigned	bigint
NQU_MSG_MESSAGE	4	MSG_TYPE	enum('MOTIVATION','INSTRUCTION','INFORMATION')	enum
NQU_MSG_MESSAGE	5	MSG_TEXT	varchar(1000)	varchar
NQU_MSG_MESSAGE	6	MSG_VISIBLE_FROM	datetime	datetime
NQU_MSG_MESSAGE	7	MSG_VISIBLE_UNTIL	datetime	datetime
NQU_MSG_MESSAGE	8	MSG_READ_AT	datetime	datetime
NQU_MSG_MESSAGE	9	MSG_CREATED_AT	datetime	datetime
NQU_MSG_MESSAGE	10	MSG_UPDATED_AT	datetime	datetime
NQU_MSG_MESSAGE	11	MSG_DELETED_AT	datetime	datetime
NQU_MSN_MISSION	1	MSN_ID	bigint(20) unsigned	bigint
NQU_MSN_MISSION	2	PLN_ID	bigint(20) unsigned	bigint

NQU_MSN_MISSION	3	STD_ID	bigint(20) unsigned	bigint
NQU_MSN_MISSION	4	MSN_DAY_NUMBER	tinyint(3) unsigned	tinyint
NQU_MSN_MISSION	5	MSN_PLANNED_DATE	date	date
NQU_MSN_MISSION	6	MSN_TITLE	varchar(200)	varchar
NQU_MSN_MISSION	7	MSN_STATUS	enum('LOCKED','AVAILABLE','IN_PROGRESS','COMPLETED...'	enum
NQU_MSN_MISSION	8	MSN_CURRENT_ROUND	tinyint(3) unsigned	tinyint
NQU_MSN_MISSION	9	MSN_CREATED_AT	datetime	datetime
NQU_MSN_MISSION	10	MSN_UPDATED_AT	datetime	datetime
NQU_MSN_MISSION	11	MSN_STARTED_AT	datetime	datetime
NQU_MSN_MISSION	12	MSN_COMPLETED_AT	datetime	datetime
NQU_MSP_MISSION_PROGRESS	1	MSP_ID	bigint(20) unsigned	bigint
NQU_MSP_MISSION_PROGRESS	2	MSN_ID	bigint(20) unsigned	bigint
NQU_MSP_MISSION_PROGRESS	3	CHP_ID	bigint(20) unsigned	bigint
NQU_MSP_MISSION_PROGRESS	4	MSP_STATUS	enum('NOT_STARTED','IN_PROGRESS','COMPLETED')	enum
NQU_MSP_MISSION_PROGRESS	5	MSP_CURRENT_ROUND	tinyint(3) unsigned	tinyint
NQU_MSP_MISSION_PROGRESS	6	MSP_UNLOCKED_PARTS	tinyint(3) unsigned	tinyint
NQU_MSP_MISSION_PROGRESS	7	MSP_LOCATION_CODE	varchar(100)	varchar
NQU_MSP_MISSION_PROGRESS	8	MSP_LAST_STORY_PART_ID	bigint(20) unsigned	bigint
NQU_MSP_MISSION_PROGRESS	9	MSP_STARTED_AT	datetime	datetime
NQU_MSP_MISSION_PROGRESS	10	MSP_COMPLETED_AT	datetime	datetime
NQU_MSP_MISSION_PROGRESS	11	MSP_LAST_ACTIVITY_AT	datetime	datetime
NQU_MSP_MISSION_PROGRESS	12	MSP_CREATED_AT	datetime	datetime
NQU_MSP_MISSION_PROGRESS	13	MSP_UPDATED_AT	datetime	datetime
NQU_PLN_WEEK_PLAN	1	PLN_ID	bigint(20) unsigned	bigint
NQU_PLN_WEEK_PLAN	2	CHP_ID	bigint(20) unsigned	bigint
NQU_PLN_WEEK_PLAN	3	STO_ID	bigint(20) unsigned	bigint
NQU_PLN_WEEK_PLAN	4	PLN_TITLE	varchar(200)	varchar
NQU_PLN_WEEK_PLAN	5	PLN_WEEK_START_DATE	date	date
NQU_PLN_WEEK_PLAN	6	PLN_WEEK_END_DATE	date	date
NQU_PLN_WEEK_PLAN	7	PLN_STATUS	enum('PLANNED','ACTIVE','COMPLETED','PAUSED','CANC...	enum
NQU_PLN_WEEK_PLAN	8	PLN_CREATED_BY_USR_ID	bigint(20) unsigned	bigint
NQU_PLN_WEEK_PLAN	9	PLN_CREATED_AT	datetime	datetime
NQU_PLN_WEEK_PLAN	10	PLN_UPDATED_AT	datetime	datetime
NQU_PLN_WEEK_PLAN	11	PLN_COMPLETED_AT	datetime	datetime
NQU_PLN_WEEK_PLAN	12	PLN_DELETED_AT	datetime	datetime
NQU_REG_REGION	1	REG_ID	bigint(20) unsigned	bigint
NQU_REG_REGION	2	WRL_ID	bigint(20) unsigned	bigint
NQU_REG_REGION	3	REG_CODE	varchar(60)	varchar
NQU_REG_REGION	4	REG_NAME	varchar(150)	varchar
NQU_REG_REGION	5	REG_DESCRIPTION	text	text
NQU_REG_REGION	6	REG_SORT_ORDER	int(10) unsigned	int
NQU_REG_REGION	7	REG_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_REG_REGION	8	REG_CREATED_AT	datetime	datetime
NQU_REG_REGION	9	REG_UPDATED_AT	datetime	datetime
NQU_RIN_ROUND_INSTRUCTION	1	RIN_ID	bigint(20) unsigned	bigint
NQU_RIN_ROUND_INSTRUCTION	2	MRD_ID	bigint(20) unsigned	bigint
NQU_RIN_ROUND_INSTRUCTION	3	AUTHOR_USR_ID	bigint(20) unsigned	bigint
NQU_RIN_ROUND_INSTRUCTION	4	RIN_SOURCE_TYPE	enum('TEACHER','PARENT','CAREGIVER','SYSTEM')	enum
NQU_RIN_ROUND_INSTRUCTION	5	RIN_INSTRUCTION_TYPE	enum('PUNCTUATION','WRITING','CONTROL','GENERAL','...	enum
NQU_RIN_ROUND_INSTRUCTION	6	RIN_TEXT	varchar(2000)	varchar
NQU_RIN_ROUND_INSTRUCTION	7	RIN_SORT_ORDER	int(10) unsigned	int
NQU_RIN_ROUND_INSTRUCTION	8	RIN_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_RIN_ROUND_INSTRUCTION	9	RIN_CREATED_AT	datetime	datetime
NQU_RIN_ROUND_INSTRUCTION	10	RIN_UPDATED_AT	datetime	datetime
NQU_RIN_ROUND_INSTRUCTION	11	RIN_DELETED_AT	datetime	datetime
NQU_ROL_ROLE	1	ROL_ID	bigint(20) unsigned	bigint
NQU_ROL_ROLE	2	ROL_CODE	varchar(30)	varchar
NQU_ROL_ROLE	3	ROL_NAME	varchar(100)	varchar
NQU_ROL_ROLE	4	ROL_DESCRIPTION	varchar(500)	varchar
NQU_ROL_ROLE	5	ROL_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_ROL_ROLE	6	ROL_CREATED_AT	datetime	datetime
NQU_ROL_ROLE	7	ROL_UPDATED_AT	datetime	datetime
NQU_STD_STORY_DAY	1	STD_ID	bigint(20) unsigned	bigint
NQU_STD_STORY_DAY	2	STO_ID	bigint(20) unsigned	bigint
NQU_STD_STORY_DAY	3	STD_CODE	varchar(100)	varchar
NQU_STD_STORY_DAY	4	STD_DAY_NUMBER	tinyint(3) unsigned	tinyint
NQU_STD_STORY_DAY	5	STD_TITLE	varchar(200)	varchar
NQU_STD_STORY_DAY	6	STD_SUMMARY	text	text
NQU_STD_STORY_DAY	7	STD_DAILY_VALUE	varchar(500)	varchar
TABLE_NAME 1	ORDINAL_POSITION	COLUMN_NAME	COLUMN_TYPE	DATA_TYPE
NQU_STD_STORY_DAY	8	STD_FINAL_MESSAGE_G1	varchar(1000)	varchar
NQU_STD_STORY_DAY	9	STD_FINAL_MESSAGE_G2	varchar(1500)	varchar

NQU_STD_STORY_DAY	10	STD_FINAL_MESSAGE_G3	varchar(2000)	varchar
NQU_STD_STORY_DAY	11	STD_FINAL_MESSAGE_G4	varchar(2500)	varchar
NQU_STD_STORY_DAY	12	STD_ILLUSTRATION_KEY	varchar(150)	varchar
NQU_STD_STORY_DAY	13	STD_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_STD_STORY_DAY	14	STD_CREATED_AT	datetime	datetime
NQU_STD_STORY_DAY	15	STD_UPDATED_AT	datetime	datetime
NQU_STO_STORY	1	STO_ID	bigint(20) unsigned	bigint
NQU_STO_STORY	2	REG_ID	bigint(20) unsigned	bigint
NQU_STO_STORY	3	CMP_ID	bigint(20) unsigned	bigint
NQU_STO_STORY	4	STO_CODE	varchar(80)	varchar
NQU_STO_STORY	5	STO_TITLE	varchar(200)	varchar
NQU_STO_STORY	6	STO_DESCRIPTION	text	text
NQU_STO_STORY	7	STO_THEME	varchar(200)	varchar
NQU_STO_STORY	8	STO_VALUE_MESSAGE	varchar(500)	varchar
NQU_STO_STORY	9	STO_MIN_GRADE	tinyint(3) unsigned	tinyint
NQU_STO_STORY	10	STO_MAX_GRADE	tinyint(3) unsigned	tinyint
NQU_STO_STORY	11	STO_STATUS	enum('DRAFT','REVIEW','PUBLISHED','ARCHIVED')	enum
NQU_STO_STORY	12	STO_VERSION	varchar(30)	varchar
NQU_STO_STORY	13	STO_CREATED_AT	datetime	datetime
NQU_STO_STORY	14	STO_UPDATED_AT	datetime	datetime
NQU_STO_STORY	15	STO_DELETED_AT	datetime	datetime
NQU_STP_STORY_PART	1	STP_ID	bigint(20) unsigned	bigint
NQU_STP_STORY_PART	2	STD_ID	bigint(20) unsigned	bigint
NQU_STP_STORY_PART	3	STP_PART_NUMBER	tinyint(3) unsigned	tinyint
NQU_STP_STORY_PART	4	STP_UNLOCK_AFTER_ROUND	tinyint(3) unsigned	tinyint
NQU_STP_STORY_PART	5	STP_TITLE	varchar(200)	varchar
NQU_STP_STORY_PART	6	STP_TEXT_GRADE_1	text	text
NQU_STP_STORY_PART	7	STP_TEXT_GRADE_2	text	text
NQU_STP_STORY_PART	8	STP_TEXT_GRADE_3	text	text
NQU_STP_STORY_PART	9	STP_TEXT_GRADE_4	text	text
NQU_STP_STORY_PART	10	STP_ENCOURAGEMENT_G1	varchar(1000)	varchar
NQU_STP_STORY_PART	11	STP_ENCOURAGEMENT_G2	varchar(1000)	varchar
NQU_STP_STORY_PART	12	STP_ENCOURAGEMENT_G3	varchar(1500)	varchar
NQU_STP_STORY_PART	13	STP_ENCOURAGEMENT_G4	varchar(1500)	varchar
NQU_STP_STORY_PART	14	STP_ILLUSTRATION_KEY	varchar(150)	varchar
NQU_STP_STORY_PART	15	STP_LOCATION_CODE	varchar(100)	varchar
NQU_STP_STORY_PART	16	STP_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_STP_STORY_PART	17	STP_CREATED_AT	datetime	datetime
NQU_STP_STORY_PART	18	STP_UPDATED_AT	datetime	datetime
NQU_USR_USER	1	USR_ID	bigint(20) unsigned	bigint
NQU_USR_USER	2	ROL_ID	bigint(20) unsigned	bigint
NQU_USR_USER	3	USR_PUBLIC_ID	char(36)	char
NQU_USR_USER	4	USR_EMAIL	varchar(254)	varchar
NQU_USR_USER	5	USR_USERNAME	varchar(80)	varchar
NQU_USR_USER	6	USR_PASSWORD_HASH	varchar(255)	varchar
NQU_USR_USER	7	USR_DISPLAY_NAME	varchar(120)	varchar
NQU_USR_USER	8	USR_STATUS	enum('PENDING','ACTIVE','LOCKED','DISABLED')	enum
NQU_USR_USER	9	USR_LAST_LOGIN_AT	datetime	datetime
NQU_USR_USER	10	USR_EMAIL_VERIFIED_AT	datetime	datetime
NQU_USR_USER	11	USR_CREATED_AT	datetime	datetime
NQU_USR_USER	12	USR_UPDATED_AT	datetime	datetime
NQU_USR_USER	13	USR_DELETED_AT	datetime	datetime
NQU_V_ADVENTURE_BOOK	1	ABK_ID	bigint(20) unsigned	bigint
NQU_V_ADVENTURE_BOOK	2	CHP_ID	bigint(20) unsigned	bigint
NQU_V_ADVENTURE_BOOK	3	CHP_FIRST_NAME	varchar(80)	varchar
NQU_V_ADVENTURE_BOOK	4	CHP_GRADE_LEVEL	tinyint(3) unsigned	tinyint
NQU_V_ADVENTURE_BOOK	5	ABK_TITLE	varchar(200)	varchar
NQU_V_ADVENTURE_BOOK	6	ABK_COVER_IMAGE_KEY	varchar(150)	varchar
NQU_V_ADVENTURE_BOOK	7	ABK_COMPLETED_AT	datetime	datetime
NQU_V_ADVENTURE_BOOK	8	STO_ID	bigint(20) unsigned	bigint
NQU_V_ADVENTURE_BOOK	9	STO_CODE	varchar(80)	varchar
NQU_V_ADVENTURE_BOOK	10	STO_TITLE	varchar(200)	varchar
NQU_V_ADVENTURE_BOOK	11	STD_DAY_NUMBER	tinyint(3) unsigned	tinyint
NQU_V_ADVENTURE_BOOK	12	DAY_TITLE	varchar(200)	varchar
NQU_V_ADVENTURE_BOOK	13	STP_PART_NUMBER	tinyint(3) unsigned	tinyint
NQU_V_ADVENTURE_BOOK	14	STORY_TEXT	mediumtext	mediumtext
NQU_V_ADVENTURE_BOOK	15	STP_ILLUSTRATION_KEY	varchar(150)	varchar
NQU_V_ADVENTURE_BOOK	16	ABP_UNLOCKED_AT	datetime	datetime
NQU_V_ADVENTURE_BOOK	17	ABP_READ_AT	datetime	datetime
NQU_V_CHILD_PROGRESS	1	CHP_ID	bigint(20) unsigned	bigint
NQU_V_CHILD_PROGRESS	2	CHP_FIRST_NAME	varchar(80)	varchar
NQU_V_CHILD_PROGRESS	3	CHP_GRADE_LEVEL	tinyint(3) unsigned	tinyint
NQU_V_CHILD_PROGRESS	4	PLN_ID	bigint(20) unsigned	bigint
NQU_V_CHILD_PROGRESS	5	PLN_TITLE	varchar(200)	varchar

NQU_V_CHILD_PROGRESS	6	PLN_STATUS	enum('PLANNED','ACTIVE','COMPLETED','PAUSED','CANC...	enum
NQU_V_CHILD_PROGRESS	7	MSN_ID	bigint(20) unsigned	bigint
NQU_V_CHILD_PROGRESS	8	MSN_DAY_NUMBER	tinyint(3) unsigned	tinyint
NQU_V_CHILD_PROGRESS	9	MSN_TITLE	varchar(200)	varchar
NQU_V_CHILD_PROGRESS	10	MSN_STATUS	enum('LOCKED','AVAILABLE','IN_PROGRESS','COMPLETED...	enum
NQU_V_CHILD_PROGRESS	11	TOTAL_ROUNDS	bigint(21)	bigint
NQU_V_CHILD_PROGRESS	12	COMPLETED_ROUNDS	decimal(23,0)	decimal
NQU_V_CHILD_PROGRESS	13	UNLOCKED_STORY_PARTS	decimal(23,0)	decimal
NQU_V_CHILD_PROGRESS	14	NEXT_ROUND_NUMBER	decimal(3,0)	decimal
NQU_V_CHILD_PROGRESS	15	LAST_ACTIVITY_AT	datetime	datetime
NQU_V_CURRENT_MISSION	1	CHP_ID	bigint(20) unsigned	bigint
NQU_V_CURRENT_MISSION	2	CHP_FIRST_NAME	varchar(80)	varchar
NQU_V_CURRENT_MISSION	3	CHP_GRADE_LEVEL	tinyint(3) unsigned	tinyint
NQU_V_CURRENT_MISSION	4	PLN_ID	bigint(20) unsigned	bigint
NQU_V_CURRENT_MISSION	5	PLN_TITLE	varchar(200)	varchar
NQU_V_CURRENT_MISSION	6	MSN_ID	bigint(20) unsigned	bigint
NQU_V_CURRENT_MISSION	7	MSN_DAY_NUMBER	tinyint(3) unsigned	tinyint
NQU_V_CURRENT_MISSION	8	MSN_TITLE	varchar(200)	varchar
NQU_V_CURRENT_MISSION	9	MSP_STATUS	enum('NOT_STARTED','IN_PROGRESS','COMPLETED')	enum
NQU_V_CURRENT_MISSION	10	MSP_CURRENT_ROUND	tinyint(3) unsigned	tinyint
NQU_V_CURRENT_MISSION	11	MSP_UNLOCKED_PARTS	tinyint(3) unsigned	tinyint
NQU_V_CURRENT_MISSION	12	MRD_ID	bigint(20) unsigned	bigint
NQU_V_CURRENT_MISSION	13	MRD_SENTENCE_TEXT	text	text
NQU_V_CURRENT_MISSION	14	MRP_CURRENT_STEP	tinyint(3) unsigned	tinyint
TABLE_NAME ▲ 1	ORDINAL_POSITION	COLUMN_NAME	COLUMN_TYPE	DATA_TYPE
NQU_V_CURRENT_MISSION	15	MRP_PUNCTUATION_DONE	tinyint(1)	tinyint
NQU_V_CURRENT_MISSION	16	MRP_SENTENCE_WRITTEN	tinyint(1)	tinyint
NQU_V_CURRENT_MISSION	17	MRP_SENTENCE_REVIEWED	tinyint(1)	tinyint
NQU_V_CURRENT_MISSION	18	MRP_MARKED_COMPLETE	tinyint(1)	tinyint
NQU_V_CURRENT_MISSION	19	MRP_STORY_UNLOCKED	tinyint(1)	tinyint
NQU_V_ROUND_PROGRESS	1	CHP_ID	bigint(20) unsigned	bigint
NQU_V_ROUND_PROGRESS	2	CHP_FIRST_NAME	varchar(80)	varchar
NQU_V_ROUND_PROGRESS	3	CHP_GRADE_LEVEL	tinyint(3) unsigned	tinyint
NQU_V_ROUND_PROGRESS	4	PLN_ID	bigint(20) unsigned	bigint
NQU_V_ROUND_PROGRESS	5	PLN_TITLE	varchar(200)	varchar
NQU_V_ROUND_PROGRESS	6	MSN_ID	bigint(20) unsigned	bigint
NQU_V_ROUND_PROGRESS	7	MSN_DAY_NUMBER	tinyint(3) unsigned	tinyint
NQU_V_ROUND_PROGRESS	8	MSN_TITLE	varchar(200)	varchar
NQU_V_ROUND_PROGRESS	9	MRD_ID	bigint(20) unsigned	bigint
NQU_V_ROUND_PROGRESS	10	MRD_ROUND_NUMBER	tinyint(3) unsigned	tinyint
NQU_V_ROUND_PROGRESS	11	MRD_SENTENCE_TEXT	text	text
NQU_V_ROUND_PROGRESS	12	MRP_CURRENT_STEP	tinyint(3) unsigned	tinyint
NQU_V_ROUND_PROGRESS	13	MRP_PUNCTUATION_DONE	tinyint(1)	tinyint
NQU_V_ROUND_PROGRESS	14	MRP_SENTENCE_WRITTEN	tinyint(1)	tinyint
NQU_V_ROUND_PROGRESS	15	MRP_SENTENCE_REVIEWED	tinyint(1)	tinyint
NQU_V_ROUND_PROGRESS	16	MRP_MARKED_COMPLETE	tinyint(1)	tinyint
NQU_V_ROUND_PROGRESS	17	MRP_STORY_UNLOCKED	tinyint(1)	tinyint
NQU_V_ROUND_PROGRESS	18	STP_ID	bigint(20) unsigned	bigint
NQU_V_ROUND_PROGRESS	19	STP_PART_NUMBER	tinyint(3) unsigned	tinyint
NQU_V_ROUND_PROGRESS	20	STORY_TEXT	mediumtext	mediumtext
NQU_V_ROUND_PROGRESS	21	ENCOURAGEMENT_TEXT	text	text
NQU_WRL_WORLD	1	WRL_ID	bigint(20) unsigned	bigint
NQU_WRL_WORLD	2	WRL_CODE	varchar(60)	varchar
NQU_WRL_WORLD	3	WRL_NAME	varchar(150)	varchar
NQU_WRL_WORLD	4	WRL_DESCRIPTION	text	text
NQU_WRL_WORLD	5	WRL_ACTIVE_FLAG	tinyint(1)	tinyint
NQU_WRL_WORLD	6	WRL_CREATED_AT	datetime	datetime
NQU_WRL_WORLD	7	WRL_UPDATED_AT	datetime	datetime
nq_children	1	id	bigint(20) unsigned	bigint
nq_children	2	display_name	varchar(100)	varchar
nq_children	3	grade_level	tinyint(3) unsigned	tinyint
nq_children	4	created_at	datetime	datetime
nq_companions	1	id	bigint(20) unsigned	bigint
nq_companions	2	code	varchar(50)	varchar
nq_companions	3	name	varchar(100)	varchar
nq_companions	4	description	text	text
nq_companions	5	active_flag	tinyint(1)	tinyint
nq_day_rounds	1	id	bigint(20) unsigned	bigint
nq_day_rounds	2	story_day_id	bigint(20) unsigned	bigint
nq_day_rounds	3	round_number	tinyint(3) unsigned	tinyint
nq_day_rounds	4	instruction_symbol	varchar(20)	varchar
nq_day_rounds	5	sentence_text	varchar(500)	varchar
nq_day_rounds	6	search_instruction	varchar(255)	varchar
nq_day_runs	1	id	bigint(20) unsigned	bigint
nq_day_runs	2	child_id	bigint(20) unsigned	bigint
nq_day_runs	3	story_day_id	bigint(20) unsigned	bigint

nq_day_runs	4	run_number	int(10) unsigned	int
nq_day_runs	5	current_round	tinyint(3) unsigned	tinyint
nq_day_runs	6	current_step	tinyint(3) unsigned	tinyint
nq_day_runs	7	status	enum('active','completed','abandoned')	enum
nq_day_runs	8	started_at	datetime	datetime
nq_day_runs	9	completed_at	datetime	datetime
nq_run_round_progress	1	id	bigint(20) unsigned	bigint
nq_run_round_progress	2	day_run_id	bigint(20) unsigned	bigint
nq_run_round_progress	3	round_number	tinyint(3) unsigned	tinyint
nq_run_round_progress	4	current_step	tinyint(3) unsigned	tinyint
nq_run_round_progress	5	completed_flag	tinyint(1)	tinyint
nq_run_round_progress	6	completed_at	datetime	datetime
nq_stories	1	id	bigint(20) unsigned	bigint
nq_stories	2	code	varchar(50)	varchar
nq_stories	3	title	varchar(200)	varchar
nq_stories	4	description	text	text
nq_stories	5	status	enum('draft','active','archived')	enum
nq_stories	6	created_at	datetime	datetime
nq_story_days	1	id	bigint(20) unsigned	bigint
nq_story_days	2	story_id	bigint(20) unsigned	bigint
nq_story_days	3	day_number	tinyint(3) unsigned	tinyint
nq_story_days	4	title	varchar(200)	varchar
nq_story_days	5	location_name	varchar(160)	varchar
nq_story_days	6	arrival_headline	varchar(255)	varchar
nq_story_days	7	arrival_text	text	text
nq_story_days	8	completion_text	text	text
nq_story_day_companions	1	story_day_id	bigint(20) unsigned	bigint
nq_story_day_companions	2	companion_id	bigint(20) unsigned	bigint
nq_story_parts	1	id	bigint(20) unsigned	bigint
nq_story_parts	2	story_day_id	bigint(20) unsigned	bigint
nq_story_parts	3	round_number	tinyint(3) unsigned	tinyint
nq_story_parts	4	part_number	tinyint(3) unsigned	tinyint
nq_story_parts	5	text_content	text	text
nq_story_unlocks	1	id	bigint(20) unsigned	bigint
nq_story_unlocks	2	child_id	bigint(20) unsigned	bigint
nq_story_unlocks	3	story_part_id	bigint(20) unsigned	bigint
nq_story_unlocks	4	first_unlocked_at	datetime	datetime
nq_story_unlocks	5	last_read_at	datetime	datetime
nq_story_unlocks	6	read_count	int(10) unsigned	int