```
<script crossorigin="anonymous" defer="defer" integrity="sha512-P2YMkqfXJ00fxTTkNHbblY5ks3U+e9w9tiVyK9syrE5+JmlaCg</pre>
1kUiuT1DfbyJXwaOLaRLT3zam2r+QrxTZ3iw=="type="application/javascript" data-module-id="./chunk-contributions-spider-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linearing-identification-linea
-graph.js \verb| data-src="https://github.githubassets.com/assets/chunk-contributions-spider-graph-3f660c92.js"></script below the following of 
u8V316BhkaIRMYJioQWj9am9tJSTvND+8wJg=="type="application/javascript" data-module-id="./chunk-drag-drop.js" data-super-drop.js data-super-drop.js
="https://github.githubassets.com/assets/chunk-jump-to-9e8fa354.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-tcH4xCRuMBAh1PruDaiwGnRIbHlF6bGLhxyCQ16uqok1cV5QFM</pre>
 guVPWJtN9KI0jGQOgN+Pha3+uOUXhXdfK/qw==" type="application/javascript" data-module-id="./chunk-profile-pins-element
 .js" data-src="https://github.githubassets.com/assets/chunk-profile-pins-element-b5c1f8c4.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-gPx3bYhTjyC83X5u5KlEDJpwGAHt3AC2p5s9iMuAfPTeSj7kHl</pre>
KMW231C3K3c7+jv1pWpELk8DJsefrYdRzqjA=="type="application/javascript" data-module-id="./chunk-randomColor.js" data-module-id=
-src="https://github.githubassets.com/assets/chunk-randomColor-80fc776d.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-E+H+wAtjiqutBvn2cnXzDIvmasIhYiS7i7JzOfFUwo+Ej8zT54</pre>
\label{lem:condition} Or \ensuremath{\mathsf{J}} \mathsf{IP}/\mathsf{R} \mathsf{hwixnypgOpCF4JvqzYy6z0t0RDmg} = \texttt{"type="application/javascript" data-module-id="./chunk-runner-groups.js"} \ \mathsf{data-module-id="./chunk-runner-groups.js"} \ \mathsf{data-module-groups.js"} \ \mathsf{data-module-groups.js"} \ \mathsf{data-module-groups.js"} \ \mathsf{data-m
ta-src="https://github.githubassets.com/assets/chunk-runner-groups-13e1fec0.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-qdiCkJPPR4LxwUKftEmJe2v79E8xnTceYqylsWkMsGuARkiKkX</pre>
9 i FNwkvZJ3bDfS5YHSPD3+k+N2/I73tvlL1Q == "type="application/javascript" data-module-id="./chunk-sortable-behavior.js" and the substitution of t
 data-src="https://github.githubassets.com/assets/chunk-sortable-behavior-a9d88290.js"></script>
be0z EAcs 6TRlj + cqAR6GDohEBxDgkYBlx + QQ = "type = "application/javascript" \ data-module-id = "./chunk-tweetsodium.js" \ data-module-id = "./chunk-tw
-src="https://github.githubassets.com/assets/chunk-tweetsodium-3695118c.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-i/oVuQCFzcV49ZAw0jQ0Q6hnafj5zU2pT0qeNPwA7YylWWWtS1</pre>
s" data-src="https://github.githubassets.com/assets/chunk-user-status-submit-8bfa15b9.js"></script>
```

```
<meta property="twitter:site" content="github">
<meta property="twitter:site:id" content="13334762">
<meta property="twitter:creator" content="github">
<meta property="twitter:creator:id" content="13334762">
<meta property="twitter:card" content="summary_large_image">
<meta property="twitter:title" content="summary_large_image">
<meta property="twitter:title" content="GitHub">
<meta property="twitter:description" content="GitHub is where people build software. More than 50 million people u se GitHub to discover, fork, and contribute to over 100 million projects.">
<meta property="twitter:image:src" content="https://github.githubassets.com/images/modules/open_graph/github-logo.png">
```

```
<meta property="twitter:image:height" content="1200">
<meta name="google-site-verification" content="c1kuD-K2HIVF6351ypcsWPoD4kilo5-jA_wBFyT4uMY">
<meta name="google-analytics" content="UA-3769691-2">
    <meta name="hostname" content="github.com">
<meta name="user-login" content="">
     <meta name="expected-hostname" content="github.com">
<meta name="enabled-features" content="MARKETPLACE_PENDING_INSTALLATIONS">
     <link crossorigin="anonymous" media="all" integrity="sha512-j5Qnatk4uyuGanB44d+AQJb0t5hmCKzplnmPN8aVGHaC07tcwc6o</pre>
5NcCVnzQjK7r2/Z2nWODWUVvINWeYQIrcA==" rel="stylesheet" href="https://github.githubassets.com/assets/site-8f94276ad
938bb2b866a7078e1df8040.css" />
<div class="position-relative js-header-wrapper ">
    <a href="#start-of-content" class="px-2 py-4 bg-blue text-white show-on-focus js-skip-to-content">Skip to content
t</a>
     <span class="progress-pjax-loader width-full js-pjax-loader-bar Progress position-fixed">
<span style="background-color: #79b8ff;width: 0%;" class="Progress-item progress-pjax-loader-bar "></span>
                  <header class="Header-old header-logged-out js-details-container Details position-relative f4 py-2" role="</pre>
banner">
                    <div class="d-lg-none css-truncate css-truncate-target width-fit p-2">
                    </div>
               <div class="d-flex flex-items-center">
                             <a href="/join?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2Fnevakee716%2Fcpm%2Fwik</pre>
     i%2FHome.md& source=header"
                                 class="d-inline-block d-lg-none f5 text-white no-underline border border-gray-dark rounded-2 px-2
       py-1 mr-3 mr-sm-5"
                                  \label{lem:data-hydro-click="{\ensuremath{\tt aquot;event\_type":"authentication.click","payload":{\ensuremath{\tt aquot;event\_type":"authentication.click","payload":{\ensuremath{\tt aquot;event\_type":"authentication.click","payload":{\ensuremath{\tt aquot;event\_type":"authentication.click","payload":{\ensuremath{\tt aquot;event\_type":"authentication.click"}} \\
     \verb|quot;location_in_page":"site | header","repository_id":null,"auth_type":"pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex_quot;pex
     t;SIGN_UP","originating_url":"https://github.com/nevakee716/cpm/wiki/Home.md","
     user_id":null}}" data-hydro-click-hmac="033e29bd449e02b8c846ef39f8f8fb87e0795024539efd26ab13d207439909f8
                                 data-ga-click="Sign up, click to sign up for account, ref_page:/nevakee716/cpm/wiki/Home.md;ref_c
     ta:Sign up;ref_loc:header logged out">
                                 Sign&nbsp:up
                             </a>
                    <button class="btn-link d-lg-none mt-1 js-details-target" type="button" aria-label="Toggle navigation"</pre>
     aria-expanded="false">
                        <\!\!\text{svg height="24" class="oction oction-three-bars text-white" viewBox="0~0~16~16" version="1.1" widtable control of the c
     h="24" aria-hidden="true"><path fill-rule="evenodd" d="M1 2.75A.75.75 0 011.75 2h12.5a.75.75 0 110 1.5H1.75A.
     75.75 0 011 2.75zm0 5A.75.75 0 011.75 7h12.5a.75.75 0 110 1.5H1.75A.75.75 0 011 7.75zM1.75 12a.75.75 0 100 1.
     5h12.5a.75.75 0 100-1.5H1.75z"></path></svg>
                   </button>
               </div>
     </div>
     <div class="HeaderMenu HeaderMenu--logged-out position-fixed top-0 right-0 bottom-0 height-fit position-lg-re</pre>
     lative d-lg-flex flex-justify-between flex-items-center flex-auto">
          <div class="d-flex d-lg-none flex-justify-end border-bottom bg-gray-light p-3">
              <button class="btn-link js-details-target" type="button" aria-label="Toggle navigation" aria-expanded="fa</pre>
     lse">
```

<meta property="twitter:image:width" content="1200">

```
<svg height="24" class="oction oction-x text-gray" viewBox="0 0 24 24" version="1.1" width="24" aria-</pre>
hidden="true"><path fill-rule="evenodd" d="M5.72 5.72a.75.75 0 011.06 0L12 10.9415.22-5.22a.75.75 0 111.06 1.
06L13.06 1215.22 5.22a.75.75 0 11-1.06 1.06L12 13.06l-5.22 5.22a.75.75 0 01-1.06-1.06L10.94 12 5.72 6.78a.75.
75 0 010-1.06z"></path></svg>
     </hutton>
   </div>
     <nav class="mt-0 px-3 px-lg-0 mb-5 mb-lg-0" aria-label="Global">
        class="d-lg-flex list-style-none">
             r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                <details class="HeaderMenu-details details-overlay details-reset width-full">
                  <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli</pre>
ne-block">
                     Why GitHub?
                     <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0 0 14 8" xml:space="preserve" class="preserve" clas
own-mktg position-absolute position-lg-relative">
                       <path d="M1,116.2,6L13,1"></path>
                     </svg>
                  </summarv>
                  <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 mt-0 pb-4 p-lg-4 position-relative</pre>
position-lg-absolute left-0 left-lg-n4">
                     <a href="/features" class="py-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bum
p-link--hover" data-ga-click="(Logged out) Header, go to Features">Features <span class="Bump-link-symbol flo
at-right text-normal text-gray-light">→</span></a>
                     <a href="/features/code-review/" class="py-2 lh-condensed-ultra d</pre>
-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Code review">Code review</a>
                        <a href="/features/project-management/" class="py-2 lh-condensed-</pre>
ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Project management">Projec
t management</a>
                       <a href="/features/integrations" class="py-2 lh-condensed-ultra d</pre>
-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Integrations">Integrations</a></l
i>
                       <a href="/features/actions" class="py-2 lh-condensed-ultra d-bloc</pre>
k link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Actions">Actions</a>
                       <a href="/features/packages" class="py-2 lh-condensed-ultra d-blo</pre>
ck link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Packages">Packages</a>
                       <a href="/features/security" class="py-2 lh-condensed-ultra d-blo</pre>
{\tt ck\ link-gray\ no-underline\ f5"\ data-ga-click="(Logged\ out)\ Header,\ go\ to\ Security"} > Security </a> 
                       <a href="/features#team-management" class="py-2 lh-condensed-ultr</pre>
a d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Team management">Team manageme
nt</a>
                       <a href="/features#hosting" class="py-2 lh-condensed-ultra d-bloc</pre>
k \ \ link-gray \ \ no-underline \ \ f5" \ \ data-ga-click="(Logged \ out) \ \ Header, \ \ go \ \ to \ \ Code \ \ hosting">Hosting</a> 
                       <a href="/mobile" class="py-2 lh-condensed-ultra d-block</pre>
link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Mobile">Mobile</a>
                     class="edge-item-fix"><a href="/customer-stories" class="py-2 lh-condensed-ultra d-bloc</pre>
k \ \ no\text{-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged \ out) \ Header, \ go \ to \ Cus
tomer stories">Customer stories <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;
</span></a>
                       <a href="/security" class="py-2 lh-condensed-ultra d-block no-und</pre>
erline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Security">S
ecurity <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a>
                     </div>
               </details>
             <a href="/team" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga-click
="(Logged out) Header, go to Team">Team</a>
             <a href="/enterprise" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga
```

```
-click="(Logged out) Header, go to Enterprise">Enterprise</a>
             r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                <details class="HeaderMenu-details details-overlay details-reset width-full">
                   <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli</pre>
ne-block">
                     Explore
                     <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d</pre>
own-mktg position-absolute position-lg-relative">
                        <path d="M1,116.2,6L13,1"></path>
                     </svg>
                   </summary>
                   <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-0 mt-0 pb-4 p-lg-4 position</pre>
-relative position-lg-absolute left-0 left-lg-n4">
                     <a href="/explore" class="py-2 lh-condensed-ultra d-block link-gr</pre>
ay-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Explore">Explore GitHub <
span class="Bump-link-symbol float-right text-normal text-gray-light">→</span></a>
                     <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Learn & text-mono f5 mb-2 border-lg-top pt-lg-1 mb-2 border-lg-top pt-lg-top p
ontributes/h4>
                     class="edge-item-fix"><a href="/topics" class="py-2 lh-condensed-ultra d-block link-gra</pre>
y no-underline f5" data-ga-click="(Logged out) Header, go to Topics">Topics</a>
                           <a href="/collections" class="py-2 lh-condensed-ultra d-block l</pre>
ink-gray no-underline f5" data-ga-click="(Logged out) Header, go to Collections">Collections</a>
                        <a href="/trending" class="py-2 lh-condensed-ultra d-block link-g</pre>
ray no-underline f5" data-ga-click="(Logged out) Header, go to Trending">Trending</a>
                        <a href="https://lab.github.com/" class="py-2 lh-condensed-ultra</pre>
d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Learning lab">Learning Lab</a>
li>
                        <a href="https://opensource.guide" class="py-2 lh-condensed-ultra</pre>
 d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Open source guides">Open source
 guides</a>
                     <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Connect with
others</h4>
                     <a href="https://github.com/events" class="py-2 lh-condensed-ultr</pre>
a d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Events">Events</a>
                        <a href="https://github.community" class="py-2 lh-condensed-ultra</pre>
 d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Community forum">Community foru
m</a>
                        <a href="https://education.github.com" class="py-2 lh-condensed-u</pre>
ltra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Education">GitHub Ed
ucation</a>
                        <a href="https://stars.github.com" class="py-2 pb-0 lh-condensed-</pre>
ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Stars Program">GitH
ub Stars program</a>
                     </div>
                </details>
             <a href="/marketplace" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-g</pre>
a-click="(Logged out) Header, go to Marketplace">Marketplace</a>
             r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                <details class="HeaderMenu-details details-overlay details-reset width-full">
```

```
<summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli</pre>
ne-block">
                                  <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d</pre>
own-mktg position-absolute position-lg-relative">
                                         <path d="M1,116.2,6L13,1"></path>
                                  </svg>
                              </summary>
                              <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-4 mt-0 p-lg-4 position-rela</pre>
tive position-lg-absolute left-0 left-lg-n4">
                                  <a href="/pricing" class="pb-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bump
-link--hover" data-ga-click="(Logged out) Header, go to Pricing">Plans <span class="Bump-link-symbol float-ri
ght text-normal text-gray-light">→</span></a>
                                  <a href="/pricing#feature-comparison" class="py-2 lh-condensed-ul</pre>
tra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Compare plans">Compare plans
</a>
                                      <a href="https://enterprise.github.com/contact" class="py-2 lh-co</pre>
ndensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Contact Sales">Con
tact Sales</a>
                                  <\!\!\text{li class="edge-item-fix"}><\!\!\text{a href="/nonprofit" class="py-2 lh-condensed-ultra d-block no-un leading to the condensed of the class of the 
derline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Nonprofits
 ">Nonprofit <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a>
                                       <a href="https://education.github.com" class="py-2 pb-0 lh-conden</pre>
sed-ultra d-block no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out)
Header, go to Education">Education <span class="Bump-link-symbol float-right text-normal text-gray-light">&ra
rr;</span></a>
                                  </div>
                         </details>
                     </nav>
    <div class="d-lg-flex flex-items-center px-3 px-lg-0 text-center text-lg-left">
             <div class="d-lg-flex mb-3 mb-lg-0">
                     <div class="header-search flex-auto js-site-search position-relative flex-self-stretch flex-md-self</pre>
 -auto mb-3 mb-md-0 mr-0 mr-md-3 scoped-search site-scoped-search js-jump-to"
role="combobox"
aria-owns="jump-to-results"
aria-label="Search or jump to"
aria-haspopup="listbox"
aria-expanded="false"
   Search
                 <div class="Box position-absolute overflow-hidden d-none jump-to-suggestions js-jump-to-suggestions-cont-</pre>
                 </div>
    </label>
             </div>
         <a href="/login?return to=%2Fnevakee716%2Fcpm%2Fwiki%2FHome.md"</pre>
             class="HeaderMenu-link no-underline mr-3"
             data-hydro-click="{"event_type":"authentication.click","payload":{"l
ocation_in_page":"site header menu","repository_id":null,"auth_type":&quot
; SIGN\_UP\", \" originating\_url\" : \" https://github.com/nevakee716/cpm/wiki/Home.md\", \" under the com/nevakee716/cpm/wiki/Home.md" under th
ser_id":null}}" data-hydro-click-hmac="e8d293696e0b917264bdaee05b89f881fdd7ec01caeeda53777ff4d0619a752f"
             data-ga-click="(Logged out) Header, clicked Sign in, text:sign-in">
            Sign in
         </a>
```

data-hydro-click="{"event_type":"authentication.click","payload":{"location_in_page":"site header menu","repository_id":null,"auth_type":"SIGN_UP","originating_url":"https://github.com/nevakee716/cpm/wiki/Home.md","user_id":null}}" data-hydro-click-hmac="e8d293696e0b917264bdaee05b89f881fdd7ec01caeeda53777ff4d0619a752f"

<div>{{ message }}</div>

×

<include-fragment class="js-notification-shelf-include-fragment" data-base-src="https://github.com/notifications/beta/shelf"> </include-fragment>

<div

class="application-main d-flex flex-auto flex-column"

<div data-pjax-replace id="js-flash-container">

data-commit-hovercards-enabled

data-discussion-hovercards-enabled

data-issue-and-pr-hovercards-enabled

<main>



Find code, projects, and people on GitHub:

Search

Contact Support — GitHub Status — @githubstatus

<footer class="footer mt-6">

GitHub

</div

<div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-lg-0 pl-lg-4">
 <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Product</h2>

```
class="lh-condensed mb-3"><a href="/features" data-ga-click="Footer, go to features, text:features"</pre>
  class="link-gray">Features</a>
             class="lh-condensed mb-3"><a href="/security" data-ga-click="Footer, go to security, text:security"</pre>
  class="link-gray">Security</a>
             class="lh-condensed mb-3"><a href="/team" data-ga-click="Footer, go to team, text:team" class="link</pre>
-grav">Team</a>
             class="lh-condensed mb-3"><a href="/enterprise" data-ga-click="Footer, go to enterprise, text:enter</pre>
prise" class="link-gray">Enterprise</a>
             class="lh-condensed mb-3"><a href="/customer-stories" data-ga-click="Footer, go to customer stories</pre>
, text:customer stories" class="link-gray">Customer stories</a>
             class="lh-condensed mb-3"><a href="/readme" data-ga-click="Footer, go to the readme project, text:t</pre>
he readme project" class="link-gray">The ReadME Project</a>
            class="lh-condensed mb-3"><a href="/pricing" data-ga-click="Footer, go to pricing, text:pricing" cl</pre>
ass="link-gray">Pricing</a>
             class="lh-condensed mb-3"><a href="https://resources.github.com" data-ga-click="Footer, go to resou</pre>
rces, text:resources" class="link-gray">Resources</a>
             <a href="https://github.com/github/roadmap" data-ga-click="Footer, go to</pre>
roadmap, text:roadmap" class="link-gray">Roadmap</a>
        </div>
    <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
        <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Platform</h2>
        class="lh-condensed mb-3"><a href="https://docs.github.com" data-ga-click="Footer, go to api, text:</pre>
api" class="link-gray">Developer API</a>
             <a href="http://partner.github.com/" data-ga-click="Footer, go to partner</pre>
, text:partner" class="link-gray">Partners</a>
             class="lh-condensed mb-3"><a href="https://atom.io" data-ga-click="Footer, go to atom, text:atom" c</pre>
lass="link-gray">Atom</a>
             <a href="http://electronjs.org" data-ga-click="Footer, go to electron, te</pre>
xt:electron" class="link-gray">Electron</a>
             <a href="https://desktop.github.com/" data-ga-click="Footer, go to deskto</pre>
p, text:desktop" class="link-gray">GitHub Desktop</a>
        </div>
    <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
        <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Support</h2>
        <a data-ga-click="Footer, go to help, text:help" class="link-gray " href=</pre>
"https://docs.github.com">Help</a>
             <a href="https://github.community" data-ga-click="Footer, go to community</pre>
, text:community" class="link-gray">Community Forum</a>
             <a href="https://services.github.com/" data-ga-click="Footer, go to profe</pre>
ssional\ services,\ text: professional\ services"\ class="link-gray"> Professional\ Services</a> 
             <\!1i\ class="lh-condensed mb-3"><\!a\ href="https://lab.github.com/" data-ga-click="Footer, go to learning 1" and the statement of the statem
ab, text:learning lab" class="link-gray">Learning Lab</a>
             <a href="https://github.com/certifications" data-ga-click="Footer, go to</pre>
certifications, text:certifications" class="link-gray">Certifications</a>
             <a href="https://githubstatus.com/" data-ga-click="Footer, go to status,</pre>
text:status" class="link-gray">Status</a>
             class="lh-condensed mb-3"><a data-ga-click="Footer, go to contact, text:contact" class="link-gray "</pre>
 href="https://github.com/contact">Contact GitHub</a>
        <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
         <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Company</h2>
         <lase="the section of the section of th
g" class="{/insk-gray">Blog</a>
             <diจระปัลไดะตองสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามาร
สามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถสามารถส
rs" class="រស់សង្សាងៗไม่Game®th<br/>ស្នងរបស់ស្នារិក្រសួយ flex-1 mr-1 mx-sm-1 m-md-0 ml-md-2 js-cookie-consent-accept">Accep
  t</buttinglass="lh-condensed mb-3"><a href="/about/press" data-ga-click="Footer, go to press, text:press" cl
ass="link-grewittBnesis63≥<6፥ት>btn-outline flex-1 ml-1 m-md-0 ml-md-2 js-cookie-consent-reject">Reject</butto
```

 $<\!\!1i\ class="lh-condensed mb-3"><\!\!a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\!\!a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\!\!a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\!\!a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\!\!a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\ a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\ a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\ a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\ a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\ a\ href="https://socialimpact.github.com/" data-ga-click="Footer, go to state of the condensed mb-3"><\ a\ href="https://socialimpact.github.com/" data-ga-click="https://socialimpact.github.com/" data-ga-click="https://socialimpact.github.$

```
'\ullet'
<div class="js-cookie-details hx_cookie-banner-details" hidden></div>
           <div class="d-md-flex flex-items-center py-3">
              We use optional third-party analytics cookies to understand how you use GitHub.com so we can build better products.
              > at the bottom of the page.
          <divsplass="desmdsflex1filexaitemskcenter">
          \langle \hat{d}iv class="f5 flex-1 mb-2 mb-md-0">
          </ii cdh5selass∋"mb-1">Essential cookies</h5>
    re used toslogxyousinhttp://www.w3.org/2000/svg" viewBox="0 0 19.17 13.6" class="d-block" height="16"><p
   </dipun class="sr-only">YouTube</span>

<
          ="M3.94 2A2
                     2 0 1 1 2 0a2 2 0 0 1 1.94 22M4 5.48H0V18h4zm6.32 0H6.34V18h3.94v-6.57c0-3.66 4.77-4 4.77 0 3c0-6.17-7.06-5.94-8.72-2.91z" fill="currentColor"></path>
           <div class="d-md-flex flex-items-center py-3 border-top">

          <h5 class="mb-1">Analytics cookies</h5>
          akeGthembbetteganezgiitheysmelusedotorgatheodinformation about the pages you visit and how many clicks you
  need to accomplished a complished and a complished and accomplished and accomplished and accomplished accomplished and accomplished acc
   53 5.47 7.5%a4hf@ff5%https5%/docs0github0com%en/github%site4policy%github2subprodessors2and4cookles%2Learn
  #13-,28-.15-.68-.52-.01-.53.63-.01 1.08.58 1.23.82.72 1.21 1.87.87 2.33.66.07-.52.28-.87.51-1.07-1.78-.2 mose (4-8) 89-3.64-3.95 0-.87.31-1.59.82-2.15-.08-.2-.36-1.02.08-2.12 0 0 .67-.21 2.2.82.64-.18 1.32-.27 2-.27.68 0 ₹/₱≶.09 2 .27 1.53-1.04 2.2-.82 2.2-.82.44 1.1.16 1.92.08 2.12.51.56.82 1.27.82 2.15 0 3.07-1.
   87 3.75-3.65 3.95.29.25.54.73.54 1.48 0 1.07-.01 1.93-.01 2.2 0 .21.15.46.55.38A8.013 8.013 0 0016 8c0-4.42-3.58 8-8z"></nath></sys>
              <diyaolass="text-right" &itHub</span>
          </a></div class="BtnGroup mt-1 mt-md-0 ml-2">
                   <button class="btn btn-outline BtnGroup-item js-accept-analytics-cookies" type="button">Accept
  /button class="list-style-none d-flex flex-wrap text-gray class="mr-3">© 2020 GitHub, Inc.
          <lasbutton3class#fbtn"btntoutline"BtnGnoup-itemkj&Fneject-analyticsmcookies"ttype="button"%Reject</pre>
  /buttons / class="mr-3"><a href="/site/privacy" data-ga-click="Footer, go to privacy, text:privacy" class=
    "link-gray/dîvivacy</a>
                          s="js-cookie-consent-preferences-link-container mr-3" hidden="hidden">
   Cookie Preferences
     Site Mag/div>
   What is Git?
           <div class="text-right py-3 border-top">
              <button class="btn btn-primary js-save-cookie-preferences" type="button" disabled>Save preferences
<divtclass="js-cookie-consent-banner" hidden>
           </div>
```

</div>