```
<script crossorigin="anonymous" defer="defer" integrity="sha512-F/8sNCLF603gJL0egQeZwFTYP9dfZAVEWHdjMssZ2opLZXRK08</pre>
vgowBRzKyra6u9zU/rGVxe+igfJsSWzf02lg=="type="application/javascript" data-module-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-contributions-spider-id="./chunk-cont
 -graph.js "adta-src="https://github.githubassets.com/assets/chunk-contributions-spider-graph-17ff2c34.js"></script to the contributions of the contribution of the contribution of the contributions of the contribution of the
<\!script crossorigin="anonymous" defer="defer" integrity="sha512-obMR8mPKx80vqRe34LgnUcxeJ1qujia4ND3H6UX13ExMla/WfH loop of the content of 
 \texttt{LjEzXRmgGRcRvN/8J1nzc+Z+jgz/PLTFy6zg=="type="application/javascript"} \ \ data-module-id="./chunk-drag-drop.js" \ \ data-super-like the super-like the 
TGtvfXFHnZ7T3Qh1LRsn2iyn3mJ/Z5Pfo1Fg=="type="application/javascript" data-module-id="./chunk-jump-to.js" data-srclustrian data-srclustr
 ="https://github.githubassets.com/assets/chunk-jump-to-f73cb889.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-biWH40AQPiDiTkaeyDnXf6hHF3u3Mv3eaDEvt8AdT/QvWDpLbn</pre>
 usALT4ZO+f+DgYp07UiHxNRAB6/J7IwPW6TQ=="type="application/javascript" data-module-id="./chunk-lib.dev.js" data-srclustion for the second of t
 ="https://github.githubassets.com/assets/chunk-lib.dev-6e2587e0.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-tcH4xCRuMBAh1PruDaiwGnRIbHlF6bGLhxyCQ16uqok1cV5QFM</pre>
\verb|guVPWJtN9KI0jGQ0gN+Pha3+uOUXhXdfK/qw=="type="application/javascript"| data-module-id="./chunk-profile-pins-element | for the context of t
 .js" data-src="https://github.githubassets.com/assets/chunk-profile-pins-element-b5c1f8c4.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-gPx3bYhTjyC83X5u5KlEDJpwGAHt3AC2p5s9iMuAfPTeSj7kHl</pre>
KMW231C3K3c7+jv1pWpELk8DJsefrYdRzqjA=="type="application/javascript" data-module-id="./chunk-randomColor.js" data-module-id=
 -src="https://github.githubassets.com/assets/chunk-randomColor-80fc776d.js"></script>
 <script crossorigin="anonymous" defer="defer" integrity="sha512-E+H+wAtjiqutBvn2cnXzDIvmasIhYiS7i7JzOfFUwo+Ej8zT54</pre>
\label{lem:condition} Or \end{Titelign*} If the \end{Titelight*} \begin{titelight*} \be
ta-src="https://github.githubassets.com/assets/chunk-runner-groups-13e1fec0.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-qdiCkJPPR4LxwUKftEmJe2v79E8xnTceYqylsWkMsGuARkiKkX</pre>
9iFNwkvZJ3bDfS5YHSPD3+k+N2/I73tvlL1Q==" type="application/javascript" data-module-id="./chunk-sortable-behavior.js
 " data-src="https://github.githubassets.com/assets/chunk-sortable-behavior-a9d88290.js"></script>
  <script crossorigin="anonymous" defer="defer" integrity="sha512-NpURjBPyJ0JT8hWOMbLErYNeb0bTkKfmFX1hl1F8C/q6jckqWO</pre>
be0zEAcs6TRlj+cqAR6GDohEBxDgkYBlx+QQ=="type="application/javascript" \ data-module-id="./chunk-tweetsodium.js" \
-src="https://github.githubassets.com/assets/chunk-tweetsodium-3695118c.js"></script>
< script \ crossorigin = "anonymous" \ defer = "defer" \ integrity = "sha512-/rfwkj1EIni/cASHgs3Z0kyWBjPM3Ge8hYaps5SZwyhFhIP4/Magenting = "sha512-/rfwkyhFhIP4/Magenting = "sha512-/rfwkyhFhIP4/Magenting = "sha512-/rfwkyhFhIP4/rfwkyhFhIP4/rfwkyhFhIP4/rfwkyhFhIP4/rfwkyhFhIP4/rfwkyhFhIP4/rfwkyhFhIP4/rfwkyhFhIP4/rfwkyhFhIP
Xe5HQ9WYqBY2mwDAli8i1p5lPgfWWCfY7uCQ==" type="application/javascript" data-module-id="./chunk-user-status-submit.j
 s" data-src="https://github.githubassets.com/assets/chunk-user-status-submit-feb7f092.js"></script>
```

```
<meta property="twitter:site" content="github">
<meta property="twitter:site:id" content="13334762">
<meta property="twitter:creator" content="github">
<meta property="twitter:creator:id" content="13334762">
<meta property="twitter:creator:id" content="13334762">
<meta property="twitter:card" content="summary_large_image">
<meta property="twitter:title" content="GitHub">
<meta property="twitter:title" content="GitHub">
<meta property="twitter:description" content="GitHub is where people build software. More than 50 million people u</pre>
```

```
<meta property="twitter:image:src" content="https://github.githubassets.com/images/modules/open graph/github-logo.</pre>
<meta property="twitter:image:width" content="1200">
<meta property="twitter:image:height" content="1200">
<meta name="google-site-verification" content="c1kuD-K2HIVF6351ypcsWPoD4kilo5-jA_wBFyT4uMY">
    <meta name="hostname" content="github.com">
<meta name="user-login" content="">
   <meta name="expected-hostname" content="github.com">
<meta name="enabled-features" content="CORPORATE_SPONSORS_CREDIT_CARD,MARKETPLACE_PENDING_INSTALLATIONS">
    <link crossorigin="anonymous" media="all" integrity="sha512-6mlxnwoIm9nMWPE7OS19AbEIQ9eyk3X4B5jg0m0eI0S/4nSspXNK</pre>
jRmeRQhDziU7tj4/SyG10Kmhd6rbZhuPTg==" rel="stylesheet" href="https://github.githubassets.com/assets/site-ea69719f0
a089bd9cc58f13b392d7d01.css" />
<div class="position-relative js-header-wrapper ">
    <a href="#start-of-content" class="px-2 py-4 bg-blue text-white show-on-focus js-skip-to-content">Skip to conten
t</a>
    <span class="progress-pjax-loader width-full js-pjax-loader-bar Progress position-fixed">
<span style="background-color: #79b8ff;width: 0%;" class="Progress-item progress-pjax-loader-bar "></span>
              <header class="Header-old header-logged-out js-details-container Details position-relative f4 py-2" role="</pre>
banner">
               <div class="d-lg-none css-truncate css-truncate-target width-fit p-2">
               </div>
           <div class="d-flex flex-items-center">
                      <a href="/join?ref cta=Sign+up&amp;ref loc=header+logged+out&amp;ref page=%2Fnevakee716%2Fcpm%2Fwik</pre>
    i%2FHome.md& source=header"
                         class="d-inline-block d-lg-none f5 text-white no-underline border border-gray-dark rounded-2 px-2
      py-1 mr-3 mr-sm-5"
                          \label{linear_data-hydro-click} \verb| data-hydro-click="{\ensuremath{\texttt{\&quot}}; event\_type\ensuremath{\texttt{\&quot}}; :\ensuremath{\texttt{\&quot}}; event\_type\ensuremath{\texttt{\&quot}}; :\ensuremath{\texttt{\&quot}}; event\_type\ensuremath{\texttt{\&quot}}; :\ensuremath{\texttt{\&quot}}; event\_type\ensuremath{\texttt{\&quot}}; :\ensuremath{\texttt{\&quot}}; event\_type\ensuremath{\texttt{\&quot}}; event\_type\ensuremath}; event\_type\ensuremath{\texttt{\&quot}}; event\_type\ensuremath{\texttt{\&quot}}; event\_type\ensuremath}; event\_type\ensuremath}; event\_type\ensuremath{\texttt{\&quot}}; event\_type\ensuremath}; event
    quot;location_in_page":"site header","repository_id":null,"auth_type":&quo
    t;SIGN_UP","originating_url":"https://github.com/nevakee716/cpm/wiki/Home.md","
    user id":null}}" data-hydro-click-hmac="033e29bd449e02b8c846ef39f8f8fb87e0795024539efd26ab13d207439909f8
                         data-ga-click="Sign up, click to sign up for account, ref_page:/nevakee716/cpm/wiki/Home.md;ref_c
    ta:Sign up;ref_loc:header logged out">
                         Sign up
                      </a>
               <button class="btn-link d-lg-none mt-1 js-details-target" type="button" aria-label="Toggle navigation"</pre>
    aria-expanded="false">
                   <svg height="24" class="octicon octicon-three-bars text-white" viewBox="0 0 16 16" version="1.1" widt</pre>
    h="24" aria-hidden="true"><path fill-rule="evenodd" d="M1 2.75A.75.75 0 011.75 2h12.5a.75.75 0 110 1.5H1.75A.
    75.75 0 011 2.75zm0 5A.75.75 0 011.75 7h12.5a.75.75 0 110 1.5H1.75A.75.75 0 011 7.75zM1.75 12a.75.75 0 100 1.
    5h12.5a.75.75 0 100-1.5H1.75z"></path></svg>
               </button>
           </div>
    </div>
    <div class="HeaderMenu HeaderMenu--logged-out position-fixed top-0 right-0 bottom-0 height-fit position-lg-re</pre>
```

se GitHub to discover, fork, and contribute to over 100 million projects.">

```
<div class="d-flex d-lg-none flex-justify-end border-bottom bg-gray-light p-3">
       <button class="btn-link js-details-target" type="button" aria-label="Toggle navigation" aria-expanded="fa</pre>
           <svg height="24" class="oction oction-x text-gray" viewBox="0 0 24 24" version="1.1" width="24" aria-</pre>
hidden="true"><path fill-rule="evenodd" d="M5.72 5.72a.75.75 0 011.06 0L12 10.9415.22-5.22a.75.75 0 111.06 1.
06L13.06 1215.22 5.22a.75.75 0 11-1.06 1.06L12 13.061-5.22 5.22a.75.75 0 01-1.06-1.06L10.94 12 5.72 6.78a.75.
75 0 010-1.06z"></path></svg>
       </button>
   </div>
       <nav class="mt-0 px-3 px-lg-0 mb-5 mb-lg-0" aria-label="Global">
           r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                     <details class="HeaderMenu-details details-overlay details-reset width-full">
                         <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli</pre>
ne-block">
                            Why GitHub?
                            <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0 0 14 8" xml:space="preserve" fill="none" class="preserve" fill="none" class="preserve"
own-mktg position-absolute position-lg-relative">
                               <path d="M1,116.2,6L13,1"></path>
                            </svg>
                         </summary>
                         <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 mt-0 pb-4 p-lg-4 position-relative</pre>
position-lg-absolute left-0 left-lg-n4">
                            <a href="/features" class="py-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bum
p-link--hover" data-ga-click="(Logged out) Header, go to Features">Features <span class="Bump-link-symbol flo
at-right text-normal text-gray-light">→</span></a>
                            <a href="/features/code-review/" class="py-2 lh-condensed-ultra d</pre>
-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Code review">Code review</a>
                                <a href="/features/project-management/" class="py-2 lh-condensed-</pre>
ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Project management">Projec
t management</a>
                                <a href="/features/integrations" class="py-2 lh-condensed-ultra d</pre>
-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Integrations">Integrations</a></l
i>
                                <a href="/features/actions" class="py-2 lh-condensed-ultra d-bloc</pre>
k link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Actions">Actions</a>
                                <a href="/features/packages" class="py-2 lh-condensed-ultra d-blo</pre>
ck link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Packages">Packages</a>
                                <a href="/features/security" class="py-2 lh-condensed-ultra d-blo</pre>
ck link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Security">Security</a>
                               class="edge-item-fix"><a href="/features#team-management" class="py-2 lh-condensed-ultr</pre>
a d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Team management">Team manageme
nt</a>
                                <a href="/features#hosting" class="py-2 lh-condensed-ultra d-bloc</pre>
k link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Code hosting">Hosting</a>
                                <a href="/mobile" class="py-2 lh-condensed-ultra d-block</pre>
link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Mobile">Mobile</a>
                            <a href="/customer-stories" class="py-2 lh-condensed-ultra d-bloc</pre>
k no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Cus
tomer stories">Customer stories <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;
</span></a>
                                <\!\!\text{li class="edge-item-fix"}><\!\!\text{a href="/security" class="py-2 lh-condensed-ultra d-block no-und last 
erline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Security">S
ecurity <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a>
                            </div>
                     </details>
                  <a href="/team" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga-click</pre>
```

lative d-lg-flex flex-justify-between flex-items-center flex-auto">

```
="(Logged out) Header, go to Team">Team</a>
                   <a href="/enterprise" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga
-click="(Logged out) Header, go to Enterprise">Enterprise</a>
                   r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
                      <details class="HeaderMenu-details details-overlay details-reset width-full">
                          <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli</pre>
ne-block">
                              Explore
                              <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d" <svg x="0 0 14 8" xml:space="preserve" class="preserve" clas
own-mktg position-absolute position-lg-relative">
                                  <path d="M1,116.2,6L13,1"></path>
                              </svg>
                          </summary>
                          <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-0 mt-0 pb-4 p-lg-4 position</pre>
-relative position-lg-absolute left-0 left-lg-n4">
                              <a href="/explore" class="py-2 lh-condensed-ultra d-block link-gr</pre>
ay-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Explore">Explore GitHub <
span class="Bump-link-symbol float-right text-normal text-gray-light">→</span></a>
                              <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Learn & text-mono f5 mb-2 border-lg-top pt-lg-top pt-lg-to
ontribute</h4>
                              <a href="/topics" class="py-2 lh-condensed-ultra d-block link-gra</pre>
y no-underline f5" data-ga-click="(Logged out) Header, go to Topics">Topics</a>
                                     <a href="/collections" class="py-2 lh-condensed-ultra d-block l</pre>
ink-gray no-underline f5" data-ga-click="(Logged out) Header, go to Collections">Collections</a>
                                  <a href="/trending" class="py-2 lh-condensed-ultra d-block link-g</pre>
ray no-underline f5" data-ga-click="(Logged out) Header, go to Trending">Trending</a>
                                  <a href="https://lab.github.com/" class="py-2 lh-condensed-ultra</pre>
d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Learning lab">Learning Lab</a>
li>
                                  <a href="https://opensource.guide" class="py-2 lh-condensed-ultra</pre>
  d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Open source guides">Open source
  guides</a>
                              <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Connect with
others</h4>
                              <a href="https://github.com/events" class="py-2 lh-condensed-ultr</pre>
a d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Events">Events</a>
                                  <a href="https://github.community" class="py-2 lh-condensed-ultra</pre>
 d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Community forum">Community foru
m</a>
                                  <a href="https://education.github.com" class="py-2 lh-condensed-u</pre>
ltra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Education">GitHub Ed
ucation</a>
                                  <a href="https://stars.github.com" class="py-2 pb-0 lh-condensed-</pre>
ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Stars Program">GitH
ub Stars program</a>
                              </div>
                      </details>
                  <a href="/marketplace" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-g
a-click="(Logged out) Header, go to Marketplace">Marketplace</a>
```

```
r-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
          <details class="HeaderMenu-details details-overlay details-reset width-full">
            <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inli
ne-block">
              Pricing
              <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevon-d</pre>
own-mktg position-absolute position-lg-relative">
                 <path d="M1,116.2,6L13,1"></path>
              </svg>
            </summary>
            <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-4 mt-0 p-lg-4 position-rela</pre>
tive position-lg-absolute left-0 left-lg-n4">
              <a href="/pricing" class="pb-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bump</pre>
-link--hover" data-ga-click="(Logged out) Header, go to Pricing">Plans <span class="Bump-link-symbol float-ri
ght text-normal text-gray-light">→</span></a>
              <a href="/pricing#feature-comparison" class="py-2 lh-condensed-ul</pre>
tra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Compare plans">Compare plans
</a>
                <a href="https://enterprise.github.com/contact" class="py-2 lh-co</pre>
ndensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Contact Sales">Con
tact Sales</a>
              <a href="/nonprofit" class="py-2 lh-condensed-ultra d-block no-un</pre>
derline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Nonprofits
">Nonprofit <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a>
                <a href="https://education.github.com" class="py-2 pb-0 lh-conden</pre>
sed-ultra d-block no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out)
Header, go to Education">Education <span class="Bump-link-symbol float-right text-normal text-gray-light">&ra
rr;</span></a>
              </div>
          </details>
        </nav>
  <div class="d-lg-flex flex-items-center px-3 px-lg-0 text-center text-lg-left">
     <div class="d-lg-flex mb-3 mb-lg-0">
       <div class="header-search flex-auto js-site-search position-relative flex-self-stretch flex-md-self-a</pre>
uto mb-3 mb-md-0 mr-0 mr-md-3 scoped-search site-scoped-search js-jump-to"
role="combobox"
aria-owns="jump-to-results"
aria-label="Search or jump to"
aria-haspopup="listbox"
aria-expanded="false"
 Search
       <div class="Box position-absolute overflow-hidden d-none jump-to-suggestions js-jump-to-suggestions-cont</pre>
       </div>
  </label>
     </div>
   <a href="/login?return_to=%2Fnevakee716%2Fcpm%2Fwiki%2FHome.md"</pre>
     class="HeaderMenu-link no-underline mr-3"
     data-hydro-click="{"event_type":"authentication.click","payload":{"l
ocation_in_page":"site header menu","repository_id":null,"auth_type":&quot
;SIGN_UP","originating_url":"https://github.com/nevakee716/cpm/wiki/Home.md","u
```

```
ser_id":null}}" data-hydro-click-hmac="e8d293696e0b917264bdaee05b89f881fdd7ec01caeeda53777ff4d0619a752f"
                 data-ga-click="(Logged out) Header, clicked Sign in, text:sign-in">
                    <a href="/join?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2Fnevakee716%2Fcpm%2Fwiki%</pre>
    2FHome.md& source=header"
                        class="HeaderMenu-link d-inline-block no-underline border border-gray-dark rounded-1 px-2 py-1"
                        data-hydro-click="{"event_type":"authentication.click","payload":{&qu
    \verb|ot;| location_in_page": " site | header | menu", " repository_id": null, " auth_type": " auth_type" auth_type
    quot;SIGN_UP","originating_url":"https://github.com/nevakee716/cpm/wiki/Home.md",&qu
    52f"
                        data-ga-click="Sign up, click to sign up for account, ref_page:/nevakee716/cpm/wiki/Home.md;ref_cta
    :Sign up;ref_loc:header logged out">
                        Sign up
        </div>
    </div>
</div>
<div data-pjax-replace id="js-flash-container">
```

<include-fragment class="js-notification-shelf-include-fragment" data-base-src="https://github.com/notifications/beta/shelf"> </include-fragment>

<div

class="application-main d-flex flex-auto flex-column"


data-commit-hovercards-enabled

data-discussion-hovercards-enabled

data-issue-and-pr-hovercards-enabled

<div>{{ message }}</div>

<main>



Find code, projects, and people on GitHub:

Search

Contact Support — GitHub Status — @githubstatus

<footer class="footer mt-6">

×

GitHub

```
</div>
 <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-lg-0 pl-lg-4">
   <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Product</h2>
   class="lh-condensed mb-3"><a href="/features" data-ga-click="Footer, go to features, text:features"</pre>
class="link-gray">Features</a>
     <a href="/security" data-ga-click="Footer, go to security, text:security"</pre>
class="link-gray">Security</a>
     <a href="/team" data-ga-click="Footer, go to team, text:team" class="link</pre>
-grav">Team</a>
     <a href="/enterprise" data-ga-click="Footer, go to enterprise, text:enter</pre>
prise" class="link-gray">Enterprise</a>
     class="lh-condensed mb-3"><a href="/customer-stories" data-ga-click="Footer, go to customer stories</pre>
, text:customer stories" class="link-gray">Customer stories</a>
     class="lh-condensed mb-3"><a href="/readme" data-ga-click="Footer, go to the readme project, text:t</pre>
he readme project" class="link-gray">The ReadME Project</a>
     <a href="/pricing" data-ga-click="Footer, go to pricing, text:pricing" cl</pre>
ass="link-gray">Pricing</a>
     class="lh-condensed mb-3"><a href="https://resources.github.com" data-ga-click="Footer, go to resou</pre>
rces, text:resources" class="link-gray">Resources</a>
     <a href="https://github.com/github/roadmap" data-ga-click="Footer, go to</pre>
roadmap, text:roadmap" class="link-gray">Roadmap</a>
   </div>
 <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
   <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Platform</h2>
   class="lh-condensed mb-3"><a href="https://docs.github.com" data-ga-click="Footer, go to api, text:</pre>
api" class="link-grav">Developer API</a>
     <a href="http://partner.github.com/" data-ga-click="Footer, go to partner</pre>
, text:partner" class="link-gray">Partners</a>
     <a href="https://atom.io" data-ga-click="Footer, go to atom, text:atom" c</pre>
lass="link-grav">Atom</a>
     <a href="http://electronjs.org" data-ga-click="Footer, go to electron, te</pre>
xt:electron class="link-gray">Electron</a>
     <a href="https://desktop.github.com/" data-ga-click="Footer, go to deskto</pre>
p, text:desktop" class="link-gray">GitHub Desktop</a>
   <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
   <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Support</h2>
   <a data-ga-click="Footer, go to help, text:help" class="link-gray " href=</pre>
"https://docs.github.com">Help</a>
     <a href="https://github.community" data-ga-click="Footer, go to community</pre>
, text:community" class="link-gray">Community Forum</a>
     <a href="https://services.github.com/" data-ga-click="Footer, go to profe</pre>
ssional services, text:professional services" class="link-gray">Professional Services</a>
     <a href="https://lab.github.com/" data-ga-click="Footer, go to learning 1</pre>
ab, text:learning lab" class="link-gray">Learning Lab</a>
     <a href="https://githubstatus.com/" data-ga-click="Footer, go to status,</pre>
text:status" class="link-gray">Status</a>
     class="lh-condensed mb-3"><a data-ga-click="Footer, go to contact, text:contact" class="link-gray "</pre>
href="https://github.com/contact">Contact GitHub</a>
   </div>
 <div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
   <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Company</h2>
   <a data-ga-click="Footer, go to about, text:about" class="link-gray " hre</pre>
f="https://github.com/about">About</a>
     <a href="https://github.blog" data-ga-click="Footer, go to blog, text:blo</pre>
```

We use antional third-party analytics cookies to understand how you use GitHub comes we can build better products

g" class="link-gray">Blog

```
rs" class="liphangrdจรระสัตชะตางเก็น>ปุร์โรงokie-consent-learn-more">Learn more</span>.
                <li<₫þass="lh-condensed mb-3"><a href="/about/press" data-ga-click="Footer, go to press, text:press" cl</pre>
ass="link<grayclesescd/flexlii>md-block flex-wrap flex-sm-nowrap">
                clbssttbhcdasdefbtd btm3bwtdiheeftbttpsm//isomcishinpmembdgbtmlbmdon2/jsdatbekge-cbbskmtFaatep; "g&cteps
otiabutmpact, text:social impact" class="link-gray">Social Impact</a>
                :shop" class="link-gray">Shop</a>
          </div>
      </div*/div>
</divx/div>
              <div class="js-cookie-details hx_cookie-banner-details" hidden>
                   <div class="d-md-flex flex-items-center py-3">
                        -
   We use optional ปีที่เครื่อสีที่ประจำสังให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรื่องให้เรียงให้เรื่องให้เรียงให้เรื่องให้เรื่องให้เรียงให้เรียงให้เรื่องให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรียงให้เรีย
                       <a Youfcahtalwayswupdateeyouk.sele6tibhbbydallckinglaspanFelass="textobold">Cobkieepreferehees//span
   > at the bottom of sthetease /www.w3.org/2000/svg" viewBox="0 0 15.3 15.4" class="d-block" height="18"><pa
      th d="M14Fōr@MoRe.infoRmatron; Seevour6aa8fref=@https://docs?githubVcom/en/free-pro2team@latest/github/sit5a10.87 10.87 0 0.1 1.8.1v2.1h-1.3c 1 0-1.1.51.1 1.1v1.5h2.31-.3 2.3h-2v5.9h3.9a.88.88 0 0 .9-.8v.8a
   e-goliścy/githubspriyacyistatement telyacy.
                   e="GitHadioncYass#bf5 flexe1"mbl2rmb#md90%5;
      csys xmlns="http://www.w3.org/2000/svg" viewBox="0 0 19.17 13.6" class="d-block" height="16"><p ath d="M18.77c
         re used to viogoyou iniz" fill="currentColor
                                  <\!a\ href="https://docs.github.com/en/github/site-policy/github-subprocessors-and-cookies"> Learn
   more</a>
                 </divalent class="sr-only">LinkedIn</span>
                 ်ရုံပုံ class="d-md-flex flex-items-center py-3 border-top">
                       <adhงeを±พธรระหร5/flexbubm642/สตัวสัตชาติ"รถานาย - rooter, go to github's org, text:github" title
                           | Storganization | Style= Lolor: #959493./

<$\$ \frac{1}{2} \frac
      ="1.1" wi@phelass="f6ambimd=0"; weugse<analytics-cookiesvtoodddedstandonowsyou @se.ourowebsites4se.we can m
   need 6to .aecomp1ish95 task7.31-1.59.82-2.15-.08-.2-.36-1.02.08-2.12 0 0 .67-.21 2.2.82.64-.18
      .2/.08 0 1.30.09 f _ 0.05 f _ 
                      >58-8-8-8z"></path></svg>
<span class="sr-only">GitHub</span>
</as/ p>
   more2/a>58-8-82

<p
                       i ⊂๔่สิธิจ=ผู้บลร§ี≒ู้ติยกดูหอนติ@กีย-มีiกัป⊔กัd-@ีกกุi<2ใึ่ง>
                   lı class="mr-3"><a href="/site/terms" data-ga-click="Footer, go to terms, text;terms" class="link-
>Terms{buttonislass="btn btn-outline BtnGroup-item js-accept-analytics-cookies" type="button">Accept<
    /buttons class="mr-3"><a href="/site/privacy" data-ga-click="Footer, go to privacy, text:privacy" class=
                   c-gray">Privacy</a>
<a href="mailto:class="btg_btg_btg_eptegeroup_kitemtjs_neeject-analygics-cookies"">cookies"</a> type="button">Reject</a>
    / Gookin Breferences
      Site Map
What is Git?</div>
                       </div>
                   </div>
<div class="Popover js-hovercard-content position-absolute" style="display: none; outline: none;" tabindex="0</pre>
                   <div class="text-right py-3 border-top">
                        <button class="btn btn-primary js-save-cookie-preferences" type="button" disabled>Save preferences
    /button>
                   </div>
              </div>
```

<div class="js-cookie-consent-banner" hidden>