

```
<script crossorigin="anonymous" defer="defer" integrity="sha512-P2YMkqfXJ00fxTTkNHbbLY5ks3U
+e9w9tiVyK9syrE5+JmlaCg1kUiuT1DfbyJXwa0LaRLT3zam2r+QrxTZ3iw==" type="application/javascript
" data-module-id="/chunk-contributions-spider-graph.js" data-src="https://github.githubass
ets.com/assets/chunk-contributions-spider-graph-3f660c92.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-obMR8mPKx80vqRe34LgnUcxeJ1q
ujiA4ND3H6UX13ExMlA/WfHLjEzXRmgGRcRvN/8J1nzc+Z+jgz/PLTFy6zg==" type="application/javascript
" data-module-id="/chunk-drag-drop.js" data-src="https://github.githubassets.com/assets/ch
unk-drag-drop-a1b311f2.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-o95wCKf0qL8EX5reoP68bQ/mUPv
Lnu0T5LaPZLAv0xQALhTP0XqriKBrnmOXbo6BVVM9eNnesNYw8rA37Ta60w==" type="application/javascript
" data-module-id="/chunk-jump-to.js" data-src="https://github.githubassets.com/assets/chun
k-jump-to-a3de7008.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-tcH4xCRuMBAh1PruDaiwGnRIbHl
F6bGLhxyCQ16uqok1cV5QFMguVPWJtN9KI0jGQ0gN+Pha3+uOUXhXdfK/qw==" type="application/javascript
" data-module-id="/chunk-profile-pins-element.js" data-src="https://github.githubassets.co
m/assets/chunk-profile-pins-element-b5c1f8c4.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-hUprZmPKGx2Ji0cJJ29yrNBtNfC
QoEg+Ow0rEG6bVGXu0HCagYwfPS9a5oRdoqvkE+nSk4FkIaklKlvc7Jb5+g==" type="application/javascript
" data-module-id="/chunk-randomColor.js" data-src="https://github.githubassets.com/assets/
chunk-randomColor-854a6b66.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-E+H+wAtjiqutBvn2cnXzDIvmasI
hYiS7i7Jz0fFUwo+Ej8zT540rJtP//RhwiXnypgOpCF4JvqzYy6z0tORDmg==" type="application/javascript
" data-module-id="/chunk-runner-groups.js" data-src="https://github.githubassets.com/asset
s/chunk-runner-groups-13e1fec0.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-pkFKgC9JFth/pgRqBLhELfL0ltq
Ybv+r++HbLYEsbFpg7rCimMCN4Q/8RvPYilY0QMGT0q9v1Jj1vzzUXYk3Zw==" type="application/javascript
" data-module-id="/chunk-sortable-behavior.js" data-src="https://github.githubassets.com/a
ssets/chunk-sortable-behavior-a6414a80.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-HCEY5FUSNmHYIUILB/UYu4Q6dPh
LDAtK/MCQibzObiq4PxHpAohvWEf1oTil7Z4uckwsZ8q5VgDlEHJNNJ+tNg==" type="application/javascript
" data-module-id="/chunk-tweetsodium.js" data-src="https://github.githubassets.com/assets/
chunk-tweetsodium-1c2118e4.js"></script>
<script crossorigin="anonymous" defer="defer" integrity="sha512-e+30BriXsBu+fb/LGEU9gAzSwn2
5wRYZDDPpr2AA8jZJI9034xzRHYXjA9XhF+7ncBIGJ/uTD11G25/H0XyuZg==" type="application/javascript
" data-module-id="/chunk-user-status-submit.js" data-src="https://github.githubassets.com/
assets/chunk-user-status-submit-7bedf406.js"></script>
```

```
<meta property="twitter:site" content="github">
<meta property="twitter:site:id" content="13334762">
<meta property="twitter:creator" content="github">
<meta property="twitter:creator:id" content="13334762">
<meta property="twitter:card" content="summary_large_image">
<meta property="twitter:title" content="GitHub">
<meta property="twitter:description" content="GitHub is where people build software. More than 50 million people use GitHub to discover, fork, and contribute to over 100 million projects.">
<meta property="twitter:image:src" content="https://github.githubassets.com/images/modules/open_graph/github-logo.png">
<meta property="twitter:image:width" content="1200">
<meta property="twitter:image:height" content="1200">

<meta name="google-site-verification" content="c1kuD-K2HIVF6351ypcsWPoD4kilo5-jA_wBFyT4uMY">
```

```
<meta name="hostname" content="github.com">
<meta name="user-login" content="">
```

```
<meta name="expected-hostname" content="github.com">
```

```
<meta name="enabled-features" content="MARKETPLACE_PENDING_INSTALLATIONS">
```

```
<link crossorigin="anonymous" media="all" integrity="sha512-+vE1jwFyeeB/OJsQ0SNmkX8SHw0yV
```

```
fTi4bH4MJbnJxuzr7BOWmOVIIdKLa+UxfbVJo6tX5Uo4xzT3EEkC+tDFVw==" rel="stylesheet" href="https://github.githubassets.com/assets/site-faf1358f017279e07f389b10d1236691.css" />
```

```
<div class="position-relative js-header-wrapper ">
  <a href="#start-of-content" class="px-2 py-4 bg-blue text-white show-on-focus js-skip-to-content">Skip to content</a>
  <span class="progress-pjax-loader width-full js-pjax-loader-bar Progress position-fixed">
<span style="background-color: #79b8ff;width: 0%;" class="Progress-item progress-pjax-loader-bar "></span>
```

```
    <header class="Header-old header-logged-out js-details-container Details position-relative f4 py-2" role="banner">
```



```
    <div class="d-lg-none css-truncate css-truncate-target width-fit p-2">
```

```
  </div>
```

```
    <div class="d-flex flex-items-center">
```

```
      <a href="/join?ref_cta=Sign+up&ref_loc=header+logged+out&ref_page=%2Fnevakee716%2Fcpm%2Fwiki%2FHome.md&source=header"
```

```
        class="d-inline-block d-lg-none f5 text-white no-underline border border-gray-dark rounded-2 px-2 py-1 mr-3 mr-sm-5"
```

```
        data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;,&quot;payload&quot;:{&quot;location_in_page&quot;:&quot;site header&quot;,&quot;repository_id&quot;:null,&quot;auth_type&quot;:&quot;SIGN_UP&quot;,&quot;originating_url&quot;:&quot;https://github.com/nevakee716/cpm/wiki/Home.md&quot;,&quot;user_id&quot;:null}}"
```

```
        data-ga-click="Sign up, click to sign up for account, ref_page:/nevakee716/cpm/wiki/Home.md;ref_cta:Sign up;ref_loc:header logged out">
```

```
        Sign&nbsp;up
```

```
      </a>
```

```
    <button class="btn-link d-lg-none mt-1 js-details-target" type="button" aria-label="Toggle navigation" aria-expanded="false">
```

```
      <svg height="24" class="octicon octicon-three-bars text-white" viewBox="0 0 16 16" version="1.1" width="24" aria-hidden="true"><path fill-rule="evenodd" d="M1 2.75A.75.75 0 011.75 2h12.5a.75.75 0 10 1.5H1.75A.75.75 0 01 2.75zm0 5A.75.75 0 011.75 7h12.5a.75.75 0 10 1.5H1.75A.75.75 0 01 7.75zm1.75 12a.75.75 0 10 1.5h12.5a.75.75 0 10 1.5H1.75z"></path></svg>
```

```
    </button>
```

```
  </div>
```

```
</div>
```

```
<div class="HeaderMenu HeaderMenu--logged-out position-fixed top-0 right-0 bottom-0 height-fit position-lg-relative d-lg-flex flex-justify-between flex-items-center flex-auto">
```

```
  <div class="d-flex d-lg-none flex-justify-end border-bottom bg-gray-light p-3">
```

```
    <button class="btn-link js-details-target" type="button" aria-label="Toggle navigation" aria-expanded="false">
```

```
<svg height="24" class="octicon octicon-x text-gray" viewBox="0 0 24 24" version="1.1" width="24" aria-hidden="true"><path fill-rule="evenodd" d="M5.72 5.72a.75.75 0 011.06 0L12 10.9415.22-5.22a.75.75 0 111.06 1.06L13.06 1215.22 5.22a.75.75 0 11-1.06 1.06L12 13.061-5.22 5.22a.75.75 0 01-1.06-1.06L10.94 12 5.72 6.78a.75.75 0 010-1.06z"></path></svg>
```

```
</button>
```

```
</div>
```

```
<nav class="mt-0 px-3 px-lg-0 mb-5 mb-lg-0" aria-label="Global">
```

```
<ul class="d-lg-flex list-style-none">
```

```
<li class="d-block d-lg-flex flex-lg-nowrap flex-lg-items-center border-bottom border-lg-bottom-0 mr-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
```

```
<details class="HeaderMenu-details details-overlay details-reset width-full">
```

```
<summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 nowrap d-block d-lg-inline-block">
```

```
Why GitHub?
```

```
<svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevron-down-mktg position-absolute position-lg-relative">
```

```
<path d="M1,116.2,6L13,1"></path>
```

```
</svg>
```

```
</summary>
```

```
<div class="dropdown-menu flex-auto rounded-1 bg-white px-0 mt-0 pb-4 pl-4 position-relative position-lg-absolute left-0 left-lg-n4">
```

```
<a href="/features" class="py-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Features">Features <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr</span></a>
```

```
<ul class="list-style-none f5 pb-3">
```

```
<li class="edge-item-fix"><a href="/features/code-review/" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Code review">Code review</a></li>
```

```
<li class="edge-item-fix"><a href="/features/project-management/" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Project management">Project management</a></li>
```

```
<li class="edge-item-fix"><a href="/features/integrations" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Integrations">Integrations</a></li>
```

```
<li class="edge-item-fix"><a href="/features/actions" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Actions">Actions</a></li>
```

```
<li class="edge-item-fix"><a href="/features/packages" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Packages">Packages</a></li>
```

```
<li class="edge-item-fix"><a href="/features/security" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Security">Security</a></li>
```

```
<li class="edge-item-fix"><a href="/features#team-management" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Team management">Team management</a></li>
```

```
<li class="edge-item-fix"><a href="/features#hosting" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header,
```

```

go to Code hosting">Hosting</a></li>
    <li class="edge-item-fix hide-xl"><a href="/mobile" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Mobile">Mobile</a></li>
  </ul>

  <ul class="list-style-none mb-0 border-lg-top pt-lg-3">
    <li class="edge-item-fix"><a href="/customer-stories" class="py-2 lh-condensed-ultra d-block no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Customer stories">Customer stories <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a></li>
    <li class="edge-item-fix"><a href="/security" class="py-2 lh-condensed-ultra d-block no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Security">Security <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a></li>
  </ul>
</div>
</details>
</li>
<li class="border-bottom border-lg-bottom-0 mr-0 mr-lg-3">
  <a href="/team" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga-click="(Logged out) Header, go to Team">Team</a>
</li>
<li class="border-bottom border-lg-bottom-0 mr-0 mr-lg-3">
  <a href="/enterprise" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga-click="(Logged out) Header, go to Enterprise">Enterprise</a>
</li>

<li class="d-block d-lg-flex flex-lg-nowrap flex-lg-items-center border-bottom border-lg-bottom-0 mr-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
  <details class="HeaderMenu-details details-overlay details-reset width-full">
    <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap d-block d-lg-inline-block">
      Explore
      <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chevron-down-mktg position-absolute position-lg-relative">
        <path d="M1,1l6.2,6L13,1"></path>
      </svg>
    </summary>

    <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-0 mt-0 pb-4 p-lg-4 position-relative position-lg-absolute left-0 left-lg-n4">
      <ul class="list-style-none mb-3">
        <li class="edge-item-fix"><a href="/explore" class="py-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Explore">Explore GitHub <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a></li>
      </ul>

      <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Learn & contribute</h4>

```

```

        <ul class="list-style-none mb-3">
            <li class="edge-item-fix"><a href="/topics" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Topics">Topics</a></li>
            <li class="edge-item-fix"><a href="/collections" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Collections">Collections</a></li>
            <li class="edge-item-fix"><a href="/trending" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Trending">Trending</a></li>
            <li class="edge-item-fix"><a href="https://lab.github.com/" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Learning lab">Learning Lab</a></li>
            <li class="edge-item-fix"><a href="https://opensource.guide" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Open source guides">Open source guides</a></li>
        </ul>

        <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg-3">Connect with others</h4>
        <ul class="list-style-none mb-0">
            <li class="edge-item-fix"><a href="https://github.com/events" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Events">Events</a></li>
            <li class="edge-item-fix"><a href="https://github.community" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to Community forum">Community forum</a></li>
            <li class="edge-item-fix"><a href="https://education.github.com" class="py-2 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Education">GitHub Education</a></li>
            <li class="edge-item-fix"><a href="https://stars.github.com" class="py-2 pb-0 lh-condensed-ultra d-block link-gray no-underline f5" data-ga-click="(Logged out) Header, go to GitHub Stars Program">GitHub Stars program</a></li>
        </ul>
    </div>
</details>
</li>

<li class="border-bottom border-lg-bottom-0 mr-0 mr-lg-3">
    <a href="/marketplace" class="HeaderMenu-link no-underline py-3 d-block d-lg-inline-block" data-ga-click="(Logged out) Header, go to Marketplace">Marketplace</a>
</li>

<li class="d-block d-lg-flex flex-lg-nowrap flex-lg-items-center border-bottom border-lg-bottom-0 mr-0 mr-lg-3 edge-item-fix position-relative flex-wrap flex-justify-between d-flex flex-items-center ">
    <details class="HeaderMenu-details details-overlay details-reset width-full">
    <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 nowrap d-block d-lg-inline-block">
        Pricing
        <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" class="icon-chev-on-down-mktg position-absolute position-lg-relative">

```

```

        <path d="M1,116.2,6L13,1"></path>
    </svg>
</summary>

    <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-4 mt-0 p-lg-4 position-relative position-lg-absolute left-0 left-lg-n4">
        <a href="/pricing" class="pb-2 lh-condensed-ultra d-block link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Pricing">Plans <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a>

        <ul class="list-style-none mb-3">
            <li class="edge-item-fix"><a href="/pricing#feature-comparison" class="py-2 lh-condensed-ultra d-block link-gray-dark no-underline f5" data-ga-click="(Logged out) Header, go to Compare plans">Compare plans</a></li>
            <li class="edge-item-fix"><a href="https://enterprise.github.com/contact" class="py-2 lh-condensed-ultra d-block link-gray-dark no-underline f5" data-ga-click="(Logged out) Header, go to Contact Sales">Contact Sales</a></li>
        </ul>

        <ul class="list-style-none mb-0 border-lg-top pt-lg-3">
            <li class="edge-item-fix"><a href="/nonprofit" class="py-2 lh-condensed-ultra d-block no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Nonprofits">Nonprofit <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a></li>
            <li class="edge-item-fix"><a href="https://education.github.com" class="py-2 pb-0 lh-condensed-ultra d-block no-underline link-gray-dark no-underline h5 Bump-link--hover" data-ga-click="(Logged out) Header, go to Education">Education <span class="Bump-link-symbol float-right text-normal text-gray-light">&rarr;</span></a></li>
        </ul>
    </div>
</details>
</li>
</ul>
</nav>

<div class="d-lg-flex flex-items-center px-3 px-lg-0 text-center text-lg-left">
    <div class="d-lg-flex mb-3 mb-lg-0">
        <div class="header-search flex-auto js-site-search position-relative flex-self-stretch flex-md-self-auto mb-3 mb-md-0 mr-0 mr-md-3 scoped-search site-scoped-search js-jump-to"
            role="combobox"
            aria-owns="jump-to-results"
            aria-label="Search or jump to"
            aria-haspopup="listbox"
            aria-expanded="false"

            Search
            /

        <div class="Box position-absolute overflow-hidden d-none jump-to-suggestions js-jump-to">
        </div>
    </div>
</div>
</label>

```

```
</div>

<a href="/login?return_to=%2Fnevakee716%2Fcpm%2Fwiki%2FHome.md"
  class="HeaderMenu-link no-underline mr-3"
  data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;,&quot;
payload&quot;:{&quot;location_in_page&quot;:&quot;site header menu&quot;,&quot;reposito
ry_id&quot;:null,&quot;auth_type&quot;:&quot;SIGN_UP&quot;,&quot;originating_url&quot;:
&quot;https://github.com/nevakee716/cpm/wiki/Home.md&quot;,&quot;user_id&quot;:null}}}"
  data-hydro-click-hmac="e8d293696e0b917264bdaee05b89f881fdd7ec01caeeda53777ff4d0619a752f
"

  data-ga-click="(Logged out) Header, clicked Sign in, text:sign-in">
  Sign in
</a>

<a href="/join?ref_cta=Sign+up&amp;ref_loc=header+logged+out&amp;ref_page=%2Fne
vakee716%2Fcpm%2Fwiki%2FHome.md&amp;source=header"
  class="HeaderMenu-link d-inline-block no-underline border border-gray-dark ro
unded-1 px-2 py-1"
  data-hydro-click="{&quot;event_type&quot;:&quot;authentication.click&quot;,&q
uot;payload&quot;:{&quot;location_in_page&quot;:&quot;site header menu&quot;,&quot;repo
sitory_id&quot;:null,&quot;auth_type&quot;:&quot;SIGN_UP&quot;,&quot;originating_url&qu
ot;:&quot;https://github.com/nevakee716/cpm/wiki/Home.md&quot;,&quot;user_id&quot;:null
}}}" data-hydro-click-hmac="e8d293696e0b917264bdaee05b89f881fdd7ec01caeeda53777ff4d0619a
752f"
  data-ga-click="Sign up, click to sign up for account, ref_page:/nevakee716/cp
m/wiki/Home.md;ref_cta:Sign up;ref_loc:header logged out">
  Sign up
</a>
</div>
</div>
</div>
<div data-pjax-replace id="js-flash-container">
```

```
<div>{{ message }}</div>
```

×

```
<include-fragment class="js-notification-shelf-include-fragment" data-base-
src="https://github.com/notifications/beta/shelf"> </include-fragment>
```

```
<div
class="application-main d-flex flex-auto flex-column"
data-commit-hovercards-enabled
data-discussion-hovercards-enabled
data-issue-and-pr-hovercards-enabled
```

```
<main>
```



This is not the
web page you
are looking for.

Find code, projects, and people on GitHub:

[Contact Support](#) — [GitHub Status](#) — [@githubstatus](#)

<footer class="footer mt-6">

GitHub

```
</div>
<div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-lg-0 pl-lg-4">
  <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Product</h2>
  <ul class="list-style-none text-gray f5">
    <li class="lh-condensed mb-3"><a href="/features" data-ga-click="Footer, go to fe
atures, text:features" class="link-gray">Features</a></li>
    <li class="lh-condensed mb-3"><a href="/security" data-ga-click="Footer, go to se
curity, text:security" class="link-gray">Security</a></li>
    <li class="lh-condensed mb-3"><a href="/team" data-ga-click="Footer, go to team,
text:team" class="link-gray">Team</a></li>
    <li class="lh-condensed mb-3"><a href="/enterprise" data-ga-click="Footer, go to
enterprise, text:enterprise" class="link-gray">Enterprise</a></li>
    <li class="lh-condensed mb-3"><a href="/customer-stories" data-ga-click="Footer,
go to customer stories, text:customer stories" class="link-gray">Customer stories</a></
li>
    <li class="lh-condensed mb-3"><a href="/readme" data-ga-click="Footer, go to the
readme project, text:the readme project" class="link-gray">The ReadME Project</a></li>
    <li class="lh-condensed mb-3"><a href="/pricing" data-ga-click="Footer, go to pri
cing, text:pricing" class="link-gray">Pricing</a></li>
    <li class="lh-condensed mb-3"><a href="https://resources.github.com" data-ga-clic
k="Footer, go to resources, text:resources" class="link-gray">Resources</a></li>
    <li class="lh-condensed mb-3"><a href="https://github.com/github/roadmap" data-ga
-click="Footer, go to roadmap, text:roadmap" class="link-gray">Roadmap</a></li>
  </ul>
</div>
<div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
  <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Platform</h2>
  <ul class="list-style-none f5">
```

```

    <li class="lh-condensed mb-3"><a href="https://docs.github.com" data-ga-click="Footer, go to api, text:api" class="link-gray">Developer API</a></li>
    <li class="lh-condensed mb-3"><a href="http://partner.github.com/" data-ga-click="Footer, go to partner, text:partner" class="link-gray">Partners</a></li>
    <li class="lh-condensed mb-3"><a href="https://atom.io" data-ga-click="Footer, go to atom, text:atom" class="link-gray">Atom</a></li>
    <li class="lh-condensed mb-3"><a href="http://electronjs.org" data-ga-click="Footer, go to electron, text:electron" class="link-gray">Electron</a></li>
    <li class="lh-condensed mb-3"><a href="https://desktop.github.com/" data-ga-click="Footer, go to desktop, text:desktop" class="link-gray">GitHub Desktop</a></li>
  </ul>
</div>
<div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
  <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Support</h2>
  <ul class="list-style-none f5">
    <li class="lh-condensed mb-3"><a data-ga-click="Footer, go to help, text:help" class="link-gray " href="https://docs.github.com">Help</a></li>
    <li class="lh-condensed mb-3"><a href="https://github.community" data-ga-click="Footer, go to community, text:community" class="link-gray">Community Forum</a></li>
    <li class="lh-condensed mb-3"><a href="https://services.github.com/" data-ga-click="Footer, go to professional services, text:professional services" class="link-gray">Professional Services</a></li>
    <li class="lh-condensed mb-3"><a href="https://lab.github.com/" data-ga-click="Footer, go to learning lab, text:learning lab" class="link-gray">Learning Lab</a></li>
    <li class="lh-condensed mb-3"><a href="https://github.com/certifications" data-ga-click="Footer, go to certifications, text:certifications" class="link-gray">Certifications</a></li>
    <li class="lh-condensed mb-3"><a href="https://githubstatus.com/" data-ga-click="Footer, go to status, text:status" class="link-gray">Status</a></li>
    <li class="lh-condensed mb-3"><a data-ga-click="Footer, go to contact, text:contact" class="link-gray " href="https://github.com/contact">Contact GitHub</a></li>
  </ul>
</div>
<div class="col-6 col-sm-3 col-lg-2 mb-6 mb-md-2 pr-3 pr-md-0 pl-md-4">
  <h2 class="h5 mb-3 text-mono text-gray-light text-normal">Company</h2>
  <ul class="list-style-none f5">
    <li class="lh-condensed mb-3"><a data-ga-click="Footer, go to about, text:about" class="link-gray " href="https://github.com/about">About</a></li>
    <li class="lh-condensed mb-3"><a href="https://github.blog" data-ga-click="Footer, go to blog, text:blog" class="link-gray">Blog</a></li>
    <li class="lh-condensed mb-3"><a href="/about/careers" data-ga-click="Footer, go to careers, text:careers" class="link-gray">Careers</a></li>
    <li class="lh-condensed mb-3"><a href="/about/press" data-ga-click="Footer, go to press, text:press" class="link-gray">Press</a></li>
    <li class="lh-condensed mb-3"><a href="https://socialimpact.github.com/" data-ga-click="Footer, go to social impact, text:social impact" class="link-gray">Social Impact</a></li>
    <li class="lh-condensed mb-3"><a href="https://shop.github.com" data-ga-click="Footer, go to shop, text:shop" class="link-gray">Shop</a></li>
  </ul>
  <button class="btn btn-outline flex-1 ml-1 m-md-0 ml-md-2 js-cookie-consent-consent-accept">Accept</button>
</div>
<div>
  <button class="btn btn-outline flex-1 ml-1 m-md-0 ml-md-2 js-cookie-consent-consent-reject">Reject</button>
</div>
</div>

```

```

</div>

<div class="js-cookie-details hx_cookie-banner-details" hidden>
  <div class="d-md-flex flex-items-center py-3">
    <div class="f5 flex-1 mb-2 mb-md-0">
      <img alt="GitHub logo" data-ga-click="Footer, go to Fac
      book, text:facebook" title="GitHub on Facebook" style="color: #959da5;">
      <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 15.3 15.4" class="d
      block" height="16"><path d="M14.5 0H.8a.88.88 0 0 0-.8.9v13.6a.88.88 0 0 0 .8.9
      h7.3v-6h-2v7.1h2v5.4a2.87 2.87 0 0 1 2.5-3.1h.5a10.87 10.87 0 0 1 1.8.1v2.1h-1.3
      c-1 0-1.1.5-1.1 1.1v1.5h2.3l-.3 2.3h-2v5.9h3.9a.88.88 0 0 0 .9-.8v.8a.86.86 0 0
      0-.8-.8z" fill="currentColor"></path></svg>
      You can always update your selection by clicking <span class="text-bold">C
      ookie Preferences</span> at the bottom of the page.
    </div>
    For more information, see our <a href="https://docs.github.com/en/free-pro
    -team@latest/github/site-policy/github-privacy-statement">Privacy Statement</a>.
    <div class="f5 flex-1 mb-2 mb-md-0">
      <img alt="GitHub logo" data-ga-click="Footer, go to YouT
      ube, text:youtube" title="GitHub on YouTube" style="color: #959da5;">
      <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 19.17 13.6" class="
      d-block" height="16"><path d="M18.77 2.13A2.4 2.4 0 0 17.09.42C15.59 0 9.58 0
      9.58 0a57.55 57.55 0 0 0-7.5.4A2.49 2.49 0 0 0 .39 2.13 26.27 26.27 0 0 0 6.8a
      26.15 26.15 0 0 0 .39 4.67 2.43 2.43 0 0 1 1.69 1.71c1.52 4.2 7.5.42 7.5.42a57.69
      57.69 0 0 0 0.7.51 2.4 2.4 0 0 1 1.68 1.71 25.63 25.63 0 0 0 .4-4.67 24 24 0 0
      0-.4-4.4" fill="currentColor"></path></svg>
    </div>
    <h5 class="mb-1">Essential cookies</h5>
    <p class="f6 mb-md-0">We use essential cookies to perform essential websit
    e functions, e.g., they're used to log you in.
    <a href="https://docs.github.com/en/github/site-policy/github-subprocess
    ors-and-cookies">Learn more</a>
    <div class="text-right">
      <h5 class="text-blue">Always active</h5>
    </div>
  </div>
  <div class="f5 flex-1 mb-2 mb-md-0">
    <img alt="GitHub logo" data-ga-click="Footer, go to github's
    org, text:github" title="GitHub's organization" style="color: #959da5;">
    <div class="d-md-flex flex-items-center py-3 border-top">
      <div class="f5 flex-1 mb-2 mb-md-0">
        <h5 class="mb-1">Analytics cookies</h5>
        <p class="f6 mb-md-0">We use analytics cookies to understand how you use o
        ur websites so we can make them better, e.g., they're used to gather information abou
        t the pages you visit and how many clicks you need to accomplish a task.
        <a href="https://docs.github.com/en/github/site-policy/github-subprocess
        ors-and-cookies">Learn more</a>
      </div>
    </div>
  </div>
  <div class="list-style-none d-flex flex-wrap text-gray">
    <div class="text-right">
      <div class="BtnGroup mt-1 mb-md-0 ml-2">
        <button class="btn btn-outline BtnGroup-item js-accept-analytics-cookies
        " type="button">Accept</button>
        <button class="btn btn-outline BtnGroup-item js-reject-analytics-cookies
        " type="button">Reject</button>
      </div>
    </div>
  </div>
  <div class="Popover js-hovercard-content position-absolute" style="display: none; outli
  ne: none; text-align: right py-3 border-top">
    <button class="btn btn-primary js-save-cookie-preferences" type="button" dis
    abled>Save preferences</button>

```

```
    </div>
  </div>
<div class="js-cookie-consent-banner" hidden>
```