

**Name**      **cwLayoutNetwork**    **Version**

**Updated by** Mathias PFAUWADEL 3.0

## Patch Notes

- 3.0 : RightClick, Highlight by External, merging (with bigger size) arrow if several associations
- 2.0 : Adding group, icon, Impact, globalFilter, arrow
- 1.0 : 1st version working

## TBD

- SearchText Box
- More Options
- Custom Display String Support
- Add Translations il 8n like Data/Common/il 8n


## Description

Allow you to display objects and their associations in a network. The layout provide the same interaction than diagram, simple click for popOUT and double click to go on the objectPage. This layout can be use on IndexPage of ObjectPage.

In case of several association, the layout will display only one edge between node, if arrow are in different way, it will display both. The size of the edge will depend of the number of association.

## Screen Shot

The layout will scan all of your hierarchy tree, and put it in a network.  
You can use filter to choose which item to display




## Node setup

## On indexPage

index_network_organisations	
Organisation	
Layout Network	
Organisation - Processus-niveau 2 (réalise)	
Layout Empty	
Processus-niveau 2 - Processus-niveau 3 (Elec)	
Processus-niveau 2 - Processus-niveau 3 (Info)	
Processus-niveau 2 - Processus-niveau 3 (Other)	
Organisation - Processus-niveau 2 (supervise)	
Layout List (Simple)	
Processus-niveau 2 - Processus-niveau 3 (Elec)	
Processus-niveau 2 - Processus-niveau 3 (Info)	
Processus-niveau 2 - Processus-niveau 3 (Other)	
Organisation - Ville (est dedans)	
Layout List (Simple)	
Ville - Pays (appartient)	

Layout Name	Network
Layout ID	
Custom Display String	
Hidden Nodes	ville_20062_279036790
popOut List	macroprocess,macroprocess_diagram_popout#ville,ville_diagram_popout#microprocess,microprocess_diagram_popout
Specific Group List	processus_niveau_3_20004_410243396,Processus Electronique#processus_niveau_3_20004_2025026472,Processus Inform
Assign Icon to Group	Organisation,f3ad,#foa30a
Arrow Direction	processus_niveau_2_20006_883051288,'to'#processus_niveau_2_20005_1079817132,'from'

## On ObjectPage With the Object of the object Page on the network



The network layout should be use alone in a view.

## Options

### Hidden Nodes :

Set the ID of the nodes you don't want to appear in the tree, the children will be display instead. (Can be use for application flux See exemples below)

### popOutList :

List the popOut that you want to be used.

(ex:scriptname1,popOutName1#scriptname2,popOutName2)

Layout Name	Network
Layout ID	
Custom Display String	
Hidden Nodes	ville_20062_279036700
popOut List	macroprocess,macroprocess_diagram_popout#ville,ville_diagram_popout#microprocessus,microprocessus_diagram_popout
Specific Group List	processus_niveau_3_20004_410243396,Processus Electronique#processus_niveau_3_20004_2025026472,Processus Informatique
Assign Icon to Group	Organisation,f1ad,#f0a30a
Arrow Direction	processus_niveau_2_20006_883051288,'to'#processus_niveau_2_20005_1079817132,'from'

Diagram Popouts

- macroprocess\_diagram\_popout
- microprocessus\_diagram\_popout
- pays\_diagram\_popout
- ville\_diagram\_popout

## Specific Group List :

Group are the different filter box of the network, by default object are sort in to different group by ObjectType(name of the group is the name of the objectype).

If you want objects of a node to be in a different group use this option :

NodeID,GroupName#NodeID2,GroupName2#

(ex:processus\_niveau\_3\_20004\_410243396,Processus

Electronique#processus\_niveau\_3\_20004\_2025026472,Processus Informatique)

PS : If an object is present twice in the JSON object, one time in a group and one time in another group, it will only appear in the first group

## Group To Select On Start

List the groups you want to display when the network is started. Use comma separator

## Assign Icon or Shape to Group :

You can assign a shape (ellipse, circle, database, box, diamond, dot, star, triangle, triangleDown, square ) to a group.

Use

NameGroup,shape,color,borderColor(optionnal)||NameGroup2,shape2,color2,borderColor2(optionnal)

You can also assign a FontAwesome Icon to a group.(go to this website to find the code

<http://fontawesome.io/icons/>) Use

NameGroup,icon,FontAwesomeUnicode,color||NameGroup2,icon,FontAwesomeUnicode2,color2.

You can mix Icon and shape like that :

Flux,icon,f0ec,#FF8C00||Application,icon,f10a,#4F90C1||Entité,box,#FF8C00,#4F90C1

fa-clone



Unicode: f24d · Created: v4.4 · Categories: Web Application Icons

## Arrow Direction :

This option allows you to set arrows between nodes. The syntax is the following:

node\_id,'direction'

You can use symbol # as a separator to set a list of directions.


The direction can be 'to' or 'from'.

For example,

processus\_niveau\_2\_20006\_883051288,'to'#processus\_niveau\_2\_20005\_1079817132,'from'

Use to, if you want the arrow that arrive to this node.

Use from, if you want the arrow to leave from this node.



## Filter Node :

Select Evolve Nodes that will be use to filter your nodes.

nodeID:Label of the filter


For example : entite\_20022\_1066555881:Entity Filter

(Can be use for application flux See exemples below)

PS : the filter node should always be in first

## RightClick Action

You can rightClick on a node to display :



### Add Closes Nodes

This will add on the network, the node that are connected to the selected node

### Add All Nodes From

This will add on the network, the node that have a path (even indirect) that leave from the selected Node

### Add All Nodes To

This will add on the network, the node that have a path (even indirect) that go in the selected Node


## Application Map

Here we have the following metamodel :


Application connected to flux connected to Application  
and flux connected to Entity

On the network, we want to display the Application and display the flux as arrow (depending if the flux is emit or receive)

For that, we use the following configuration :



ApplicationHidden correspond to the icon and the colour that the unhighlighted node will take.



You can now go in the Entity Filter and highlight only the node that are connected to a flux that use the selected entity.

PS : if you selected an entity, and all the node connected to the entity are not on the network yet, the entity will add them

## Organisation Map

