RAJALAKSHMI ENGINEERING COLLEGE

Nevash S 251001162-2025-IT

N2

Started on	Thursday, 13 August 2026, 11:10 AM
State	Finished
Completed on	Thursday, 13 August 2026, 11:22 AM
Time taken	11 mins 57 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given an array `nums` of size `n`, return *the majority element*.

The majority element is the element that appears more than `⌊n / 2⌋` times. You may assume that the majority element always exists in the array.

Example 1:

```
Input: nums = [3,2,3]
Output: 3
```

Example 2:

```
Input: nums = [2,2,1,1,1,2,2]
Output: 2
```

Constraints:

- `n == nums.length`
- `1 <= n <= 5 * 10^4`
- `-2^31 <= nums[i] <= 2^31 - 1`

For example:

Input	Result
3 3 2 3	3
7 2 2 1 1 1 2 2	2

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>
int major(int nums[],int n){
    int a=nums[0];
    int count=1;
    for(int i=1; i<n;i++) {
        if (nums[i]==a)
        count++;
        else
        count--;
        if(count==0) {
            a=nums[i];
            count=1;
        }
    }
    return a;
}
int main(){
    int n;
    scanf("%d", &n);
    int nums[n];
    for(int i = 0;i<n;i++) {
        scanf("%d",&nums[i]);
    }
    printf("%d\n",major(nums,n));
    return 0;
}
```

	Input	Expected	Got	
✔	3 3 2 3	3	3	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course