VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I
KOMUNIKACIONE TEHNOLOGIJE

WEB PROGRAMIRANJE PHP2

DOKUMENTACIJA PROJEKTA

Student:

Nevena Pejcic 159/15

Beograd 2019.

1.Opis funkcionalnosti

U okviru ove sekcije navedite detaljan opis funkcionalnosti u formi kratke priče ili kreirajte *use case* dijagram.

Korišćeni jezici	☐ HTML 4 i HTML 5 ☐ CSS ☐ javaScript ☐ PHP
Korišćeni HTML šabloni (framework-ci)	https://colorlib.com/wp/template/libro/ https://colorlib.com/wp/template/login-form-v4/
Korišćene biblioteke i njihovi url-ovi odakle ste ih preuzeli	• jquery-3.2.1.min • jquery-migrate-3.0.1.min • classie • bootstrap • chartist.min • popper.min • sctollax.min
Korišćene biblioteke iz framework-a	☐ Bootstrap ☐ Laravel
URL sajta/aplikacije	https://blogpostnevena.000webhostapp.com/
Pristupni parametri	Username: nevena4 Password: nevena4

2.Skica struktura stranica

➢ Stranice koje moze da vidi neautorizovani korisnici:

    ○ Home stranicu:

o Prikaz jednog posta sa komentarima, ne mogu da dodaju komentare

o Formu za logovanje i registraciju

o   Autor stranicu

LIFESTYLE
AND
BEAUTY BLOG

Popular Lifestyle with Fashion
& Modeling

My name is Nevena Pejcic.My birth date is 14.08.1996. I am a student of ICT colege

➤ Stranice koje moze da vidi autorizovan korisnik

  ○ Kontakt formu

  ○ Jedan post gde moze da postavi komentar

  ○ Moze da menja ili brise svoj komentar

o   Moze da se izloguje.

➢ Stranice koje moze da vidi admin korisnik o Admin panel

o Prikaz u vidu tabele za korisnike, postove, komentare,hastagove,sliku,ulogu,kontakt

o Unos novog korisnika, posta, komentara ,uloge,hashtaga,slike

o Edit korisnika, posta, komentara ,uloge,hashtaga,slike

3.Dijagram baze podataka

4.MVC Organizacija

4.1. Kotroleri

FrontendController
index()
single($id)
admin()
kom(KomentarRequest $request,$id)
auth()
cont()
contt(ContactRequest $request)
kljucne()
kljucne1(Request $request)
prikazAdmin()
editKom($id)
updateKom(KomentarRequest $request)
deleteKom($id)

LogController
log()
login(Request $request)
reg()
logout()
register(KorisnikRequest $request)

KomentarController
__contruct()
index()
create()
store(KomentarRequest $request)
show($id)
edit($id)
update(KomentarRequest $request,$id)
destroy($id)

KorisnikController
__contruct()
index()
create()
store(KorisnikRequest $request)
show($id)
edit($id)
update(KorisnikRequest $request,$id)
destroy($id)

PostController
__contruct()

index()
create()
store(PostRequest $request)
show($id)
edit($id)
update(PostRequest $request,$id)
destroy($id)

HashController
__contruct()
index()
create()
store(HashRequest $request)
show($id)
edit($id)
update(HashRequest $request,$id)
destroy($id)

SlikaController
__contruct()

index()
create()
store(SlikaRequest $request)
show($id)
edit($id)
update(SlikaRequest $request,$id)
destroy($id)

UlogaController
__contruct()
index()
create()
store(UlogaRequest $request)
show($id)
edit($id)
update(UlogaRequest $request,$id)
destroy($id)

4.2. Modeli

KljucneAkt

insert()
GetAll()
getDatum()
getDO()
getOd()
getDo()

Contact
insert()
getAll()

Komentar
GetAll()
GetOne()
jedan()
insert()
insertCom()
edit()
delete()
GetUser()

Korisnik
GetAll()

getOne()
insertUser()
editUser()
Login()
deleteKorisnik()

Post
GetAll()
GetOne()
GetHashSlKom()
insert()
edit()
deletePost()
jedan()
updatePost()

Hashtag
getAll()

getOne()
insert()
updateHash()
deleteHash()

Uloga
getAll()
getOne()
insertUloga()
editUloga()
deleteUloga()

Slika
getAll()
getOne()
insert()
edit()
deleteS()

4.3. View

admin

hash
komentar
korisnik
post
slika
uloga
admin.blade.php
kljucne.blade.php
kontact.blade.php

komentar
edit.blade.php
insert.blade.php
komentar.blade.php

korisnik
edit.blade.php
insert.blade.php
komentar.blade.php

post
edit.blade.php

insert.blade.php
post.blade.php

hash
edit.blade.php
insert.blade.php
hash.blade.php

slika
edit.blade.php
insert.blade.php
slika.blade.php

uloga
edit.blade.php
insert.blade.php
uloga.blade.php

components
cont.blade.php
footerScript.blade.php

head.blade.php
header.blade.php
left.blade.php
loader.blade.php
logheader.blade.php
logscript.blade.php
nav.blade.php

layout
glavniLayout.blade.php
loglayout.blade.php
pages
author.blade.php
contact.blade.php
login.blade.php
register.blade.php
single.blade.php

5. PHP kod

5.1. Models

Contact.php

```php
namespace App\Models;


use Illuminate\Support\Facades\DB;

class Contact
{
    public $kor;
    public $mess;

    public function insert(){
        return DB::table('contact')
            ->insert([
                'Poruka'=>$this->mess,
                'Korisnik'=>$this->kor
            ]);
    }

    public function getAll(){
        return DB::table('contact')
            ->get();
    }

}
```

KljucneAkt.php

```php
namespace App\Models;


use Illuminate\Support\Facades\DB;

class KljucneAkt
{
    public $opis;
    public $kor;
    public $datum;
    public $od;
    public $do;

    public function insert(){
        return DB::table('kljucneakt')
            ->insert([
                'Opis'=>$this->opis,
                'Korisnik'=>$this->kor,
                'Datum'=>$this->datum
            ]);
    }

    public function GetAll(){
        return DB::table('kljucneakt')
            ->get();
```

```php
        }

    public function getDatum(){
        return DB::table('kljucneakt')
            ->select('Datum','IdKljucne')
            ->orderByRaw('Datum','ASC')
            ->get();
    }

    public function getOdDO(){
        return DB::table('kljucneakt')
            ->select('IdKljucne','Opis','Datum','Korisnik')
            ->where([
                ['Datum','>=',$this->od],
                ['Datum','<=',$this->do]
            ])
            ->get();
    }
    public function getOd(){
        return DB::table('kljucneakt')
            ->select('IdKljucne','Opis','Datum','Korisnik')
            ->where(
                'Datum','>=',$this->od
            )
            ->get();
    }
    public function getDo(){
        return DB::table('kljucneakt')
            ->select('IdKljucne','Opis','Datum','Korisnik')
            ->where(
                'Datum','<=',$this->do
            )
            ->get();
    }
}
```

Komentar.php

```php
namespace App\Models;

use Illuminate\Support\Facades\DB;

class Komentar
{
    public $id;
    public $text;
    public $datum;
    public $korId;

    public function GetAll(){
        return DB::table('komentar AS k')
            ->get();
    }
    public function GetOne(){
        return DB::table('komentar AS k')
            ->join('korkom AS kk','k.IdKomentar','=','kk.IdKomentar')
            ->join('korisnik AS kor','kk.IdKorisnik','=','kor.IdKorisnik')
            ->where('k.IdKomentar', '=',$this->id)
```

```php
            ->first();
    }

    public function jedan(){
        return DB::table('komentar')
            ->where('IdKomentar','=', $this->id)
            ->first();
    }

    public function insert(){
        DB::table('komentar')
            ->insert([
                'Tekst'=>$this->text,
                'Datum'=>$this->datum
            ]);
        return true;
    }

    public function insertCom(){
        $idKom = DB::table('komentar')
            ->insertGetId([
                'Tekst'=>$this->text,
                'Datum'=>$this->datum
            ]);

        DB::table('korkom')
            ->insert([
                'IdKorisnik'=>$this->korId,
                'IdKomentar'=>$idKom
            ]);

        DB::table('postkom')
            ->insert([
                'IdKomentar'=>$idKom,
                'IdPost'=>$this->id
            ]);
        return true;
    }

    public function edit(){
        DB::table('komentar')
            ->where(['IdKomentar'=>$this->id])
            ->update([
                'Tekst'=>$this->text,
                'Datum'=>$this->datum
            ]);

        return DB::table('postkom')
            ->where('IdKomentar','=',$this->id)
            ->first();
    }

    public function delete(){
        DB::table('postkom')
            ->where('IdKomentar','=',$this->id)
            ->delete();
        DB::table('korkom')
            ->where('IdKomentar','=',$this->id)
            ->delete();
        return DB::table('komentar')
            ->where('IdKomentar','=',$this->id)
            ->delete();
```

```php
    }

    public function GetUser(){
        return DB::table('korisnik')
            ->select('KorIme','IdKorisnik')
            ->get();
    }


}
```

Korisnik.php

```php
namespace App\Models;


use Illuminate\Support\Facades\DB;

class Korisnik
{
    public $IdKorisnik;
    public $KorIme;
    public $Lozinka;
    public $Email;
    public $IdSlika;
    public $IdUloga;
    public $slikaFile;

    public function GetAll(){
        return DB::table('korisnik AS k')
            ->join('slika AS s','k.IdSlika','=','s.IdSlika')
            ->join('uloga AS u','k.IdUloga','=','u.IdUloga')
            ->get();
}

    public function getOne(){
        return DB::table('korisnik AS k')
            ->join('slika AS s','k.IdSlika','=','s.IdSlika')
            ->join('uloga AS u','k.IdUloga','=','u.IdUloga')
            ->where(['IdKorisnik'=>$this->IdKorisnik])
            ->first();
    }

    public function insertUser(){

        try{
                $id = DB::table('slika')
                    ->insertGetId([
                        'Putanja' => 'img/'.$this->slikaFile,
                        'Alt' => $this->KorIme

                    ]);

                DB::table('korisnik')
                    ->insert([
                        'KorIme'=>$this->KorIme,
                        'Lozinka'=>md5($this->Lozinka),
                        'Email'=>$this->Email,
                        'IdSlika'=>$id,
```

```php
                    'IdUloga'=>2
                ]);
                return true;


            }
            catch(\Exception $ex){
            echo $ex->getMessage();
            }
    }

    public function editUser(){
        $id = DB::table('slika')->insertGetId([
            'Putanja'=> 'img/'.$this->slikaFile,
            'Alt'=>$this->KorIme
        ]);
        return DB::table('korisnik')
            ->where(['IdKorisnik'=> $this->IdKorisnik])
            ->update([
                'KorIme'=>$this->KorIme,
                'Email'=>$this->Email,
                'Lozinka'=>md5($this->Lozinka),
                'IdSlika'=>$id
            ]);
    }


    public function Login(){
        return DB::table('korisnik AS k')
            ->join('uloga AS u','k.IdUloga','=','u.IdUloga')
            ->where([
                'KorIme'=>$this->KorIme,
                'Lozinka'=>md5($this->Lozinka)
            ])
            ->first();
    }

    public function deleteKorisnik(){
        DB::table('korisnik')
            ->where('IdKorisnik','=',$this->IdKorisnik)
            ->delete();
        return true;
    }

}
```

Post.php

```php
namespace App\Models;


use Illuminate\Support\Facades\DB;

class Post
{
    public $IdPost;
    public $naslov;
    public $opis;
    public $skraceni;
    public $korisnikId;
    public $slikaime;
```

```php
    public $datum;

    public function GetAll(){
        return DB::table('post AS p')
            ->join('korisnik AS kor','p.IdKorisnik','=','kor.IdKorisnik')
            ->join('postslika AS ps','p.IdPost','=','ps.IdPost')
            ->join('slika AS s','ps.IdSlika','=','s.IdSlika')
            ->where(['Children'=>1])
            ->paginate(4);

    }

    public function GetOne(){
        return DB::table('post AS p')
            ->join('korisnik AS kor','p.IdKorisnik','=','kor.IdKorisnik')
            ->join('postslika AS ps','p.IdPost','=','ps.IdPost')
            ->join('slika AS s','ps.IdSlika','=','s.IdSlika')
            ->where([['p.IdPost','=',$this->IdPost],['Children','=',2]])
            ->first();
    }
    public function GetHashSlKom(){
        $slike =  DB::table('post AS p')
            ->select('s.Putanja','s.Alt')
            ->join('postslika AS ps','p.IdPost','=','ps.IdPost')
            ->join('slika AS s','ps.IdSlika','=','s.IdSlika')
            ->where(['p.IdPost' =>$this->IdPost,'Children'=>0])
            ->get();

        $hash= DB::table('post AS p')
            ->select('h.Naziv')
            ->join('posthash AS ph','p.IdPost','=','ph.IdPost')
            ->join('hashtag AS h','ph.IdHash','=','h.IdHash')
            ->where(['p.IdPost' =>$this->IdPost])
            ->get();

        $kom =  DB::table('post AS p')
            -
>select('k.Tekst','k.Datum','kor.KorIme','s.Putanja','s.Alt','k.IdKomentar')
            ->join('postkom AS pk','p.IdPost','=','pk.IdPost')
            ->join('komentar AS k','pk.IdKomentar','=','k.IdKomentar')
            ->join('korkom AS kk','k.IdKomentar','=','kk.IdKomentar')
            ->join('korisnik AS kor','kk.IdKorisnik','=','kor.IdKorisnik')
            ->join('slika AS s','kor.IdSlika','=','s.IdSlika')
            ->where(['p.IdPost'=>$this->IdPost])
            ->get();


        return [
            'slike' => $slike,
            'hash' => $hash,
            'kom' => $kom
        ];
    }

    public function insert(){
        try{
        $postId = DB::table('post')
            ->insertGetId([
                'Naslov'=>$this->naslov,
                'Opis'=>$this->opis,
                'SkraceniOpis'=>$this->skraceni,
                'IdKorisnik'=>$this->korisnikId,
                'Datum'=>$this->datum
```

```php
            ]);
        $slika = DB::table('slika')
            ->insertGetId([
                'Putanja'=>'img/'.$this->slikaime,
                'Alt'=>$this->naslov,
                'Children'=>1
            ]);
        DB::table('postslika')->insert([
            'IdPost'=>$postId,
            'IdSlika'=>$slika
        ]);}
        catch(\Exception $ex){
            echo $ex->getMessage();
        }

        return true;
    }

    public function edit(){
        return DB::table('post')
            ->where([
                'IdPost'=>$this->IdPost
            ])
            ->update([
                'Naslov'=>$this->naslov,
                'Opis'=>$this->opis,
                'SkraceniOpis'=>$this->skraceni,
                'Datum'=>$this->datum,
                'IdKorisnik'=>$this->korisnikId
            ]);
    }

    public function deletePost(){

        DB::table('postkom')
            ->where('IdPost','=',$this->IdPost)
            ->delete();

        DB::table('posthash')
            ->where('IdPost','=',$this->IdPost)
            ->delete();

        DB::table('postslika')
            ->where('IdPost','=',$this->IdPost)
            ->delete();

        return DB::table('post')
            ->where('IdPost','=',$this->IdPost)
            ->delete();
    }

    public function jedan()
    {
        return DB::table('post')
            ->where([
                'IdPost'=>$this->IdPost
            ])
            ->first();
    }

    public function updatePost(){
        $idSLika = DB::table('slika')
            ->insertGetId([
```

```php
                    'Putanja'=>'img/'.$this->slikaime,
                    'Alt'=>$this->naslov,
                    'Children'=>1
            ]);
        DB::table('post')
            ->where([
                'IdPost'=>$this->IdPost
            ])
            ->update([
                'Naslov'=>$this->naslov,
                'Opis'=>$this->opis,
                'SkraceniOpis'=>$this->skraceni,
                'Datum'=>$this->datum,
                'IdKorisnik'=>$this->korisnikId
            ]);
        return DB::table('postslika')
            ->insert(['IdPost'=>$this->IdPost,
                'IdSlika'=>$idSLika]);

    }


}
```

Hashtag.php

```php
namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Hashtag extends Model
{
    public $id;
    public $naziv;

    public function getAll(){
        return DB::table('hashtag')
            ->get();
    }

    public function getOne(){
        return DB::table('hashtag')
            ->where('IdHash','=',$this->id)
            ->first();
    }

    public function insert(){
        return DB::table('hashtag')
            ->insert([
                'Naziv'=>$this->naziv
            ]);
    }

    public function updateHash(){
        return DB::table('hashtag')
            ->where('IdHash','=',$this->id)
            ->update([
                'Naziv'=>$this->naziv
            ]);
    }
```

```php
    public function deleteHash(){
        return DB::table('hashtag')
            ->where('IdHash','=',$this->id)
            ->delete();
    }
}
```

Slika.php

```php
namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Slika extends Model
{
    public $id;
    public $putanja;
    public $alt;
    public $children;

    public function getAll()
    {
        return DB::table('slika')
            ->paginate(20);
    }

    public function getOne(){
        return DB::table('slika')
            ->where('IdSlika','=',$this->id)
            ->first();
    }

    public function insert(){
        return DB::table('slika')
            ->insert([
                'Putanja'=>'img/'.$this->putanja,
                'Alt'=>$this->alt,
            ]);
    }

    public function edit(){
        return DB::table('slika')
            ->where('IdSlika','=',$this->id)
            ->update([
                'Putanja'=>'img/'.$this->putanja,
                'Alt'=>$this->alt,
            ]);
    }

    public function deleteS(){
        return DB::table('slika')
            ->where('IdSlika','=',$this->id)
            ->delete();
    }
```

Uloga.php

```php
namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Uloga extends Model
{
    public $id;
    public $naziv;

    public function getAll(){
        return DB::table('uloga')
            ->get();
    }

    public function getOne(){
        return DB::table('uloga')
            ->where('IdUloga','=',$this->id)
            ->first();
    }

    public function insertUloga(){
        return DB::table('uloga')
            ->insert([
                'Naziv'=>$this->naziv
            ]);
    }

    public function editUloga(){
        return DB::table('uloga')
            ->where('IdUloga','=',$this->id)
            ->update([
                'Naziv'=>$this->naziv
            ]);
    }

    public function deleteUloga(){
        return DB::table('uloga')
            ->where('IdUloga','=',$this->id)
            ->delete();
    }
}
```

5.2. Controllers

FrontendController.php

```php
namespace App\Http\Controllers;


use App\Http\Requests\ContactRequest;
use App\Http\Requests\KomentarRequest;
use App\Models\Contact;
use App\Models\KljucneAkt;
use App\Models\Komentar;
use App\Models\Post;
use Exception;
use Illuminate\Http\Request;

class FrontendController extends Controller
{
    public function index(){

        $post = new Post();
        $postovi = $post->GetAll();
        return view('components.cont',['post'=>$postovi]);
    }

    public function single($id){
        $post = new Post();
        $post->IdPost=$id;
        $podaci = $post->GetOne();
        $data=$post->GetHashSlKom();
        return
view('pages.single',['post'=>$podaci,'slika'=>$data['slike'],'hash'=>$data['hash'],'ko
m'=>$data['kom']]);
    }
    public function admin(){
        return view('admin.admin');
    }

    public function kom(KomentarRequest $request,$id){
        $datum = new \DateTime();
        $datum->format('Y-m-d');
        $komentar = new Komentar();
        $komentar->text = $request->input('text');
        $komentar->datum = $datum;
        $komentar->id = $id;
        if(session()->has('user')){
            $kor = session()->get('user')->IdKorisnik;
            $komentar->korId = $kor;
        $rez = $komentar->insertCom();

        if($rez) {
            if(session()->has('user')){
            $kor = session()->get('user')->KorIme;
            $datum = new \DateTime();
            $datum->format('Y-m-d');
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Insert comment";
            $akt->datum = $datum;
            $akt->insert();
            return redirect()->back();}
        }}
        else{
```

```php
                return redirect()->route('index');
        }
}

public function auth(){
    return view('pages.author');
}
public function cont(){
    return view('pages.contact');
}
public function contt(ContactRequest $request){
    $con = new Contact();
    $con->mess = $request->input('text');
    $con->kor = $request->input('kor');
    $rez = $con->insert();
    if($rez){
        if(session()->has('user')){
        $kor = session()->get('user')->KorIme;
        $datum = new \DateTime();
        $datum->format('Y-m-d');
        $akt = new KljucneAkt();
        $akt->kor = $kor;
        $akt->opis = "Send contact form";
        $akt->datum = $datum;
        $akt->insert();
        return redirect()->back()->with('por','Messages is send');}


    }
    else{
        return redirect()->route('index');
    }
        }

        public function kljucne(){
    $klju = new KljucneAkt();
    $rez = $klju->GetAll();
    return view ('admin.kljucne',['klju'=>$rez]);
        }

        public function kljucne1(Request $request){
            if($request->has('sortiraj')){
                $klju = new KljucneAkt();
                $od = $request->input('od');
                $do = $request->input('do');
                if($od!=null&&$do!=null){
                    $klju->od = $od;
                    $klju->do = $do;
                    $ppodatumu = $klju->getOdDO();
                    return view('admin.kljucne',['klju'=>$ppodatumu]);
                }

                else if($od!=null){
                    $klju->od = $od;
                    $odd = $klju->getOd();
                    return view('admin.kljucne',['klju'=>$odd]);
                }

                else if($do!=null){
                    $klju->do = $do;
                    $odd = $klju->getDo();
                    return view('admin.kljucne',['klju'=>$odd]);
                }
```

```php
                else{
                    $rez = $klju->GetAll();
                    return view('admin.kljucne',['klju'=>$rez]);
                }


            }
            return redirect()->back();
        }

        public function prikazAdmin(){
            $kontact = new Contact();
            $rez = $kontact->getAll();
            return view('admin.kontakt',['kont'=>$rez]);
        }

        public function editKom($id){
            $kom = new Komentar();
            $kom->id = $id;

            $single = $kom->jedan();
            $idK= $id;

            return view('components.komentaredit',['single'=>$single,'id'=>$idK]);
        }

        public function updateKom(KomentarRequest $request,$id){

        if($request->has('edit')){
            $komentar = new Komentar();

            $komentar->id = $id;
            $komentar->text = $request->input('text');
            $datum = new \DateTime();
            $datum->format('Y-m-d');
            $komentar->datum = $datum;
            $rez = $komentar->edit();
                if($rez){
                    if(session()->has('user')){
                        $kor = session()->get('user')->KorIme;
                        $datum = new \DateTime();
                        $datum->format('Y-m-d');
                        $akt = new KljucneAkt();
                        $akt->kor = $kor;
                        $akt->opis = "Update comment ".$kor;
                        $akt->datum = $datum;
                        $akt->insert();
                    }
                    return redirect()->back();

                }}
    }


        public function deleteKom($id){
            if(session()->has('user')){
                $kor = session()->get('user')->KorIme;
                $datum = new \DateTime();
                $datum->format('Y-m-d');
                $akt = new KljucneAkt();
                $akt->kor = $kor;
                $akt->opis = "Delete comment ADMIN PANEL";
                $akt->datum = $datum;
```

```
                $akt->insert();
                $kom = new Komentar();
                $kom->id = $id;
                $kom->delete();
                return redirect()->back();}
        }

}
```

LogController.php

```php
namespace App\Http\Controllers;

use App\Http\Requests\KorisnikRequest;
use App\Models\KljucneAkt;
use App\Models\Korisnik;
use Illuminate\Http\Request;

class LogController extends Controller
{
    public function log(){
        return view('pages.login');
    }

    public function login(Request $request){
        $username = $request->input('username');
        $password = $request->input('pass');

        $kor = new Korisnik();
        $kor->KorIme = $username;
        $kor->Lozinka = $password;

        $rezultat = $kor->Login();

        if($rezultat){
            $request->session()->put('user',$rezultat);
            $kor = session()->get('user')->KorIme;
            $datum = new \DateTime();
            $datum->format('Y-m-d');
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Logovanje";
            $akt->datum = $datum;
            $akt->insert();
            return redirect('/');
        }
        else{
            return redirect()->back()->with('poruka','Pokusaj ponovo');
        }
    }
    public function reg(){
        return view('pages.register');
    }

    public function logout(){
        if(session()->has('user')){
            $kor = session()->get('user')->KorIme;
            $datum = new \DateTime();
            $datum->format('Y-m-d');
```

```php
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Logout";
            $akt->datum = $datum;
            $akt->insert();
            session()->forget('user');
            session()->flush();

        }
        return redirect('/');
    }

    public function register(KorisnikRequest $request){
        if($request->has('btnInsert')){
            $kor = new Korisnik();
            $kor->KorIme=$request->input('username');
            $kor->Email=$request->input('email');
            $kor->Lozinka=$request->input('pass');

            $file=$request->file('fSlika');
            $fileName=time().$file->getClientOriginalName();
            $kor->slikaFile=$fileName;
            if($file->isValid()){
                request()->fSlika->move(public_path('img'), $fileName);


                try{
                    $rez=$kor->insertUser();
                    if($rez){
                        if(session()->has('user')){
                        $kor = session()->get('user')->KorIme;
                        $datum = new \DateTime();
                        $datum->format('Y-m-d');
                        $akt = new KljucneAkt();
                        $akt->kor = $kor;
                        $akt->opis = "Register";
                        $akt->datum = $datum;
                        $akt->insert();
                        }return redirect()->route('log')->with('por','USPESNO STE SE
REGISTROVALI!');
                    }
                    else{
                        return redirect()->route('reg');
                    }
                }
                catch (\Throwable $ex){
                    echo $ex->getMessage();
                }}
        }
    }
}
```

Admin/HashController.php

```php
namespace App\Http\Controllers\Admin;

use App\Http\Requests\HashRequest;
use App\Models\Hashtag;
use App\Models\KljucneAkt;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class HashController extends Controller
{
    public $data;
    public $model;

    public function __construct()
    {
        $this->model = new Hashtag();

        $this->data['hash'] = $this->model->getAll();
    }

    public function index()
    {
        return view('admin.hash.hash',$this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        return view('admin.hash.insert');
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\Response
     */
    public function store(HashRequest $request)
    {
        $this->model->naziv = $request->input('naziv');
        $rez=$this->model->insert();

        if($rez) {
            if(session()->has('user')){
                $kor = session()->get('user')->KorIme;
                $datum = new \DateTime();
                $datum->format('Y-m-d');
                $akt = new KljucneAkt();
                $akt->kor = $kor;
                $akt->opis = "Insert hashtag ADMIN PANEL";
                $akt->datum = $datum;
                $akt->insert();
                return redirect('/admin/hash');}
        }
```

```php
        else{
            return redirect()->route('hash.create');
        }
    }

    /**
     * Display the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $this->model->id = $id;

        $this->data['single'] = $this->model->getOne();
        $this->data['id']= $id;

        return view('admin.hash.edit',$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(HashRequest $request, $id)
    {
        $this->model->id = $id;
        $this->model->naziv = $request->input('naziv');
        try{
            $rez = $this->model->updateHash();
            if($rez){
                if(session()->has('user')){
                    $kor = session()->get('user')->KorIme;
                    $datum = new \DateTime();
                    $datum->format('Y-m-d');
                    $akt = new KljucneAkt();
                    $akt->kor = $kor;
                    $akt->opis = "Update hashtag ADMIN PANEL";
                    $akt->datum = $datum;
                    $akt->insert();

                }return redirect('/admin/hash');
            }
            else{
                return redirect()->back();

            }}
        catch (\Exception $e ){
```

```php
                    throw new \Exception($e->getMessage());
            }
        }

    /**
     * Remove the specified resource from storage.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        if(session()->has('user')){
            $kor = session()->get('user')->KorIme;
            $datum = new \DateTime();
            $datum->format('Y-m-d');
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Delete hastag ADMIN PANEL";
            $akt->datum = $datum;
            $akt->insert();
            $this->model->id = $id;
            $this->model->deleteHash();
            return redirect()->back();}

    }
}
```

Admin/KomentarController.php

```php
namespace App\Http\Controllers\Admin;

use App\Http\Requests\KomentarRequest;
use App\Models\KljucneAkt;
use App\Models\Komentar;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
use Exception;

class KomentarController extends Controller
{
    public $model;
    public $data;

    public function __construct()
    {
        $this->model = new Komentar();
        $this->data['komentar']=$this->model->GetAll();

    }

    public function index()
    {
        return view('admin.komentar.komentar',$this->data);
    }

    /**
```

```php
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
public function create()
{
    $this->data['users']= $this->model->GetUser();
    return view('admin.komentar.insert',$this->data);

}

/**
 * Store a newly created resource in storage.
 *
 * @param  \Illuminate\Http\Request  $request
 * @return \Illuminate\Http\Response
 */
public function store(KomentarRequest $request)
{
    $this->model->text = $request->input('text');
    $datum = new \DateTime();
    $datum->format('Y-m-d');
    $this->model->datum = $datum;

    $rez=$this->model->insert();

    if($rez) {
        if(session()->has('user')){
        $kor = session()->get('user')->KorIme;
        $datum = new \DateTime();
        $datum->format('Y-m-d');
        $akt = new KljucneAkt();
        $akt->kor = $kor;
        $akt->opis = "Insert comment ADMIN PANEL";
        $akt->datum = $datum;
        $akt->insert();
        return redirect('/admin/komentar');}
    }
    else{
        return redirect()->route('komentar.create');
    }
}

/**
 * Display the specified resource.
 *
 * @param  int  $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    $this->model->id = $id;

    $this->data['single'] = $this->model->GetOne();
    $this->data['id']= $id;

    return view('admin.komentar.edit',$this->data);
}

/**
 * Show the form for editing the specified resource.
 *
 * @param  int  $id
```

```php
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $this->model->id = $id;

        $this->data['single'] = $this->model->jedan();
        $this->data['id']= $id;

        return view('admin.komentar.edit',$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(KomentarRequest $request, $id)
    {
        $komentar = new Komentar();

        $komentar->id = $id;
        $komentar->text = $request->input('text');
        $datum = new \DateTime();
        $datum->format('Y-m-d');
        $komentar->datum = $datum;
        try{
        $rez = $komentar->edit();
        if($rez){
            if(session()->has('user')){
                $kor = session()->get('user')->KorIme;
                $datum = new \DateTime();
                $datum->format('Y-m-d');
                $akt = new KljucneAkt();
                $akt->kor = $kor;
                $akt->opis = "Update comment ADMIN PANEL";
                $akt->datum = $datum;
                $akt->insert();

            }return redirect()->back();
        }
        else{
            return redirect()->back();

        }}
        catch (Exception $e ){
            throw new Exception($e->getMessage());
        }
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        if(session()->has('user')){
        $kor = session()->get('user')->KorIme;
        $datum = new \DateTime();
```

```php
            $datum->format('Y-m-d');
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Delete comment ADMIN PANEL";
            $akt->datum = $datum;
            $akt->insert();
            $this->model->id = $id;
            $this->model->delete();
            return redirect()->back();}
    }


}
```

Admin/KorisnikController.php

```php
namespace App\Http\Controllers\Admin;

use App\Http\Requests\KorisnikRequest;
use App\Models\KljucneAkt;
use App\Models\Korisnik;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class KorisnikController extends Controller
{
    public $model;
    public $data;

    public function __construct()
    {
        $this->model = new Korisnik();
        $this->data['korisnici'] = $this->model->GetAll();
    }

    public function index()
    {
        return view('admin.korisnik.korisnici',$this->data);
    }

    public function create()
    {
        return view('admin.korisnik.insert');
    }

    public function store(KorisnikRequest $request)
    {
        if($request->has('btnInsert')){
            $kor = new Korisnik();
            $kor->KorIme=$request->input('username');
            $kor->Email=$request->input('email');
            $kor->Lozinka=$request->input('pass');

            $file=$request->file('fSlika');
            $fileName=time().$file->getClientOriginalName();
            $kor->slikaFile=$fileName;
```

```php
            if($file->isValid()){
                request()->fSlika->move(public_path('img'), $fileName);


                try{
                    $rez=$kor->insertUser();
                    if($rez){
                        if(session()->has('user')){
                            $kor = session()->get('user')->KorIme;
                            $datum = new \DateTime();
                            $datum->format('Y-m-d');
                            $akt = new KljucneAkt();
                            $akt->kor = $kor;
                            $akt->opis = "Insert user ADMIN PANEL";
                            $akt->datum = $datum;
                            $akt->insert();
                        }return redirect()->route('korisnik.index');
                    }
                    else{
                        return redirect()->route('korisnik.create');
                    }
                }
                catch (\Throwable $ex){
                    echo $ex->getMessage();
                }}
        }
    }

    public function show($id)
    {
        return view('admin.korisnik.edit',$this->data);
    }

    public function edit($id)
    {
        $this->model->IdKorisnik = $id;
        $this->data['kor']= $this->model->getOne();
        return view('admin.korisnik.edit',$this->data);
    }

    public function update(KorisnikRequest $request, $id)
    {
        if($request->has('btnInsert')){
            $kor = new Korisnik();
            $kor->KorIme=$request->input('username');
            $kor->Email=$request->input('email');
            $kor->Lozinka=$request->input('pass');
            $kor->IdKorisnik = $id;

            $file=$request->file('fSlika');
            $fileName=time().$file->getClientOriginalName();
            $kor->slikaFile=$fileName;
            if($file->isValid()){
                request()->fSlika->move(public_path('img'), $fileName);
                try{
                $rez=$kor->editUser();
                if($rez){
                    if(session()->has('user')){
                        $kor = session()->get('user')->KorIme;
                        $datum = new \DateTime();
                        $datum->format('Y-m-d');
                        $akt = new KljucneAkt();
                        $akt->kor = $kor;
```

```php
                        $akt->opis = "Edit user ADMIN PANEL";
                        $akt->datum = $datum;
                        $akt->insert();
                    }return redirect()->route('korisnik.index');
                }
            }


                catch (\Throwable $ex){
                    echo $ex->getMessage();
                }}
        }
    }

    public function destroy($id)
    {
        if(session()->has('user')){
        $kor = session()->get('user')->KorIme;
        $datum = new \DateTime();
        $datum->format('Y-m-d');
        $akt = new KljucneAkt();
        $akt->kor = $kor;
        $akt->opis = "Delete user ADMIN PANEL";
        $akt->datum = $datum;
        $akt->insert();
        $this->model->IdKorisnik = $id;
        $this->model->deleteKorisnik();
        }return redirect()->route('korisnik.index');
    }
}
```

Admin/PostController.php

```php
namespace App\Http\Controllers\Admin;

use App\Http\Requests\PostRequest;
use App\Models\KljucneAkt;
use App\Models\Post;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class PostController extends Controller
{
    public $model;
    public $data;

    public function __construct()
    {
        $this->model = new Post();
        $this->data['post'] = $this->model->GetAll();
    }

    public function index()
    {
        return view('admin.post.post',$this->data);
    }

    public function create()
```

```php
    {
        return view('admin.post.insert');
    }

    public function store(PostRequest $request)
    {
        $datum = new \DateTime();
        $datum->format('Y.m.d');
        $this->model->naslov = $request->input('name');
        $this->model->opis = $request->input('text');
        $this->model->skraceni = $request->input('ptext');
        $this->model->datum = $datum;
        $this->model->korisnikId = session()->get('user')->IdKorisnik;
        $file=$request->file('photo');
        $fileName=time().$file->getClientOriginalName();
        $this->model->slikaime=$fileName;
        if($file->isValid()){
            $file->move(public_path('img'), $fileName);
            $rez = $this->model->insert();
            if($rez){
                if(session()->has('user')){
                $kor = session()->get('user')->KorIme;
                $datum = new \DateTime();
                $datum->format('Y-m-d');
                $akt = new KljucneAkt();
                $akt->kor = $kor;
                $akt->opis = "Insert post ADMIN PANEL";
                $akt->datum = $datum;
                $akt->insert();
                return redirect('/admin/post');}
            }
            return redirect()->route('post.create');
        }
        return 'Greska';
    }

    public function show($id)
    {
        $this->model->IdPost = $id;
        $rez = $this->model->GetOne();
        return view('admin.post.edit',['p'=>$rez]);
    }


    public function edit($id)
    {
        $this->model->IdPost = $id;
        $rez = $this->model->jedan();
        $idd = $id;
        return view('admin.post.edit',['p'=>$rez,'id'=>$idd]);
    }


    public function update(Request $request, $id)
    {
        $datum = new \DateTime();
        $datum->format('Y.m.d');
        $this->model->naslov = $request->input('name');
        $this->model->opis = $request->input('text');
        $this->model->skraceni = $request->input('ptext');
        $this->model->datum = $datum;
        $this->model->IdPost = $id;
        $this->model->korisnikId = session()->get('user')->IdKorisnik;
```

```php
//          $file=$request->file('photo');
//          $fileName=time().$file->getClientOriginalName();
//          $this->model->slikaime=$fileName;
//          if($file->isValid()){
//              $file->move(public_path('img'), $fileName);
//                  $rez = $this->model->updatePost();
//                  dd($rez);
//                  if($rez){
//                      if(session()->has('user')){
//                          $kor = session()->get('user')->KorIme;
//                          $datum = new \DateTime();
//                          $datum->format('Y-m-d');
//                          $akt = new KljucneAkt();
//                          $akt->kor = $kor;
//                          $akt->opis = "Edit post ADMIN PANEL";
//                          $akt->datum = $datum;
//                          $akt->insert();
//                          return redirect()->route('post.index');}
//                  }
//
//              }
//          else{
                $rez = $this->model->edit();
                if($rez){
                    if(session()->has('user')){
                        $kor = session()->get('user')->KorIme;
                        $datum = new \DateTime();
                        $datum->format('Y-m-d');
                        $akt = new KljucneAkt();
                        $akt->kor = $kor;
                        $akt->opis = "Edit post ADMIN PANEL";
                        $akt->datum = $datum;
                        $akt->insert();
                        return redirect()->route('post.index');}
                }
                return redirect()->back();
            }



    public function destroy($id)
    {
        if(session()->has('user')){
        $kor = session()->get('user')->KorIme;
        $datum = new \DateTime();
        $datum->format('Y-m-d');
        $akt = new KljucneAkt();
        $akt->kor = $kor;
        $akt->opis = "Delete post ADMIN PANEL";
        $akt->datum = $datum;
        $akt->insert();
        $this->model->IdPost = $id;
        $this->model->deletePost();
        return redirect()->back();
        }
    }
}
```

Admin/SlikaController.php

```php
namespace App\Http\Controllers\Admin;

use App\Http\Requests\SlikaRequest;
use App\Models\KljucneAkt;
use App\Models\Slika;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class SlikaController extends Controller
{
    public $model;
    public $data;

    public function __construct()
    {
        $this->model = new Slika();
        $this->data['slika'] = $this->model->GetAll();
    }

    public function index()
    {
        return view('admin.slika.slika',$this->data);
    }

    /**
     * Show the form for creating a new resource.
     *
     * @return \Illuminate\Http\Response
     */
    public function create()
    {
        return view('admin.slika.insert');
    }

    /**
     * Store a newly created resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @return \Illuminate\Http\Response
     */
    public function store(SlikaRequest $request)
    {
        if($request->has('btnInsert')){

            $file=$request->file('fSlika');
            $fileName=time().$file->getClientOriginalName();
            $this->model->putanja = $fileName;
            $this->model->alt = $request->input('alt');
            if($file->isValid()){
                request()->fSlika->move(public_path('img'), $fileName);


                try{
                    $rez=$this->model->insert();
                    if($rez){
                        if(session()->has('user')){
                            $kor = session()->get('user')->KorIme;
                            $datum = new \DateTime();
```

```php
                                $datum->format('Y-m-d');
                                $akt = new KljucneAkt();
                                $akt->kor = $kor;
                                $akt->opis = "Insert photo ADMIN PANEL";
                                $akt->datum = $datum;
                                $akt->insert();
                        }return redirect()->route('slika.index');
                    }
                    else{
                        return redirect()->route('slika.create');
                    }
                }
                catch (\Throwable $ex){
                    echo $ex->getMessage();
                }}
        }
    }

    /**
     * Display the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function show($id)
    {
        //
    }

    /**
     * Show the form for editing the specified resource.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function edit($id)
    {
        $this->model->id = $id;
        $this->data['slika']= $this->model->getOne();
        return view('admin.slika.edit',$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(SlikaRequest $request, $id)
    {
        if($request->has('btnInsert')){
            $this->model->alt = $request->input('alt');
            $this->model->id = $id;

            $file=$request->file('fSlika');
            $fileName=time().$file->getClientOriginalName();
            $this->model->putanja = $fileName;
            if($file->isValid()){
                request()->fSlika->move(public_path('img'), $fileName);
                try{
                    $rez=$this->model->edit();
                    if($rez){
```

```php
                    if(session()->has('user')){
                        $kor = session()->get('user')->KorIme;
                        $datum = new \DateTime();
                        $datum->format('Y-m-d');
                        $akt = new KljucneAkt();
                        $akt->kor = $kor;
                        $akt->opis = "Edit photo ADMIN PANEL";
                        $akt->datum = $datum;
                        $akt->insert();
                    }return redirect()->route('slika.index');
                }
            }


            catch (\Throwable $ex){
                echo $ex->getMessage();
            }}
        }
    }

    public function destroy($id)
    {
        if(session()->has('user')){
            $kor = session()->get('user')->KorIme;
            $datum = new \DateTime();
            $datum->format('Y-m-d');
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Delete user ADMIN PANEL";
            $akt->datum = $datum;
            $akt->insert();
            $this->model->id = $id;
            $this->model->deleteS();
        }return redirect()->route('slika.index');
    }

}
```

Admin/UlogaController.php

```php
namespace App\Http\Controllers\Admin;

use App\Http\Requests\UlogaRequest;
use App\Models\KljucneAkt;
use App\Models\Uloga;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class UlogaController extends Controller
{
    public $model;
    public $data;

    public function index()
    {
        $this->model = new Uloga();
        $this->data['uloga'] = $this->model->getAll();
        return view('admin.uloga.uloga',$this->data);
    }

    /**
```

```php
 * Show the form for creating a new resource.
 *
 * @return \Illuminate\Http\Response
 */
public function create()
{
    return view('admin.uloga.insert');
}

/**
 * Store a newly created resource in storage.
 *
 * @param  \Illuminate\Http\Request  $request
 * @return \Illuminate\Http\Response
 */
public function store(UlogaRequest $request)
{
    $uloga = new Uloga();

    $uloga->naziv = $request->input('naziv');
    $rez = $uloga->insertUloga();

    if($rez) {
        if(session()->has('user')){
            $kor = session()->get('user')->KorIme;
            $datum = new \DateTime();
            $datum->format('Y-m-d');
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Insert uloga ADMIN PANEL";
            $akt->datum = $datum;
            $akt->insert();
            return redirect('/admin/uloga');}
        }
        else{
            return redirect()->route('uloga.create');
        }
}

/**
 * Display the specified resource.
 *
 * @param  int  $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    //
}

/**
 * Show the form for editing the specified resource.
 *
 * @param  int  $id
 * @return \Illuminate\Http\Response
 */
public function edit($id)
{
    $uloga = new Uloga();

    $uloga->id = $id;

    $this->data['single'] = $uloga->getOne();
```

```php
        $this->data['id']= $id;

        return view('admin.uloga.edit',$this->data);
    }

    /**
     * Update the specified resource in storage.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function update(UlogaRequest $request, $id)
    {
        $uloga = new Uloga();

        $uloga->id = $id;
        $uloga->naziv = $request->input('naziv');
        try{
            $rez = $uloga->editUloga();
            if($rez){
                if(session()->has('user')){
                    $kor = session()->get('user')->KorIme;
                    $datum = new \DateTime();
                    $datum->format('Y-m-d');
                    $akt = new KljucneAkt();
                    $akt->kor = $kor;
                    $akt->opis = "Update roles ADMIN PANEL";
                    $akt->datum = $datum;
                    $akt->insert();

                }return redirect('/admin/uloga');
            }
            else{
                return redirect()->back();

            }}
        catch (\Exception $e ){
            throw new \Exception($e->getMessage());
        }
    }

    /**
     * Remove the specified resource from storage.
     *
     * @param  int  $id
     * @return \Illuminate\Http\Response
     */
    public function destroy($id)
    {
        $uloga = new Uloga();
        if(session()->has('user')){
            $kor = session()->get('user')->KorIme;
            $datum = new \DateTime();
            $datum->format('Y-m-d');
            $akt = new KljucneAkt();
            $akt->kor = $kor;
            $akt->opis = "Delete roles ADMIN PANEL";
            $akt->datum = $datum;
            $akt->insert();
            $uloga->id = $id;
            $uloga->deleteUloga();
            return redirect()->back();}
```

```
        }

}
```

5.3.Views

admin/hash/hash.blade.php

```blade
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <table class="table">
                <thead>
                <tr>
                    <th scope="col">#ID</th>
                    <th scope="col">NAZIV</th>
                    <th scope="col">EDIT</th>
                    <th scope="col">DELETE</th>
                </tr>
                </thead>
                <tbody>
                @foreach($hash as $h)
                    <tr>
                        <th scope="row">{{$h->IdHash}}</th>
                        <td>{{$h->Naziv}}</td>
                        <td><a href="{{route("hash.edit",['komentar'=>$h-
>IdHash])}}"><input type="submit" class="btn btn-primary" value="EDIT"/></a></td>
                        <td><form action="{{route("hash.destroy",['komentar'=>$h-
>IdHash])}}" method="post"> {{method_field('DELETE')}} @csrf <a href="#"><input
type="submit" class="btn btn-primary" value="DELETE"/></a></form></td>
                    </tr>
                @endforeach
                </tbody>
            </table>

            <div class="flex-col-c p-t-155">
                <a href="{{route('hash.create')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="INSERT"/>
                </a>
            </div>
            <div class="flex-col-c p-t-155">
                <a href="{{asset('/admin')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                </a>
            </div>
        </div>
    </div>
@endsection
```

admin/hash/edit.blade.php

```php
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('hash.update',['id'=>$id])}}" method="POST"
class="login100-form validate-form">
                    @csrf
                    {{method_field('PATCH')}}
                    <span class="login100-form-title p-b-49">
                    EDIT HASHTAG
                </span>

                    <div class="wrap-input100 validate-input m-b-23">
                        <span class="label-input100">Hashtag</span>
                        <input class="input100" type="text" name="naziv"
value="{{$single->Naziv}}" placeholder="Type your comment">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="EDIT" name="btnInsert"/>
                        </div>
                    </div>
                    <br/><br/>
                    <div class="container-login100-form-btn">
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('hash.index')}}" class="txt2">
                            ADMIN
                        </a>
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/hash/insert.blade.php

```php
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('hash.store')}}" method="POST" class="login100-
form validate-form" enctype="multipart/form-data">
                    @csrf
                    <span class="login100-form-title p-b-49">
                        INSERT HASHTAG
                    </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Text is reauired">
                        <span class="label-input100">Hashtag</span>
                        <input class="input100" type="text" name="naziv"
placeholder="Type your comment">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                        </div>
                    </div>
                    <br/><br/>
                    <div class="container-login100-form-btn">
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{asset('/admin')}}" class="txt2">
                            ADMIN
                        </a>
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/komentar/komentar.blade.php

```php
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <table class="table">
                <thead>
                <tr>
                    <th scope="col">#ID</th>
                    <th scope="col">TEXT</th>
                    <th scope="col">DATUM</th>
                    <th scope="col">EDIT</th>
                    <th scope="col">DELETE</th>
                </tr>
                </thead>
                <tbody>
                @foreach($komentar as $k)
                    <tr>
                        <th scope="row">{{$k->IdKomentar}}</th>
                        <td>{{$k->Tekst}}</td>
                        <td>{{$k->Datum}}</td>
                        <td><a href="{{route("komentar.edit",['komentar'=>$k-
>IdKomentar])}}"><input type="submit" class="btn btn-primary" value="EDIT"/></a></td>
                        <td><form action="{{route("komentar.destroy",['komentar'=>$k-
>IdKomentar])}}" method="post"> {{method_field('DELETE')}} @csrf <a href="#"><input
type="submit" class="btn btn-primary" value="DELETE"/></a></form></td>
                    </tr>
                @endforeach
                </tbody>
            </table>

            <div class="flex-col-c p-t-155">
                <a href="{{route('komentar.create')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="INSERT"/>
                </a>
            </div>
            <div class="flex-col-c p-t-155">
                <a href="{{asset('/admin')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                </a>
            </div>
        </div>
    </div>
@endsection
```

admin/ komentar /insert.blade.php

```php
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('komentar.store')}}" method="POST"
class="login100-form validate-form" enctype="multipart/form-data">
                    @csrf
                    <span class="login100-form-title p-b-49">
```

```
                    INSERT COMMENT
            </span>

                <div class="wrap-input100 validate-input m-b-23" data-validate =
"Text is reauired">
                    <span class="label-input100">Text</span>
                    <input class="input100" type="text" name="text"
placeholder="Type your comment">
                    <span class="focus-input100" data-symbol="&#xf206;"></span>
                </div>

                <div class="container-login100-form-btn">
                    <div class="wrap-login100-form-btn">
                        <div class="login100-form-bgbtn"></div>
                        <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                    </div>
                </div>
                <br/><br/>
                <div class="container-login100-form-btn">
                    @if ($errors->any())
                        <div class="alert alert-danger">
                            <ul>
                                @foreach ($errors->all() as $error)
                                    <li>{{ $error }}</li>
                                @endforeach
                            </ul>
                        </div>
                    @endif
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{asset('/admin')}}" class="txt2">
                        ADMIN
                    </a>
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{route('index')}}" class="txt2">
                        Back to blog page.
                    </a>
                </div>
            </form>
        </div>
    </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/ komentar /edit.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('komentar.update',['id'=>$id])}}" method="POST"
class="login100-form validate-form">
                    @csrf
                    {{method_field('PATCH')}}
                    <span class="login100-form-title p-b-49">
                    EDIT COMMENT
```

```
                </span>

                <div class="wrap-input100 validate-input m-b-23">
                    <span class="label-input100">Text</span>
                    <input class="input100" type="text" name="text"
value="{{$single->Tekst}}" placeholder="Type your comment">
                    <span class="focus-input100" data-symbol="&#xf206;"></span>
                </div>

                <div class="container-login100-form-btn">
                    <div class="wrap-login100-form-btn">
                        <div class="login100-form-bgbtn"></div>
                        <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                    </div>
                </div>
                <br/><br/>
                <div class="container-login100-form-btn">
                    @if ($errors->any())
                        <div class="alert alert-danger">
                            <ul>
                                @foreach ($errors->all() as $error)
                                    <li>{{ $error }}</li>
                                @endforeach
                            </ul>
                        </div>
                    @endif
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{route('komentar.index')}}" class="txt2">
                        ADMIN
                    </a>
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{route('index')}}" class="txt2">
                        Back to blog page.
                    </a>
                </div>
            </form>
        </div>
    </div>
</div>
<div id="dropDownSelect1"></div>s
@endsection
```

admin/korisnik/ korisnik.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
    <table class="table">
        <thead>
        <tr>
            <th scope="col">#ID</th>
            <th scope="col">USERNAME</th>
            <th scope="col">EMAIL</th>
            <th scope="col">SLIKA</th>
            <th scope="col">ULOGA</th>
            <th scope="col">EDIT</th>
```

```
                <th scope="col">DELETE</th>
            </tr>
            </thead>
            <tbody>
            @foreach($korisnici as $k)
            <tr>
                <th scope="row">{{$k->IdKorisnik}}</th>
                <td>{{$k->KorIme}}</td>
                <td>{{$k->Email}}</td>
                <td><img src="{{asset('/').$k->Putanja}}" width="100px"
height="100px"/></td>
                <td>{{$k->Naziv}}</td>
                <td><a href="{{route("korisnik.edit",['korisnik'=>$k-
>IdKorisnik])}}"><input type="submit" class="btn btn-primary" value="EDIT"/></a></td>
                <td><form action="{{route("korisnik.destroy",['korisnik'=>$k-
>IdKorisnik])}}" method="post"> {{method_field('DELETE')}} @csrf <a href="#"><input
type="submit" class="btn btn-primary" value="DELETE"/></a></form></td>
            </tr>
            @endforeach
            </tbody>
        </table>
                <div class="flex-col-c p-t-155">
                    <a href="{{route('korisnik.create')}}" class="txt2">
                        <input type="submit" class="btn btn-primary" value="INSERT"/>
                    </a>
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{asset('/admin')}}" class="txt2">
                        <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                    </a>
                </div>
            </div>
        </div>
@endsection
```

admin/ korisnik /edit.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('korisnik.update',['id'=>$kor->IdKorisnik])}}"
method="POST" class="login100-form validate-form" enctype="multipart/form-data">
                    @csrf
                    {{method_field('PATCH')}}
                    <span class="login100-form-title p-b-49">
                   EDIT USER
            </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Username is reauired">
                        <span class="label-input100">Username</span>
                        <input class="input100" type="text" name="username"
value="{{$kor->KorIme}}" placeholder="Type your username">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
```

```blade
"Email is reauired">
                        <span class="label-input100">Password</span>
                        <input class="input100" type="text" name="pass" value="{{$kor-
>Lozinka}}" placeholder="Type your email">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Email is reauired">
                        <span class="label-input100">Email</span>
                        <input class="input100" type="text" name="email"
value="{{$kor->Email}}" placeholder="Type your email">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Pictures is reauired">
                        <span class="label-input100">Picture</span>
                        <input class="input100" type="file" name="fSlika"
placeholder="Type your photo">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                        </div>
                    </div>
                    <br/><br/>
                    <div class="container-login100-form-btn">
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('korisnik.index')}}" class="txt2">
                            ADMIN
                        </a>
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/ korisnik /insert.blade.php

```php
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('korisnik.store')}}" method="POST"
class="login100-form validate-form" enctype="multipart/form-data">
                    @csrf
                <span class="login100-form-title p-b-49">
                    INSERT USER
                </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Username is reauired">
                        <span class="label-input100">Username</span>
                        <input class="input100" type="text" name="username"
placeholder="Type your username">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Email is reauired">
                        <span class="label-input100">Email</span>
                        <input class="input100" type="text" name="email"
placeholder="Type your email">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input" data-validate="Password
is required">
                        <span class="label-input100">Password</span>
                        <input class="input100" type="password" name="pass"
placeholder="Type your password">
                        <span class="focus-input100" data-symbol="&#xf190;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Pictures is reauired">
                        <span class="label-input100">Picture</span>
                        <input class="input100" type="file" name="fSlika"
placeholder="Type your photo">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                        </div>
                    </div><br/><br/>
                    <div class="container-login100-form-btn">
                    @if ($errors->any())
                        <div class="alert alert-danger">
                            <ul>
                                @foreach ($errors->all() as $error)
                                    <li>{{ $error }}</li>
                                @endforeach
                            </ul>
```

```
                    </div>
                @endif
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{route('korisnik.index')}}" class="txt2">
                        ADMIN
                    </a>
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{route('index')}}" class="txt2">
                        Back to blog page.
                    </a>
                </div>
            </form>
        </div>
    </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/post/ post.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <table class="table">
                <thead>
                <tr>
                    <th scope="col">#ID</th>
                    <th scope="col">NASLOV</th>
                    <th scope="col">OPIS</th>
                    <th scope="col">SKRACENI OPIS</th>
                    <th scope="col">DATUM</th>
                    <th scope="col">SLIKA</th>
                    <th scope="col">EDIT</th>
                    <th scope="col">DELETE</th>
                </tr>
                </thead>
                <tbody>
                @foreach($post as $p)
                    <tr>
                        <td scope="row">{{$p->IdPost}}</td>
                        <th >{{$p->Naslov}}</th>
                        <td><textarea>{{$p->Opis}}</textarea></td>
                        <td>{{$p->SkraceniOpis}}</td>
                        <td>{{$p->Datum}}</td>
                        <td><img src="{{asset('/').$p->Putanja}}" width="100px"
height="100px alt="{{$p->Alt}}"/> </td>
                        <td><a href="{{route("post.edit",['post'=>$p-
>IdPost])}}"><input type="submit" class="btn btn-primary" value="EDIT"/></a></td>
                        <td><form action="{{route("post.destroy",['komentar'=>$p-
>IdPost])}}" method="post"> {{method_field('DELETE')}} @csrf <a href="#"><input
type="submit" class="btn btn-primary" value="DELETE"/></a></form></td>
                    </tr>
                @endforeach
                </tbody>
            </table>

            {{$post->render()}}
```

```
                <div class="flex-col-c p-t-155">
                    <a href="{{route('post.create')}}" class="txt2">
                        <input type="submit" class="btn btn-primary" value="INSERT"/>
                    </a>
                </div>
                <div class="flex-col-c p-t-155">
                    <a href="{{asset('/admin')}}" class="txt2">
                        <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                    </a>
                </div>
            </div>

    </div>
@endsection
```

admin/post /edit.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('post.update',['id'=>$id])}}" class="login100-
form validate-form" method="post">
                    @csrf
                    {{method_field('PATCH')}}
                    <span class="login100-form-title p-b-49">
                      EDIT POST
                </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Post name is reauired">
                        <span class="label-input100">Post Name</span>
                        <input class="input100" type="text" name="name" value="{{$p-
>Naslov}}" placeholder="Type your post name">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Post text is reauired">
                        <span class="label-input100">Post Text</span>
                        <textarea class="input100" type="text" name="text"
placeholder="Type your post text">{{$p->Opis}}</textarea>
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input" data-validate="Text is
required">
                        <span class="label-input100">Text</span>
                        <input class="input100" type="text" name="ptext" value="{{$p-
>SkraceniOpis}}" placeholder="Type your text">
                        <span class="focus-input100" data-symbol="&#xf190;"></span>
                    </div>

{{--                <div class="wrap-input100 validate-input" data-validate="Text
is required">--}}
{{--                    <span class="label-input100">Photo</span>--}}
{{--                    <input class="input100" type="file" name="photo"
```

```
placeholder="Type your photo">--}}
{{--                        <span class="focus-input100" data-
symbol="&#xf190;"></span>--}}
{{--                    </div>--}}

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="EDIT" name="btnInsert"/>
                        </div>
                    </div>
                    <br/><br/>
                    <div class="container-login100-form-btn">
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('post.index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/post /insert.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('post.store')}}" method="POST" class="login100-
form validate-form" enctype="multipart/form-data">
                    @csrf
                    <span class="login100-form-title p-b-49">
                        INSERT POST
                    </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Post name is reauired">
                        <span class="label-input100">Post Name</span>
                        <input class="input100" type="text" name="name"
placeholder="Type your post name">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Post text is reauired">
```

```html
                            <span class="label-input100">Post Text</span>
                            <textarea class="input100" type="text" name="text"
placeholder="Type your post text"></textarea>
                            <span class="focus-input100" data-symbol="&#xf206;"></span>
                        </div>

                        <div class="wrap-input100 validate-input" data-validate="Text is
required">
                            <span class="label-input100">Text</span>
                            <input class="input100" type="text" name="ptext"
placeholder="Type your text"/>
                                <span class="focus-input100" data-
symbol="&#xf190;"></span>
                        </div>

                        <div class="wrap-input100 validate-input m-b-23" data-validate =
"Pictures is reauired">
                            <span class="label-input100">Picture</span>
                            <input class="input100" type="file" name="photo"
placeholder="Type your photo">
                            <span class="focus-input100" data-symbol="&#xf206;"></span>
                        </div>

                        <div class="container-login100-form-btn">
                            <div class="wrap-login100-form-btn">
                                <div class="login100-form-bgbtn"></div>
                                <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                            </div>
                        </div>
                        <br/><br/>
                        <div class="container-login100-form-btn">
                            @if ($errors->any())
                                <div class="alert alert-danger">
                                    <ul>
                                        @foreach ($errors->all() as $error)
                                            <li>{{ $error }}</li>
                                        @endforeach
                                    </ul>
                                </div>
                            @endif
                        </div>
                        <div class="flex-col-c p-t-155">
                            <a href="{{route('post.index')}}" class="txt2">
                                Back to blog page.
                            </a>
                        </div>
                    </form>
                </div>
            </div>
        </div>
        <div id="dropDownSelect1"></div>s
@endsection
```

admin/slika/ slika.blade.php

```php
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <table class="table">
                <thead>
                <tr>
                    <th scope="col">#ID</th>
                    <th scope="col">PHOTO</th>
                    <th scope="col">NAME</th>
                    <th scope="col">EDIT</th>
                    <th scope="col">DELETE</th>
                </tr>
                </thead>
                <tbody>
                @foreach($slika as $s)
                    <tr>
                        <th scope="row">{{$s->IdSlika}}</th>
                        <td><img src="{{asset('/').$s->Putanja}}" width="100px"
height="100px"/></td>
                        <td>{{$s->Alt}}</td>
                        <td><a href="{{route("slika.edit",['slika'=>$s-
>IdSlika])}}"><input type="submit" class="btn btn-primary" value="EDIT"/></a></td>
                        <td><form action="{{route("slika.destroy",['slika'=>$s-
>IdSlika])}}" method="post"> {{method_field('DELETE')}} @csrf <a href="#"><input
type="submit" class="btn btn-primary" value="DELETE"/></a></form></td>
                    </tr>
                @endforeach
                </tbody>
            </table>
            {{$slika->render()}}
            <div class="flex-col-c p-t-155">
                <a href="{{route('slika.create')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="INSERT"/>
                </a>
            </div>
            <div class="flex-col-c p-t-155">
                <a href="{{asset('/admin')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                </a>
            </div>
        </div>
    </div>
@endsection
```

admin/ slika /edit.blade.php

```php
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('slika.update',['id'=>$slika->IdSlika])}}"
method="POST" class="login100-form validate-form" enctype="multipart/form-data">
                    @csrf
```

```blade
                        {{method_field('PATCH')}}
                        <span class="login100-form-title p-b-49">
                    EDIT USER
            </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Username is reauired">
                        <span class="label-input100">Username</span>
                        <input class="input100" type="text" name="alt"
value="{{$slika->Alt}}" placeholder="Type your username">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Pictures is reauired">
                        <span class="label-input100">Picture</span>
                        <input class="input100" type="file" name="fSlika"
placeholder="Type your photo">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                        </div>
                    </div>
                    <br/><br/>
                    <div class="container-login100-form-btn">
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('slika.index')}}" class="txt2">
                            ADMIN
                        </a>
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/ slika /insert.blade.php

```blade
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('slika.store')}}" method="POST" class="login100-
form validate-form" enctype="multipart/form-data">
                    @csrf
                    <span class="login100-form-title p-b-49">
                        INSERT USER
                    </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Username is reauired">
                        <span class="label-input100">Photo name</span>
                        <input class="input100" type="text" name="alt"
placeholder="Type your username">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Pictures is reauired">
                        <span class="label-input100">Picture</span>
                        <input class="input100" type="file" name="fSlika"
placeholder="Type your photo">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                        </div>
                    </div>
                    <br/><br/>
                    <div class="container-login100-form-btn">
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('slika.index')}}" class="txt2">
                            ADMIN
                        </a>
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
```

```
            </div>
        </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/uloga/ uloga.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <table class="table">
                <thead>
                <tr>
                    <th scope="col">#ID</th>
                    <th scope="col">NAZIV</th>
                    <th scope="col">EDIT</th>
                    <th scope="col">DELETE</th>
                </tr>
                </thead>
                <tbody>
                @foreach($uloga as $u)
                    <tr>
                        <th scope="row">{{$u->IdUloga}}</th>
                        <td>{{$u->Naziv}}</td>
                        <td><a href="{{route("uloga.edit",['komentar'=>$u-
>IdUloga])}}"><input type="submit" class="btn btn-primary" value="EDIT"/></a></td>
                        <td><form action="{{route("uloga.destroy",['komentar'=>$u-
>IdUloga])}}" method="post"> {{method_field('DELETE')}} @csrf <a href="#"><input
type="submit" class="btn btn-primary" value="DELETE"/></a></form></td>
                    </tr>
                @endforeach
                </tbody>
            </table>

            <div class="flex-col-c p-t-155">
                <a href="{{route('uloga.create')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="INSERT"/>
                </a>
            </div>
            <div class="flex-col-c p-t-155">
                <a href="{{asset('/admin')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                </a>
            </div>
        </div>
    </div>
@endsection
```

admin/ uloga /edit.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
```

```
                <form action="{{route('uloga.update',['id'=>$id])}}" method="POST"
class="login100-form validate-form">
                    @csrf
                    {{method_field('PATCH')}}
                    <span class="login100-form-title p-b-49">
                EDIT HASHTAG
            </span>

                    <div class="wrap-input100 validate-input m-b-23">
                        <span class="label-input100">Hashtag</span>
                        <input class="input100" type="text" name="naziv"
value="{{$single->Naziv}}" placeholder="Type your comment">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="EDIT" name="btnInsert"/>
                        </div>
                    </div>
                    <br/><br/>
                    <div class="container-login100-form-btn">
                        @if ($errors->any())
                            <div class="alert alert-danger">
                                <ul>
                                    @foreach ($errors->all() as $error)
                                        <li>{{ $error }}</li>
                                    @endforeach
                                </ul>
                            </div>
                        @endif
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('uloga.index')}}" class="txt2">
                            ADMIN
                        </a>
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

admin/ uloga /insert.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('uloga.store')}}" method="POST" class="login100-
form validate-form" enctype="multipart/form-data">
```

```
                          @csrf
                          <span class="login100-form-title p-b-49">
                      INSERT HASHTAG
                </span>

                          <div class="wrap-input100 validate-input m-b-23" data-validate =
"Text is reauired">
                          <span class="label-input100">Roles</span>
                          <input class="input100" type="text" name="naziv"
placeholder="Type your comment">
                          <span class="focus-input100" data-symbol="&#xf206;"></span>
                      </div>

                          <div class="container-login100-form-btn">
                          <div class="wrap-login100-form-btn">
                              <div class="login100-form-bgbtn"></div>
                              <input type="submit" class="login100-form-btn"
value="INSERT" name="btnInsert"/>
                          </div>
                      </div>
                      <br/><br/>
                      <div class="container-login100-form-btn">
                          @if ($errors->any())
                              <div class="alert alert-danger">
                                  <ul>
                                      @foreach ($errors->all() as $error)
                                          <li>{{ $error }}</li>
                                      @endforeach
                                  </ul>
                              </div>
                          @endif
                      </div>
                      <div class="flex-col-c p-t-155">
                          <a href="{{asset('/admin')}}" class="txt2">
                              ADMIN
                          </a>
                      </div>
                      <div class="flex-col-c p-t-155">
                          <a href="{{route('index')}}" class="txt2">
                              Back to blog page.
                          </a>
                      </div>
                  </form>
              </div>
          </div>
      </div>
      <div id="dropDownSelect1"></div>s
@endsection
```

admin/admin.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <a href="{{route('korisnik.index')}}" class="login100-form-
btn>">USERS</a><br/><br/>
                <a href="{{route('uloga.index')}}" class="login100-form-
btn>">ROLES</a><br/><br/>
```

```
                        <a href="{{route('post.index')}}" class="login100-form-
btn>">POSTS</a><br/><br/>
                        <a href="{{route('komentar.index')}}" class="login100-form-
btn>">COMMENTS</a><br/><br/>
                        <a href="{{route('hash.index')}}" class="login100-form-
btn>">HACHTAG</a><br/><br/>
                        <a href="{{route('slika.index')}}" class="login100-form-
btn>">PHOTO</a><br/><br/>
                        <a href="{{asset('/kljucne')}}" class="login100-form-btn>">KLJUCNE
AKTIVNOSTI KORISNIKA</a><br/><br/>
                        <a href="{{asset('/admin/kontakt')}}" class="login100-form-
btn>">CONTACT</a><br/><br/>
                <br/><br/><br/>
                        <a href="{{route('index')}}" class="login100-form-
btn>">BACK</a><br/><br/>
            </div>

    </div>
    <div id="dropDownSelect1">

    </div>
@endsection
```

admin/kljucne.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <table class="table">
                <thead>
                <tr>
                    <form action="{{asset('/kljucne')}}" method="post"> @csrf
                    <th scope="col">SORTIRAJ OD</th><td><input type="date"
name="od"/></td>
                    <th scope="col">DO</th><td><input type="date" name="do"/></td>
                    <td><input type="submit" name="sortiraj" class="btn btn-primary"
value="SORT"/> </td></form>
                </tr>
                <tr>
                    <th scope="col">#ID</th>
                    <th scope="col">USER</th>
                    <th scope="col">AKTIVNOST</th>
                    <th scope="col">DATUM</th>

                </tr>
                </thead>
                <tbody>
                @foreach($klju as $k)
                    <tr>
                        <th scope="row">{{$k->IdKljucne}}</th>
                        <td>{{$k->Korisnik}}</td>
                        <td>{{$k->Opis}}</td>
                        <td>{{$k->Datum}}</td>
                    </tr>
                @endforeach
                </tbody>
            </table>
            <div class="flex-col-c p-t-155">
                <a href="{{asset('/admin')}}" class="txt2">
```

```
                    <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                </a>
            </div>
        </div>
    </div>
@endsection
```

admin/kontakt.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <table class="table">
                <thead>
                <tr>
                    <th scope="col">#ID</th>
                    <th scope="col">USER</th>
                    <th scope="col">MESSAGE</th>
                </tr>
                </thead>
                <tbody>
                @foreach($kont as $p)
                    <tr>
                        <td scope="row">{{$p->IdContact}}</td>
                        <th >{{$p->Korisnik}}</th>
                        <td>{{$p->Poruka}}</td>
                    </tr>
                @endforeach
                </tbody>
            </table>
            <div class="flex-col-c p-t-155">
                <a href="{{asset('/admin')}}" class="txt2">
                    <input type="submit" class="btn btn-primary" value="BACK TO
ADMIN"/>
                </a>
            </div>
        </div>

    </div>
@endsection
```

components/cont.blade.php

```
@extends('layout.glavniLayout')
@section('sadrzaj')

    <div class="page-container float-right">
        <div class="row">
            @foreach($post as $p)
            <div class="col-md-6">
                <div class="blog-entry ftco-animate">
                    <a href="{{route('single',['id'=>$p->IdPost])}}" class="blog-
image">
                        <img src="{{asset('/').$p->Putanja}}" class="img-fluid"
alt="{{$p->Alt}}">
                    </a>
```

```
                    <div class="text py-4">
                        <div class="meta">
                            <div>{{$p->Datum}}</div>
                            <div>{{$p->KorIme}}</div>
                        </div>
                        <h3 class="heading"><a href="{{route('single',['id'=>$p-
>IdPost])}}">{{$p->Naslov}}</a></h3>
                            <p>{{$p->SkraceniOpis}}</p>
                    </div>
                </div>

            </div>
            @endforeach

                {{$post->render()}}
    </div>

@endsection
```

components/footerScript.blade.php

```
<script src="{{asset('/')}}js/jquery.min.js"></script>
<script src="{{asset('/')}}js/jquery-migrate-3.0.1.min.js"></script>
<script src="{{asset('/')}}js/popper.min.js"></script>
<script src="{{asset('/')}}js/bootstrap.min.js"></script>
<script src="{{asset('/')}}js/jquery.easing.1.3.js"></script>
<script src="{{asset('/')}}js/jquery.waypoints.min.js"></script>
<script src="{{asset('/')}}js/jquery.stellar.min.js"></script>
<script src="{{asset('/')}}js/owl.carousel.min.js"></script>
<script src="{{asset('/')}}js/jquery.magnific-popup.min.js"></script>
<script src="{{asset('/')}}js/aos.js"></script>
<script src="{{asset('/')}}js/jquery.animateNumber.min.js"></script>
<script src="{{asset('/')}}js/scrollax.min.js"></script>
<script src="{{asset('/')}}js/bootstrap-datepicker.js"></script>
<script src="{{asset('/')}}js/jquery.timepicker.min.js"></script>
<script
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyBVWaKrjvy3MaE7SQ74_uJiULgl1JY0H
2s&sensor=false"></script>
<script src="{{asset('/')}}js/google-map.js"></script>
<script src="{{asset('/')}}js/main.js"></script>
```

components/head.blade.php

```
<title>Libro - Free Bootstrap 4 Template by Colorlib</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<link href="https://fonts.googleapis.com/css?family=Work+Sans:100,200,300,400,700,800"
rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Playfair+Display:400,400i,700,700i"
rel="stylesheet">

<link rel="stylesheet" href="{{asset('/')}}css/open-iconic-bootstrap.min.css">
<link rel="stylesheet" href="{{asset('/')}}css/animate.css">

<link rel="stylesheet" href="{{asset('/')}}css/owl.carousel.min.css">
<link rel="stylesheet" href="{{asset('/')}}css/owl.theme.default.min.css">
<link rel="stylesheet" href="{{asset('/')}}css/magnific-popup.css">
```

```
<link rel="stylesheet" href="{{asset('/')}}css/aos.css">

<link rel="stylesheet" href="{{asset('/')}}css/ionicons.min.css">

<link rel="stylesheet" href="{{asset('/')}}css/bootstrap-datepicker.css">
<link rel="stylesheet" href="{{asset('/')}}css/jquery.timepicker.css">


<link rel="stylesheet" href={{asset('/')}}css/flaticon.css">
<link rel="stylesheet" href="{{asset('/')}}css/icomoon.css">
<link rel="stylesheet" href="{{asset('/')}}css/style.css">
```

components/header.blade.php

```
<header>
    <div class="container-fluid">
        <div class="row no-gutters">
            <div class="col-md-12">
                <div class="colorlib-navbar-brand">
                    <a class="colorlib-logo" href="{{route('index')}}">LIFESTYLE <br/>
AND <br/>BEAUTY BLOG</a>
                </div>
                <a href="#" class="js-colorlib-nav-toggle colorlib-nav-
toggle"><i></i></a>
            </div>
        </div>
    </div>
</header>
```

components/komentaredit.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('update',['id'=>$id])}}" method="POST"
class="login100-form validate-form">
                    @csrf
                    <span class="login100-form-title p-b-49">
                    EDIT COMMENT
                </span>

                    <div class="wrap-input100 validate-input m-b-23">
                        <span class="label-input100">Text</span>
                        <input class="input100" type="text" name="text"
value="{{$single->Tekst}}" placeholder="Type your comment"/>
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" class="login100-form-btn"
value="INSERT" name="edit"/>
                        </div>
                    </div>
```

```
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

components/left.blade.php

```
<div class="image js-fullheight float-left">
    <div class="home-slider owl-carousel js-fullheight">
        <div class="slider-item js-fullheight" style="background-image:
url('images/bg_1.jpg');">
            <div class="overlay"></div>
            <div class="container">
                <div class="row slider-text align-items-end" data-scrollax-
parent="true">
                    <div class="col-md-10 col-sm-12 ftco-animate" data-scrollax="
properties: { translateY: '70%' }">
                        <h1 class="mb-3" data-scrollax="properties: { translateY:
'30%', opacity: 1.6 }">Popular Lifestyle with Fashion &amp; Modeling</h1>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

components/loader.blade.php

```
<div id="ftco-loader" class="show fullscreen">
    <svg class="circular" width="48px" height="48px"><circle class="path-bg" cx="24"
cy="24" r="22" fill="none" stroke-width="4" stroke="#eeeeee"/><circle class="path"
cx="24" cy="24" r="22" fill="none" stroke-width="4" stroke-miterlimit="10"
stroke="#F96D00"/></svg>
</div>
```

components/logheader.blade.php

```
<title>Log in</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!--
======================================================================================
==========-->
<link rel="stylesheet" type="text/css"
href="{{asset('/')}}vendor/bootstrap/css/bootstrap.min.css">
<!--
======================================================================================
==========-->
<link rel="stylesheet" type="text/css" href="{{asset('/')}}fonts/font-awesome-
```

```
4.7.0/css/font-awesome.min.css">
<!--
==================================================================================
=========-->
<link rel="stylesheet" type="text/css" href="{{asset('/')}}fonts/iconic/css/material-
design-iconic-font.min.css">
<!--
==================================================================================
=========-->
<link rel="stylesheet" type="text/css"
href="{{asset('/')}}vendor/animate/animate.css">
<!--
==================================================================================
=========-->
<link rel="stylesheet" type="text/css" href="{{asset('/')}}vendor/css-
hamburgers/hamburgers.min.css">
<!--
==================================================================================
=========-->
<link rel="stylesheet" type="text/css"
href="{{asset('/')}}vendor/animsition/css/animsition.min.css">
<!--
==================================================================================
=========-->
<link rel="stylesheet" type="text/css"
href="{{asset('/')}}vendor/select2/select2.min.css">
<!--
==================================================================================
=========-->
<link rel="stylesheet" type="text/css"
href="{{asset('/')}}vendor/daterangepicker/daterangepicker.css">
<!--
==================================================================================
=========-->
<link rel="stylesheet" type="text/css" href="{{asset('/')}}css/util.css">
<link rel="stylesheet" type="text/css" href="{{asset('/')}}css/main.css">
<!--
==================================================================================
=========-->
```

components/logscript.blade.php

```
<!--
==================================================================================
=========-->
<script src="{{asset('/')}}vendor/jquery/jquery-3.2.1.min.js"></script>
<!--
==================================================================================
=========-->
<script src="{{asset('/')}}vendor/animsition/js/animsition.min.js"></script>
<!--
==================================================================================
=========-->
<script src="{{asset('/')}}vendor/bootstrap/js/popper.js"></script>
<script src="{{asset('/')}}vendor/bootstrap/js/bootstrap.min.js"></script>
<!--
==================================================================================
=========-->
<script src="{{asset('/')}}vendor/select2/select2.min.js"></script>
<!--
==================================================================================
=========-->
```

```
==========-->
<script src="{{asset('/')}}vendor/daterangepicker/moment.min.js"></script>
<script src="{{asset('/')}}vendor/daterangepicker/daterangepicker.js"></script>
<!--
=====================================================================
==========-->
<script src="{{asset('/')}}vendor/countdowntime/countdowntime.js"></script>
<!--
=====================================================================
==========-->
<script src="{{asset('/')}}js/main.js"></script>
```

components/nav.blade.php

```
<nav id="colorlib-main-nav" role="navigation">
    <a href="#" class="js-colorlib-nav-toggle colorlib-nav-toggle active"><i></i></a>
    <div class="js-fullheight colorlib-table">
        <div class="colorlib-table-cell js-fullheight">
            <div class="row d-flex justify-content-end">
                <div class="col-md-12 px-5">
                    <ul class="mb-5">
                        <li class="active"><a
href="{{route('index')}}"><span>Home</span></a></li>
                        <li><a href="{{route('auth')}}"><span>About
author</span></a></li>
                        @if(!session()->has('user'))
                        <li><a href="{{route('log')}}"><span>Log in /
Register</span></a> </li>@endif
                        @if(session()->has('user'))
                            <li><a href="{{route('logout')}}"><span>Logout</span></a>
</li>
                            <li><a
href="{{route('contact')}}"><span>Contact</span></a></li>
                            @if(session()->get('user')->Naziv=='Admin')
                            <li><a href="{{asset('/admin')}}"><span>Admin
panel</span></a> </li>@endif
                        @endif
                    </ul>
                </div>
                <div class="col px-5 copyright">
                    <p>Copyright &copy;<script>document.write(new
Date().getFullYear());</script> All rights reserved <br> | This template is made with
<i class="icon-heart" aria-hidden="true"></i> by <a href="https://colorlib.com"
target="_blank">Colorlib</a></p>
                </div>
            </div>
        </div>
    </div>
</nav>
```

layout/glavniLayout.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
@include('components.head')
</head>
<body>
@include('components.nav')
```

```
<div id="colorlib-page">
@include('components.header')
<section class="ftco-fixed clearfix">
@include('components.left')
@yield('sadrzaj')
</section>
@include('components.loader')
</div>
@include('components.footerScript')
</body>
</html>
```

layout/loglayout.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
@include('components.logheader')
</head>
<body>
@yield('cont')
@include('components.logscript')
</body>
</html>
```

pages/author.blade.php

```
@extends('layout.glavniLayout')
@section('sadrzaj')

    <div class="page-container float-right">
        <div class="row">
            <p>My name is Nevena Pejcic.My birth date is 14.08.1996. I am a student of
ICT colege.</p>
            <img src="{{asset('/')}}img/autor.jpg"/>
        </div>
    </div>

@endsection
```

pages/contact.blade.php

```
@extends('layout.glavniLayout')
@section('sadrzaj')
    <div class="page-container float-right">
        <div class="row">
<div class="comment-form-wrap pt-5">
    <h3 class="mb-5">Leave a message</h3>
    <form action="{{asset('/contact')}}" method="POST" class="bg-light p-4">
        @csrf
        <div class="form-group">
            <label for="name">{{session()->get('user')->KorIme}}</label>
            <input type="text" name="kor" value="{{session()->get('user')->KorIme}}"/>
        </div>

        <div class="form-group">
```

```
                <label for="message">Message</label>
                <textarea name="text" id="message" cols="30" rows="10" class="form-
control"></textarea>
        </div>
        <div class="form-group">
                <input type="submit" value="Send message" class="btn py-3 px-4 btn-
primary">
        </div>

    </form>
    @if (session('por'))
        <div class="alert-success">
            {{session('por')}}
        </div>
    @endif
    <br/><br/>
    <div class="container-login100-form-btn">
        @if ($errors->any())
            <div class="alert alert-danger">
                <ul>
                    @foreach ($errors->all() as $error)
                        <li>{{ $error }}</li>
                    @endforeach
                </ul>
            </div>
        @endif
    </div>
</div>
        </div>
    </div>
    @endsection
```

pages/login.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{asset('/log')}}" method="POST" class="login100-form
validate-form">
                    @csrf
                <span class="login100-form-title p-b-49">
                    Login
                </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Username is reauired">
                        <span class="label-input100">Username</span>
                        <input class="input100" type="text" name="username"
placeholder="Type your username">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input" data-validate="Password
is required">
                        <span class="label-input100">Password</span>
                        <input class="input100" type="password" name="pass"
placeholder="Type your password">
                        <span class="focus-input100" data-symbol="&#xf190;"></span>
```

```
                    </div>

                    <div class="container-login100-form-btn">
                        <div class="wrap-login100-form-btn">
                            <div class="login100-form-bgbtn"></div>
                            <input type="submit" value="LOGIN" name="btnLog"
class="login100-form-btn"/>
                        </div>
                    </div>
                    @if(session('poruka'))
                        {{session('poruka')}}
                        @endif
                    @if (session('por'))
                        <div class="alert-success">
                            {{session('por')}}
                        </div>
                    @endif
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('reg')}}" class="txt2">
                            Register
                        </a>
                    </div>
                    <div class="flex-col-c p-t-155">
                        <a href="{{route('index')}}" class="txt2">
                            Back to blog page.
                        </a>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

pages/register.blade.php

```
@extends('layout.loglayout')
@section('cont')
    <div class="limiter">
        <div class="container-login100" style="background-image:
url('{{asset('/')}}images/bg-01.jpg');">
            <div class="wrap-login100 p-l-55 p-r-55 p-t-65 p-b-54">
                <form action="{{route('regg')}}" method="POST" class="login100-form
validate-form" enctype="multipart/form-data">
                    @csrf
                <span class="login100-form-title p-b-49">
                    Register
                </span>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Username is reauired">
                        <span class="label-input100">Username</span>
                        <input class="input100" type="text" name="username"
placeholder="Type your username">
                        <span class="focus-input100" data-symbol="&#xf206;"></span>
                    </div>

                    <div class="wrap-input100 validate-input m-b-23" data-validate =
"Email is reauired">
                        <span class="label-input100">Email</span>
                        <input class="input100" type="text" name="email"
```

```html
                      placeholder="Type your email">
                                <span class="focus-input100" data-symbol="&#xf206;"></span>
                      </div>

                      <div class="wrap-input100 validate-input" data-validate="Password
is required">
                                <span class="label-input100">Password</span>
                                <input class="input100" type="password" name="pass"
placeholder="Type your password">
                                <span class="focus-input100" data-symbol="&#xf190;"></span>
                      </div>

                      <div class="wrap-input100 validate-input m-b-23" data-validate =
"Pictures is reauired">
                                <span class="label-input100">Picture</span>
                                <input class="input100" type="file" name="fSlika"
placeholder="Type your photo">
                                <span class="focus-input100" data-symbol="&#xf206;"></span>
                      </div>

                      <div class="container-login100-form-btn">
                          <div class="wrap-login100-form-btn">
                                <div class="login100-form-bgbtn"></div>
                                <input type="submit" class="login100-form-btn"
value="REGISTER" name="btnInsert"/>
                          </div>
                      </div>
                      <br/><br/>
                      <div class="container-login100-form-btn">
                          @if ($errors->any())
                                <div class="alert alert-danger">
                                    <ul>
                                        @foreach ($errors->all() as $error)
                                            <li>{{ $error }}</li>
                                        @endforeach
                                    </ul>
                                </div>
                          @endif
                      </div>
                      <div class="flex-col-c p-t-155">
                          <a href="{{route('log')}}" class="txt2">
                                Log in
                          </a>
                      </div>
                      <div class="flex-col-c p-t-155">
                          <a href="{{route('index')}}" class="txt2">
                                Back to blog page.
                          </a>
                      </div>
                </form>
            </div>
        </div>
    </div>
    <div id="dropDownSelect1"></div>s
@endsection
```

pages/single.blade.php

```php
@extends('layout.glavniLayout')
@section('sadrzaj')
    <section class="ftco-fixed clearfix">
        <div class="image js-fullheight float-left">
            <div class="home-slider owl-carousel js-fullheight">
                <div class="slider-item js-fullheight" style="background-image:
url('{{asset('/').$post->Putanja}}');">
                    <div class="overlay"></div>
                    <div class="container">
                        <div class="row slider-text align-items-end" data-scrollax-
parent="true">
                        </div>
                    </div>
                </div>
            </div>
        </div><!-- end:image -->
    <div class="page-container float-right">
        <div class="row">

            <div class="col-md-12">
                <h2 class="mb-3">{{$post->Naslov}}ov</h2>
                <p>{{$post->Opis}}</p>
                @foreach($slika as $s)
                    <h2 class="mb-3 mt-5">{{$s->Alt}}</h2>
                    <img src="{{asset('/').$s->Putanja}}" alt="{{$s->Alt}}"
class="img-fluid">@endforeach
                    <div class="tag-widget post-tag-container mb-5 mt-5">
                        <div class="tagcloud">
                            @foreach($hash as $h)
                            <a class="tag-cloud-link">{{$h->Naziv}}</a>
                            @endforeach
                        </div>
                    </div>

                    <div class="pt-5 mt-5">
                        <h3 class="mb-5">Comments</h3>
                        <ul class="comment-list">
                            @foreach($kom as $k)
                                <li class="comment">
                                    <div class="vcard bio">
                                        <img src="{{asset('/').$k->Putanja}}" alt="{{$k-
>Alt}}">
                                    </div>
                                    <div class="comment-body">
                                        <h3>{{$k->KorIme}}</h3>
                                        <div class="meta">{{$k->Datum}}</div>
                                        <p>{{$k->Tekst}}</p>
                                        @if(session()->has('user')&&session()-
>get('user')->KorIme==$k->KorIme)
                                        <a href="{{route('edit',['id'=>$k-
>IdKomentar])}}">
                                            <input type="submit" name="edit" class="btn
py-3 px-4 btn-primary" value="EDIT"/>
                                        </a>
                                        <form action="{{route('delete',['id'=>$k-
>IdKomentar])}}" method="post">@csrf
                                            <input type="submit" name="delete" class="btn
py-3 px-4 btn-primary" value="DELETE"/>
                                        </form>
                                        @endif
```

```html
                    </div>
                </li>
            @endforeach
        </ul>
        <!-- END comment-list -->
        @if(session()->has('user'))
        <div class="comment-form-wrap pt-5">
            <h3 class="mb-5">Leave a comment</h3>
            <form action="{{route('kom',['id'=>$post->IdPost])}}"
method="POST" class="bg-light p-4">
                @csrf
                <div class="form-group">
                    <label for="name">{{session()->get('user')-
>KorIme}}</label>
                </div>

                <div class="form-group">
                    <label for="message">Message</label>
                    <textarea name="text" id="message" cols="30" rows="10"
class="form-control"></textarea>
                </div>
                <div class="form-group">
                    <input type="submit" value="Post Comment" class="btn
py-3 px-4 btn-primary">
                </div>

            </form>
        </div>
            @endif
        </div>
    </div> <!-- .col-md-12 -->
    </div>
    </div><!-- end: page-container-->
    </section>
@endsection
```

6. Routes

web.php

```php
<?php

Route::get('/','FrontendController@index')->name('index');
Route::get('/single/{id}','FrontendController@single')->name('single');
Route::get('/contact','FrontendController@cont')->name('contact');
Route::get('/auth','FrontendController@auth')->name('auth');
Route::post('/contact','FrontendController@contt')->name('cont');
Route::get('/kljucne','FrontendController@kljucne')->middleware('admin');
Route::post('/kljucne','FrontendController@kljucne1')->middleware('admin');
Route::get('/kom/edit/{id}','FrontendController@editKom')->name('edit');
Route::post('/kom/update/{id}','FrontendController@updateKom')->name('update');
Route::post('/kom/delete/{id}','FrontendController@deleteKom')->name('delete');


Route::get('/log','LogController@log')->name('log');
Route::post('/log','LogController@login')->name('logovanje');
Route::get('/reg','LogController@reg')->name('reg');
Route::post('/reg','LogController@register')->name('regg');
Route::get('/logout','LogController@logout')->name('logout');
Route::post('/komentar/{id}','FrontendController@kom')->name('kom');


Route::get('/admin','FrontendController@admin')->middleware('admin');
Route::resource('/admin/korisnik','Admin\KorisnikController');
Route::resource('/admin/hash','Admin\HashController')->middleware('admin');
Route::resource('/admin/komentar','Admin\KomentarController')->middleware('admin');
Route::resource('/admin/post','Admin\PostController')->middleware('admin');
Route::resource('/admin/slika','Admin\SlikaController')->middleware('admin');
Route::resource('/admin/uloga','Admin\UlogaController')->middleware('admin');
Route::get('/admin/kontakt','FrontendController@prikazAdmin')->middleware('admin');
```