1.建立文件存放文件夹

路径为application-prd.yml项目文件中的自定义数据filePath(默认：/usr/local/all_project_file/acef/)

```
1   #活动文章图片/海报保存路径,相对图片保存路径
2   aaip
3   #日志保存路径
4   log
5   #普通文章图片保存路径,相对图片保存路径
6   aip
7   #报名表保存路径，相对根路径
8   ef
9   #友情链接图片保存路径，相对图片保存路径
10  fl
11  #图片保存路径，相对根路径
12  img
13  #成员介绍图片存放路径，相对图片保存路径
14  mi
15  #富文本图片
16  rt
17  #轮播图或协会介绍图
18  SlideshowOrAssociationIntroductionPath: ssoai/
```

名称	大小	修改时间
⬆ 上级目录		
📁 aaip	4 KB	2019/12/5 10:3
📁 log	4 KB	2020/1/29 10:3
📁 aip	4 KB	2019/6/3 15:52
📁 ef	4 KB	2019/12/5 10:3
📁 fl	4 KB	2019/12/5 10:3
📁 img	4 KB	2019/8/6 14:0
📁 mi	4 KB	2019/12/4 23:2
📁 rt	4 KB	2019/12/5 10:3
📁 ssoai	4 KB	2019/12/4 23:2

/usr/local/all_project_file/acef/

2.在application-prd.yml项目文件中定义服务器公网Ip地址

- 变量名为：IpAddress

3.在application-prd.yml设置数据源database(username、password、url)

4.在application-prd.yml修改邮箱

```
1  #邮箱验证码法发送人邮箱
2   fromEmail: ***
3   #系统发生错误接收邮箱
4   errorEmail: ****
5   #邮箱第三方登录授权码
6   authorizationCode: ****
```

5.nginx配置

```
1
2  #user nobody;
3  user nginx;
4  worker_processes 4;#启动的线程数
5
6  #error_log /usr/local/acef_file/log/nginx/error.log warn;
7  #pid /usr/local/acef_file/log/nginx/nginx.pid;
8
9  #error_log logs/error.log;
10  #error_log logs/error.log notice;
11  #error_log logs/error.log info;
12
13  #pid logs/nginx.pid;
14
15
16  events {
17    worker_connections 1024;#每个进程的最大连接数
18  }
19
20
21  http {
22    include mime.types;
23    default_type application/octet-stream;
24
25    log_format main '$remote_addr $remote_user [$time_local] "$request" '
```

```nginx
26          '$status $body_bytes_sent "$http_referer" '
27          '"$http_user_agent" "$http_x_forwarded_for"';
28
29      #access_log /usr/local/acef_file/log/nginx/access.log main;
30
31      sendfile on;
32      #tcp_nopush on;
33
34      #keepalive_timeout 0;
35      keepalive_timeout 65;
36
37      #gzip on;
38
39      upstream load_balance {
40      server localhost:8080 weight=6;
41      #server 129.204.168.205:8081 weight=1;
42      }
43
44      client_max_body_size 30M;#控制全局nginx所有请求报文大小
45
46      server {
47
48      listen 80;
49      server_name localhost;
50
51      # https配置
52      #SSL 访问端口号为 443
53      #listen 443 ssl;
54      #填写绑定证书的域名
55      #server_name huangchaoweb.cn;
56      #证书文件名称
57      #ssl_certificate 1_huangchaoweb.cn_bundle.crt;
58      #私钥文件名称
59      #ssl_certificate_key 2_huangchaoweb.cn.key;
60      #ssl_session_timeout 5m;
61      #请按照这个协议配置
62      #ssl_protocols TLSv1 TLSv1.1 TLSv1.2;
63      #请按照这个套件配置，配置加密套件，写法遵循 openssl 标准。
64      #ssl_ciphers ECDHE-RSA-AES128-GCM-SHA256:HIGH:!aNULL:!MD5:!RC4:!DHE;
65      #ssl_prefer_server_ciphers on;
66
```

```nginx
67    #charset koi8-r;
68
69    #access_log logs/host.access.log main;
70
71    #location / {
72    # root html;
73    # index index.html index.htm;
74    #}
75
76    location ^~ / {
77    # 配置此处用于获取客户端的真实IP
78    proxy_set_header Host $http_host;
79    proxy_set_header X-Real-IP $remote_addr;
80    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
81    proxy_set_header X-Forwarded-Proto $scheme;
82
83    proxy_pass http://load_balance;
84    }
85
86    location /back {
87    root html;
88    index index.html index.htm;
89    }
90
91
92    # 匹配以/acef/开头的请求
93    location ^~ /acef/ {
94    # 配置此处用于获取客户端的真实IP
95    proxy_set_header Host $http_host;
96    proxy_set_header X-Real-IP $remote_addr;
97    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
98    proxy_set_header X-Forwarded-Proto $scheme;
99
100    proxy_pass http://load_balance;
101    }
102
103
104    location ~ .*\.(gif|jpg|jpeg|png|zip)$ {
105    expires 24h;
106    root /usr/local/all_project_file/;#指定图片存放路径
107    proxy_store on;
```

```
108   proxy_store_access user:rw group:rw all:rw;
109   proxy_temp_path /usr/local/nginx/html/;#图片访问路径
110   proxy_redirect off;
111   proxy_set_header Host 127.0.0.1;
112   client_max_body_size 10m;
113   client_body_buffer_size 1280k;
114   proxy_connect_timeout 900;
115   proxy_send_timeout 900;
116   proxy_read_timeout 900;
117   proxy_buffer_size 40k;
118   proxy_buffers 40 320k;
119   proxy_busy_buffers_size 640k;
120   proxy_temp_file_write_size 640k;
121   if ( !-e $request_filename){
122   proxy_pass http://127.0.0.1;#默认80端口
123   }
124   }
125
126   #error_page 404 /404.html;
127
128   # redirect server error pages to the static page /50x.html
129   #
130   error_page 500 502 503 504 /50x.html;
131   location = /50x.html {
132   root html;
133   }
134
135   # proxy the PHP scripts to Apache listening on 127.0.0.1:80
136   #
137   #location ~ \.php$ {
138   # proxy_pass http://127.0.0.1;
139   #}
140
141   # pass the PHP scripts to FastCGI server listening on 127.0.0.1:9000
142   #
143   #location ~ \.php$ {
144   # root html;
145   # fastcgi_pass 127.0.0.1:9000;
146   # fastcgi_index index.php;
147   # fastcgi_param SCRIPT_FILENAME /scripts$fastcgi_script_name;
```

```
148    #    include fastcgi_params;
149    #}
150
151    #    deny access to .htaccess files, if Apache's document root
152    #    concurs with nginx's one
153    #
154    #location ~ /\.ht {
155    #    deny all;
156    #}
157    }
158
159
160    # another virtual host using mix of IP-, name-, and port-based configur
ation
161    #
162    #server {
163    #    listen 8000;
164    #    listen somename:8080;
165    #    server_name somename alias another.alias;
166
167    #    location / {
168    #    root html;
169    #    index index.html index.htm;
170    #    }
171    #}
172
173
174    #    HTTPS server
175    #
176    #server {
177    #    listen 443 ssl;
178    #    server_name localhost;
179
180    #    ssl_certificate cert.pem;
181    #    ssl_certificate_key cert.key;
182
183    #    ssl_session_cache shared:SSL:1m;
184    #    ssl_session_timeout 5m;
185
186    #    ssl_ciphers HIGH:!aNULL:!MD5;
187    #    ssl_prefer_server_ciphers on;
```

```
188
189    # location / {
190    # root html;
191    # index index.html index.htm;
192    # }
193    #}
194
195  }
```