

The S3 bucket is created.

aws

Services

Search for services, features, marketplace products, and docs

[Option+S]

nevincansel

Global

Support

Amazon S3

Buckets

Access Points

Batch Operations

Access analyzer for S3

Block Public Access settings for account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight 2

Amazon S3

Buckets (1)

Buckets are containers for data stored in S3. [Learn more](#)

Find buckets by name

Name

▲

AWS Region

▼

Access

▼

Creation date

▼

○

my-project1-bucket

EU (Frankfurt) eu-central-1

Public

February 13, 2021, 18:35:30 (UTC+03:00)

Copy ARN

Empty

Delete

Create bucket

my-project1-bucket

Publicly accessible

Objects Properties Permissions Metrics Management Access Points

Objects (4)

Objects are the fundamental entities stored in Amazon S3. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Refresh

Delete

Actions

Create folder


Upload

Find objects by prefix

<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	css/	Folder	-	-	-
<input type="checkbox"/>	img/	Folder	-	-	-
<input type="checkbox"/>	index.html	html	February 13, 2021, 19:44:58 (UTC+03:00)	6.1 KB	Standard
<input type="checkbox"/>	vendor/	Folder	-	-	-

The S3 bucket is configured to support static website hosting.



Static website hosting



Use this bucket to host a website or redirect requests. [Learn more](#) 

Static website hosting

- ☐ Disable
- ☒ Enable

Hosting type

- ☒ Host a static website
Use the bucket endpoint as the web address. [Learn more](#) 
- ☐ Redirect requests for an object
Redirect requests to another bucket or domain. [Learn more](#) 

 For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#) 

Index document

Specify the home or default page of the website.

index.html


Error document - *optional*

This is returned when an error occurs.

index.html

Disabled

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#) 

Edit


Static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#) 


 <http://my-project1-bucket.s3-website.eu-central-1.amazonaws.com> 

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

EditDelete

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "AddPerm",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3:::my-project1-bucket/*"
    }
  ]
}
```

 Copy

CloudFront Distributions

Create Distribution

Distribution Settings

Delete

Enable

Disable

Viewing :

Any Delivery Method

Any State

<<

<

Viewing 1 to 1 of 1 Items

>

>>

	Delivery Method	ID	Domain Name	Comment	Origin	CNAMEs	Status	State	Last Modified
<input type="checkbox"/>	Web	EWVXKK115U461	dfmil37rp63r0.cloudfl	-	my-project1-	-	Deployed	Enabled	2021-02-13 20:05 UT

<<

<

Viewing 1 to 1 of 1 Items

>

>>