

# Understanding Git with Alloy

## Milestone 2

Cláudio Lourenço   Renato Neves

University of Minho  
Formal Methods in Software Engineering

June 7, 2012



# Table of contents

Where were we?

Progress

Our model right now

The operations


The properties

Future work




# Where were we?

- Focusing on Index + Object Model
- No problem with add and rm operations
- Commit - Big Problem



# The problem



# How did we solve it?

## Abstraction


- In each commit there is relation between Objects and Paths
- Facts to reflect the parent relationship

```
sig Commit extends Object {
  points : Tree,
  parent : set Commit,
  abs: Path -> Object
}
```


```
all c: Commit{
  let objs = c.points.*(contents.Name){
    c.abs in Path some -> lone objs
    (c.abs).(c.points) in Root
    all p,q : (c.abs).univ | p -> q in pathparent
      implies q.(c.abs) -> p.(c.abs) -> p.name in contents
    all t,o : objs, n : Name | t -> o -> n in contents
      implies all y : c.abs.t | some x : c.abs.o |
        x -> y in pathparent and x.name = n
  }
}
```



# The abstraction relation



# The abstraction relation



# Model

```

abstract sig Object {
  objects: set State
}

sig Blob extends Object {}

sig Tree extends Object {
  contains : Name  $\rightarrow$  lone (Tree+Blob)
}

sig Commit extends Object {
  points : Tree,
  parent : set Commit,
  abs: Path  $\rightarrow$  Object
}

sig RootCommit extends Commit {}

sig Branch{
  marks: Commit one  $\rightarrow$  State,
  branches: set State,
  head: set State
}

lone sig Master extends Branch{}

```

```

sig Path {
  pathparent : lone Path,
  name : Name
}

sig File{
  path: Path,
  blob: Blob,
  index: set State
}

```





# Operations



# Properties



# Future work



# Understanding Git with Alloy

## Milestone 2

Cláudio Lourenço   Renato Neves

University of Minho  
Formal Methods in Software Engineering

June 7, 2012

