

Novell Teaming + Conferencing

1.1

www.novell.com

USER GUIDE

September, 2007



Novell®

Legal Notices

Novell, Inc., makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Novell, Inc., makes no representations or warranties with respect to any software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Novell, Inc., reserves the right to make changes to any and all parts of Novell software, at any time, without any obligation to notify any person or entity of such changes.

Any products or technical information provided under this Agreement may be subject to U.S. export controls and the trade laws of other countries. You agree to comply with all export control regulations and to obtain any required licenses or classification to export, re-export or import deliverables. You agree not to export or re-export to entities on the current U.S. export exclusion lists or to any embargoed or terrorist countries as specified in the U.S. export laws. You agree to not use deliverables for prohibited nuclear, missile, or chemical biological weaponry end uses. See the [Novell International Trade Services Web page \(http://www.novell.com/info/exports/\)](http://www.novell.com/info/exports/) for more information on exporting Novell software. Novell assumes no responsibility for your failure to obtain any necessary export approvals.

Copyright © 2007 Novell, Inc. All rights reserved. No part of this publication may be reproduced, photocopied, stored on a retrieval system, or transmitted without the express written consent of the publisher.

Novell, Inc., has intellectual property rights relating to technology embodied in the product that is described in this document. In particular, and without limitation, these intellectual property rights may include one or more of the U.S. patents listed on the [Novell Legal Patents Web page \(http://www.novell.com/company/legal/patents/\)](http://www.novell.com/company/legal/patents/) and one or more additional patents or pending patent applications in the U.S. and in other countries.

Novell, Inc.
404 Wyman Street, Suite 500
Waltham, MA 02451
U.S.A.
www.novell.com

Online Documentation: To access the latest online documentation for this and other Novell products, see the [Novell Documentation Web page \(http://www.novell.com/documentation/\)](http://www.novell.com/documentation/).

Novell Trademarks

For Novell trademarks, see [the Novell Trademark and Service Mark list \(http://www.novell.com/company/legal/trademarks/tmlist.html\)](http://www.novell.com/company/legal/trademarks/tmlist.html).

Third-Party Materials

All third-party trademarks are the property of their respective owners.

Images of personnel in the screen shots supplied by Copyright © [Comtech Enterprises, Inc. \(http://www.comteche.com\)](http://www.comteche.com)

Contents

About This Manual	v
1 Understanding ICEcore	1
1.1 ICEcore is Collaboration Software	1
1.1.1 ICEcore is Knowledge Management Software	2
1.2 Navigating ICEcore	2
1.2.1 The Default ICEcore Portlets	4
1.2.2 The Navigation Portlet	5
1.2.3 Viewing a Workspace or Folder	6
1.2.4 Navigation	9
1.2.5 Returning to the Portal Page	13
1.3 Using ICEcore Help	13
1.3.1 Help for Administrators	16
2 Getting Started	21
2.1 Set Up Your Buddy List	21
2.2 Modify Your Personal Workspace	23
2.2.1 Add Basic Information	24
2.2.2 Edit Contact Information and Add Pictures	27
2.2.3 Add a Blog Entry	30
2.2.4 Collaborating with Others	34
2.3 Create a Team Workspace	40
2.3.1 Create the Workspace	41
2.3.2 View Team Members	42
2.3.3 Communicate with Teammates	42
2.3.4 Allow Visitors to Your Team Workspace	43
2.4 Use Advanced Search to Explore	45
2.5 Use the Workspace Tree to Explore	46
3 Features Overview	49
3.1 Tools	49
3.1.1 Accessories	49
3.1.2 Favorites	54
3.1.3 Tags	55
3.1.4 Filters	56
3.1.5 The Clipboard	57
3.1.6 Entry-Reference Mark-Up	59
3.1.7 Rating Stars	60
3.1.8 Workflow	61
3.1.9 ICEcore Conference	62
3.2 Folder Types	63
3.2.1 Blogs	63
3.2.2 Discussions	65
3.2.3 Calendars	65
3.2.4 Guestbooks	66
3.2.5 File Folders	67
3.2.6 Milestone folders	67
3.2.7 Photo Albums	68

3.2.8	Surveys	69
3.2.9	Tasks	69
3.2.10	Wikis	69
3.3	Workspaces	72
3.3.1	Global Workspaces	72
3.3.2	Personal Workspaces	73
3.3.3	Team Workspaces	73
3.3.4	Project Workspaces	74

ICEcore Glossary	79
-------------------------	-----------

A Troubleshooting	85
--------------------------	-----------

A.1	WebDAV Link Does Not Work	85
A.2	Too Many Log Ins for WebDAV	85
A.3	Not Understanding Mirrored Folders	85

About This Manual

This manual provides getting-started information for new users of Novell Teaming + Conferencing. Novell Teaming + Conferencing is implemented using ICEcore technology. In this manual, the term “ICEcore” applies to all versions of ICEcore unless otherwise noted.

This manual presents more detailed descriptions of the information found in the ICEcore Quick Start Guide, including more pictures.

Audience

This guide is intended for all new ICEcore users.

Contents of this Manual

This manual provides information about the following:

- ♦ ICEcore concepts, definitions, and navigation
- ♦ Getting-started procedures
- ♦ Feature overview
- ♦ Glossary
- ♦ Troubleshooting

Conventions

This manual uses the conventions described in the following paragraphs and table:

A greater-than symbol (>) is used to separate actions within a step and items in a cross-reference path.

A trademark symbol (®, ™, etc.) denotes a Novell trademark. An asterisk (*) denotes a third-party trademark.

When a single pathname can be written with a backslash for some platforms or a forward slash for other platforms, the pathname is presented with a backslash. Users of platforms that require a forward slash, such as Linux or UNIX, should use forward slashes as required by your software.

What you see	What it means
Click the <i>Add a team workspace</i> button.	References items that are clickable on the page are presented in <i>italic</i> font.
Click the <i>Getting Started</i> link.	
Blog summary - Provides a....	Defined terms in a list and note headers are presented in bold font.
Note: Remember that....	
Type <code>status</code> , then press Enter.	Text that you must type and file names are presented in <code>Courier</code> font.
Open the <code>ManagerGuide.pdf</code> file.	

Feedback

We want to hear your comments and suggestions about this manual and the other documentation included with this product. Please use the User Comments feature at the bottom of each page of the online documentation, or go to www.novell.com/documentation/feedback.html and enter your comments there.

Documentation Updates

For the most recent version of this manual (or others), visit the [Novell Web site \(http://www.novell.com/documentation/team_plus_conf/\)](http://www.novell.com/documentation/team_plus_conf/).

Additional Documentation

You can find more information in the ICEcore documentation, which is accessible from links within ICEcore:

- ♦ ICEcore Help Mode
- ♦ ICEcore Quick Start Guide
- ♦ ICEcore Installation and Configuration Guide
- ♦ ICEcore Administration Guide

This document describes how to use ICEcore Help mode, which documents pages and tools within the product.

Understanding ICEcore

1

Novell Teaming + Conferencing is implemented using ICEcore technology. In this manual, the term “ICEcore” applies to all versions of ICEcore unless otherwise noted.

ICEcore is collaboration software that bridges the gap between teammates working alone at their computers and working together during meetings. It provides spaces and tools for online teaming and conferencing.

This chapter provides overview information about the product and about navigating its pages. If you prefer to “learn by doing,” you may want to begin by reading [the next chapter](#).

This chapter includes:

- ♦ [Section 1.1, “ICEcore is Collaboration Software,” on page 1](#)
- ♦ [Section 1.2, “Navigating ICEcore,” on page 2](#)
- ♦ [Section 1.3, “Using ICEcore Help,” on page 13](#)

1.1 ICEcore is Collaboration Software

Collaboration using ICEcore facilitates online work, creating a “virtual meeting space.”

Here are examples of the increase in team synergy you experience when using ICEcore:

- ♦ You and your teammates can work together without having to be in the same room or working at your computers at the same time. Someone can post a note or document to a folder, and, at their convenience, teammates can comment on the work, review and edit files, and further develop the idea. With ICEcore, teamwork is ongoing and potentially never ending.
- ♦ When you are working online at the same time, the “presence” feature of ICEcore allows you to see which teammates are currently online, and allows you to start a chat session with ICEcore Conference, create an online meeting using ICEcore Conference, make a Skype phone call, and so on.
- ♦ Ideas are formed together, interactively, with your teammates. By the time you hold that meeting in the conference room, the team has already been a part of the formation of the idea, and teammates are more likely to understand it, buy into it, and assist with its implementation. ICEcore becomes a “pre-meeting” meeting.
- ♦ Documents are reviewed earlier in the process, allowing easier modifications and adjustments. ICEcore also makes it easier for more than one person to write a document, because of workflow processes that automate drafting and review, and because of ICEcore access control that easily designates writers and reviewers.
- ♦ Your collaborative process is preserved and publicly accessible in ICEcore. No more searching through e-mail folders in a frantic effort to “catch someone up” on a lengthy e-mail discussion. To review past discussions and decisions, or to review a previous version of a document, use the powerful search capability of ICEcore to locate historical information quickly and easily.
- ♦ Use various ICEcore tools in combination -- a milestones folder, tasks, workflow, discussions, chat, online meetings -- to track progress against goals for multiple teams working on a large project.

1.1.1 ICEcore is Knowledge Management Software

The out-of-the-box ICEcore tools alone provide powerful enhancements to online collaboration. In addition, enhanced design and use of the workspaces and tools within the product provide additional power is categorized as knowledge management. This power involves the intelligent development, management, access, and distribution of organizational knowledge.


Consider the following examples:

- ♦ When people use their personal workspaces to provide detailed information about themselves, the purpose of the workspace moves beyond merely contact data (phone numbers, e-mail addresses, Conferencing username, and so on). It enables searches for various subject-matter experts. Also, ICEcore analyzes its search results, telling you which people discuss your search topic the most and in which places these conversations are happening. It is easy to see pockets of expertise associated with your area of interest.
- ♦ Experts can rate entries in ICEcore using a five-star rating system (one star indicating the least impressive, and five stars being the most impressive), providing an additional tool for determining the quality of information.
- ♦ ICEcore provides tools -- wikis (information coauthored by all participants), blogs (chronological journal entries allowing for comments from readers), workflow (an online representation of a business process), and tags (categorical labels applied to items) -- which people can use to create and organize information organically, over time, in ways that map best to the team's natural work style. Using these tools, teams literally move their business processes online and automate their work.
- ♦ ICEcore provides work-area summaries, called accessories, that provide a snapshot of a potentially large amount of information, highlighting the most relevant data. For example, the accessory can present entries submitted by an expert on a given subject matter, or it can summarize task-completion information by providing a milestones overview.

1.2 Navigating ICEcore

Your ICEcore site administrator provides you with the web address (URL) used to access ICEcore, and your ICEcore username and password.

After you sign in, you see a portal page, as shown on the following page.




A portal page is a web page that presents different applications in sections within the larger page. On the Internet, you may have seen pages (for example, Google and Yahoo) that have sections presenting a weather report that is local to your area, stock quotes that are of interest to you, the local time, and more.

By default, ICEcore ships with LifeRay portal software. (from this point forward in this book, references to portal features apply to LifeRay software.) Portal software contains a set of tools that allow you to create new portlets, that allow you to control the look-and-feel of the page outside of the portlets, and more. To use ICEcore, you do not have to use the portal's tools; we recommend that you use only ICEcore tools designed to affect the look-and-feel of ICEcore information.

If your organization chooses, it can replace the default LifeRay software with different portal software. The tools provided by most portal programs are very similar. However, if your organization is using portal software other than LifeRay, and if you require additional assistance, please contact your ICEcore site administrator or your IT department for more information.

Within the portal page, separate applications can run within page sections called portlets. The picture on the following page shows two highlighted portlets on the following page.




1.2.1 The Default ICEcore Portlets

By default, when you sign in for the first time, ICEcore presents four portlets:

- ♦ **The welcome portlet** -- Provides quick access to getting-started PDF manuals (including this manual).
- ♦ **The navigation portlet** -- Gives you quick access to any workspace or folder you want to view in ICEcore, to your personal workspace or to your favorite places, to items that match search criteria, or to Help for the current page.
- ♦ **The buddy-list portlet** -- Displays the presence of people you designate as your buddies, and provides tools you can use to contact your buddies.
- ♦ **The bookmark portlet** -- Provides links to important workspaces and folders, and can provide a count of new or changed entries in folders.

ICEcore provides additional portlets that you can add to your portal page. To add another portlet, click the *Add Content* link, as follows:




The portal software displays a list of all available portlets. Click the *ICEcore* link to see a list, which includes the non-default ICEcore portlets, as follows:

- ♦ **Blog summary** -- Provides a snapshot of journal entries from a blog of your choice within the ICEcore installation.
- ♦ **Guestbook summary** -- Provides a snapshot of entries from your choice of ICEcore guest books.
- ♦ **ICEcore administration** -- Displays tools for ICEcore site, workspace, and folder administrators.
- ♦ **Photo gallery** -- Presents pictures from your choice of an ICEcore photo gallery.
- ♦ **Search** -- Presents items, potentially anywhere within ICEcore, that match search criteria.
- ♦ **Wiki home page** -- Displays a summary of the home page of an ICEcore wiki folder.
- ♦ **Workspace tree** -- Allows you to go to any place you want within ICEcore. (The navigation portlet also contains a workspace tree.)

1.2.2 The Navigation Portlet

Here is a picture of the navigation portlet:



The navigation portlet provides the following tools:

- ♦ **My-workspace icon** -- Displays your personal workspace, which contains your contact information, pictures, a personal blog, and much more.
- ♦ **Favorites icon** -- Displays a tool that you can use to list links to your favorite workspaces and folders, and that you can use to access them quickly.
- ♦ **Search** -- Allows you to perform different types of searches, either for any items or for specific types of items (people, places, and tags, which are category labels that you and workspace and folder owners can apply to items in ICEcore).
- ♦ **Help** -- Provides access to the getting-started PDF books, and provides Help about various sections of the portal page.

- ♦ **My-teams drop-down list** -- Lists links to all of the workspaces and folders in which you are designated as being a team member.
- ♦ **Workspace tree** -- Allows you to view any workspace or folder within the ICEcore installation. Clicking a plus sign (+) expands a portion of the tree, and clicking a minus sign (-) hides that portion of the hierarchy.


Notice the items in the workspace tree. By default, there are four workspaces in the tree. *Workspaces* are starting places for individuals and teams who want to do a certain type of work. By default, there are four organizational workspaces in the workspace tree: the Workspaces page, and subworkspaces entitled “Global workspaces,” “Personal workspaces,” and “Team workspaces.”

Global workspaces are containers for information available to anyone in your organization. Personal workspaces are pages of personal information (such as contact information, a personal blog, a personal calendar, and more) for everyone in your organization. Team workspaces are work areas designed to help small groups of people to work together efficiently and reach team goals.

1.2.3 Viewing a Workspace or Folder


There are numerous ways to view a workspace or folder in ICEcore. When getting started, the two most common methods are using the workspace tree or the search tools, both of which are located in the navigation portlet.

For example, you can click on plus sign (+) next to the *Team workspaces* link in the workspace tree to see available team workspaces. Using our sample installation, clicking on the plus sign next to the *Team workspaces* link causes the workspace tree to appear as follows:




The “Team workspaces” workspace displays a single subworkspace, whose title is “Corporate web site.” ICEcore displays links only to those workspaces for which you are a team member.

Again, using our example installation, clicking on the plus sign next to “Corporate web site” workspace title displays the contents of that workspace, as shown on the following page.



The “Corporate web site” team workspace contains six folders and a project workspace (a subsequent chapter explains these items in more detail). Folders can, in turn, contain subfolders, which further organize information. None of the folders in the previous picture contain subfolders.


To view a folder, click its linked title. In the last picture, if you click on the *General team discussion* link in the “Corporate web site” workspace, ICEcore leaves the portal page and displays the discussion folder in its own page in your browser window:



Notice that ICEcore displays most of the navigation-portlet tools in the top-left corner of a workspace or folder page:




By default, a folder lists only a summary of each discussion entry. To view the entire entry, click the title of the entry:



By default, ICEcore displays the discussion entry as an overlay, on top of the current page, as shown on the following page.



Click the Close icon (X) in the upper-right corner of the overlay to close it, displaying only the folder listing again:




1.2.4 Navigation

ICEcore provides several different ways for you to go from one place to any other place within your installation, quickly and easily. For example, the previous section showed how to use the workspace tree to navigate to a team workspace page. Also in the navigation portlet, you can see a list of all the teams to which you belong, as shown on the following page.




ICEcore then displays the “Corporate web site” team workspace page. Toward the top of ICEcore pages, there is a workspace tree that shows all of the workspaces and folders that contain the currently displayed page. This type of workspace tree is often called “breadcrumbs,” which display links to all the places that precede the currently displayed place.

Consider the workspace tree at the top of the “Corporate web site” team workspace in this example:




The “Workspaces” workspace contains the “Team workspaces” workspace. The “Team workspaces” page contains the “Corporate web site” team workspace.

When you are finished working with the current page, you can use this workspace tree to navigate to other places. Consider the picture on the following page.



When displaying maximized ICEcore pages, such as a workspace or folder page, ICEcore includes a tools sidebar, which provides additional navigational tools, as follows:



The tools sidebar for a workspace includes these sections:

- ♦ **Navigator** -- Provides the same features as those found in the Navigator portlet, allowing you to go to your personal workspace, use links to your favorite places, go to workspaces in which you are a team member, and search.
- ♦ **Recent places** -- Provides links to a few of the pages you viewed recently. (In this example, ICEcore has displayed only one place.)
- ♦ **Folder tags** -- Displays a list of tags that have been applied to items in the currently displayed place. Tags are categorical labels that you create and apply to items to make them easier to find later.
- ♦ **Workspace** -- Shows links to all places in the current workspace. Whereas the workspace tree at the top of the page shows you the path to the current place, this workspace tree provides a path to the contents of this place. In this example, the “Corporate web site” team workspace contains folders and a project workspace called “December 2007 redesign.”

The sections in the tools sidebar can vary by folder type. For example, blogs include a section that enables you to see journal entries in a previous month (the monthly list of blog entries is called an archive).

Continuing with our example, let’s say that the viewer of the “Corporate web site” team workspace wants to view the personal workspace of a coworker. First, he can type just a few letters of his coworker’s name in the People text box of the Navigator, as follows:




After clicking the user name of *Efrain Gonzalez*, ICEcore displays that person’s personal workspace, as shown on the following page.



Notice that ICEcore now includes Efrain's personal workspace in the list of recently visited places.


1.2.5 Returning to the Portal Page

To return to the portal page you saw when you first signed in, click either the portal-page home link or the left-arrow icon on the workspace or folder page. In the example, the portal-page home link is "Home," but your site administrator may rename it. Consider the following:




1.3 Using ICEcore Help


ICEcore has a fun and unique way of helping you to learn about product pages and tools. The portal page and all pages that include the navigation bar include a Help icon, as shown on the following page.




When you click this icon, ICEcore enters Help mode. ICEcore dims the page, displays the Help-mode control panel, and presents information icons (*i*) next to each section of that page for which there exists Help information, as follows:



Click the information icon over the portion of the page about which you want more information. When you do, ICEcore displays a panel of information. When you are finished reading the panel, click the Close icon (X) in the upper-right corner of the panel to close it. The picture on the following page shows a panel of Help information and its Close icon.




Some Help topics have more than one page of information. To move to and from pages in a Help topic, you can use the linked panel numbers and arrows (which go to the previous or next panel) at the bottom of the page, as follows:




The Help topic in the previous picture has three pages. Either click the number of the page you want to view, or click the double-right arrow to move forward, and the double-left arrow to move backward through the topic.

You might find that you want more room on the page to click information icons. If you choose, you can minimize the Help-mode control panel. To do so, click the down-arrow icon, as shown on the following page.




After you minimize the control panel, it appears as follows:



To maximize the control panel again, click the right-arrow icon.

To view getting-started PDF manuals, click *View manuals* in the control panel. To exit Help mode, either click the Close icon (X) in the control panel, or click any dimmed part of the page. The following picture shows the location of the *View manuals* button in the Help control panel:



1.3.1 Help for Administrators


Site administrators and others might want to read overview information about administrative tasks. The administrative Help includes these topics:

- ♦ **Administration-tools portlet** -- Describes the tools available in the administration portlet. Administrators of the top workspace are allowed, by default, to perform workspace and folder administration anywhere in the installation, and they can use a subset of the administration-portlet tools (for example, create groups, and design entries and workflow processes). Site administrators can use all of the tools.
- ♦ **Configuration** -- Is the process of determining the content and appearance of workspace, folder, and entry pages.
- ♦ **Access control** -- Determines who has the right to perform which tasks in a given place.


- ♦ **Workflow** -- Allows you to create online representations of business processes (for example, document reviews, paid time-off requests, document approvals, and so on), which can then be applied to entries in folders.

If you would like to read more about these administrative topics, do the following:


1. On the portal page, click *Add Content*:




2. Click ICEcore:



3. Click *Add* next to the ICEcore Administration label, as shown on the following page.




4. Click the Close icon (X):



The ICEcore administration portlet appears on the portal page.

5. Click the Help icon in the upper-right corner of the administration portlet.
6. Links to the configuration, access-control, and workflow overview topics appear at the bottom of the Help panel for the administration portlet, as shown on the following page.



Getting Started

2

This chapter describes initial tasks for users who are learning how to use ICEcore.

This chapter contains the following information:

- ♦ [Section 2.1, “Set Up Your Buddy List,” on page 21](#)
- ♦ [Section 2.2, “Modify Your Personal Workspace,” on page 23](#)
- ♦ [Section 2.3, “Create a Team Workspace,” on page 40](#)
- ♦ [Section 2.4, “Use Advanced Search to Explore,” on page 45](#)
- ♦ [Section 2.5, “Use the Workspace Tree to Explore,” on page 46](#)


2.1 Set Up Your Buddy List

One of the most powerful tools in ICEcore is the presence icon. This icon tells you whether a person is online or not, and enables quick communication with that person (sending an instant message using ICEcore Conference, initiating an instant meeting using ICEcore Conference, sending e-mail, placing a call using Skype, and so on).

Although presence icons are displayed in ICEcore wherever you see someone’s name, a great way to get started with presence is to set up your buddy-list portlet, so that you see the online status of your buddies as you soon as you sign in.

To set up your buddy list:

1. Sign in with your username and password.
2. Locate the ICEcore Buddy List portlet:




If you do not see the portlet, click *Add Content* in the upper-right corner of the portal page, click *ICEcore*, click the Add button next to “ICEcore Buddy List,” and click the Close icon (X). ICEcore adds the buddy-list portlet to the portal page. If you require more assistance, see your ICEcore site administrator.

3. In the portlet, click *Add buddies*.


ICEcore displays the “Configure buddy list” page.

4. Begin typing the first few letters of either the first or last name of a buddy, and then click that person’s linked name in the drop-down list.

ICEcore includes the “type to find” feature. To use this feature, place your cursor in a text box that requires a known type of information, such as a name. Then, type a space, and then backspace over it. ICEcore then displays a list of links to all possible items:




As you type characters ICEcore adjusts the list to match what you type. The following examples shows what happens in the example installation when someone types a letter:



ICEcore displays a list of links of all the people whose first or last names match what you have typed so far. Click the linked name to add that person to your buddy list.

5. Click *Apply*.
6. Repeat Step 4 as often as necessary to add all of your buddies.

If you mistakenly add a name, click the Delete icon (X) next to the name to remove it:




7. Click *Closed*.

To ensure that the buddy-list portlet is showing you the most up-to-date presence information for your buddies, click *Refresh* in the portlet.


Tips for using buddy lists

- ♦ Here are the descriptions of the presence icons:

 Online

 Away (recently online)

 Offline

 Status unknown

- ♦ To communicate with a buddy, click the presence icon and select a communication method (instant message, instant meeting, e-mail, and so on).
- ♦ To view a buddy's personal workspace (which includes contact information), click the linked name of your buddy.

2.2 Modify Your Personal Workspace

As the next step involved with learning to use ICEcore, it can be fun to create a comfortable working space in your personal workspace.

Your personal workspace is your ICEcore homepage or start page. Like any workspace, such as your desk at work or wood shop at home, it can be helpful to brighten, organize, or personalize your environment. It is also helpful to provide a safe space for people to visit you in your workspace (for example, a waiting or viewing area). You can apply similar approaches to your online workspace in ICEcore.

By default, other people are allowed to visit your workspace, but only you may participate in it. Participation means that you can create new entries in your folders, and visiting means that people can read your entries and can comment on them.

This section contains this information about enhancing your personal workspace:


- ♦ [Section 2.2.1, “Add Basic Information,” on page 24](#)
- ♦ [Section 2.2.2, “Edit Contact Information and Add Pictures,” on page 27](#)
- ♦ [Section 2.2.3, “Add a Blog Entry,” on page 30](#)
- ♦ [Section 2.2.4, “Collaborating with Others,” on page 34](#)

2.2.1 Add Basic Information


As the first step, it can be helpful to provide some introductory text for visitors to your personal workspace.

To modify your personal workspace, do the following:

1. On the portal page, click the *My workspace* icon in the navigation portlet:




2. Click *Manage > Modify this workspace*, as shown on the next page.



ICEcore displays a form that allows you to add a personal description to your personal workspace, as shown in the picture on the next page.



While viewing a personal workspace page, you can collapse the contact information so that it is easier to see more of the content on the personal workspace page. To collapse the contact information, click the minus-sign-icon (-) in the upper-right corner of the workspace page, as follows:



Click the plus-sign-icon (+) to expand the contact information again.

2.2.2 Edit Contact Information and Add Pictures


Although your ICEcore site administrator probably specified some of your contact information, it is a good idea to check it, modify it, and make sure that it is complete. For example, the presence

feature requires that you specify your ICEcore Conference username correctly on your personal workspace.

Also, uploading pictures can help visitors to identify you, and it can provide decoration and amusement.

To modify your contact information and upload pictures:

1. Click the *Modify profile*:




ICEcore displays a form that allows you to alter contact information and upload pictures.

2. Alter any contact information that is missing or incorrect.
3. Click the *Browse* button to upload a picture:

A screenshot of a web form for modifying a user profile. The form contains several input fields: 'Login name' (egonzalez), 'First name' (Efrain), 'Middle name' (empty), 'Last name' (Gonzalez), 'Email address' (egonzalez@acme.com), 'Zon user name' (egonzalez), and 'Phone' (978-555-7000 x28). Below these fields is a 'Picture' field, which is circled in red. To the right of the 'Picture' field is a 'Browse...' button, also circled in red. Below the 'Picture' field, there is a section for 'Current Picture' with two checkboxes labeled 'efrain1.jpg' and 'efrain2.jpg'. Below this section is a note: '(Select the files to be deleted.)'. At the bottom of the form are 'OK' and 'Cancel' buttons.

ICEcore places the filename of the picture in the “Current pictures” section of the page.

4. Repeat Step 3 until you upload all the pictures you want into your personal workspace.
5. Next to the filenames of uploaded pictures, click the up or down arrow to reposition the picture in the list (why not place your best picture first):



To delete a picture from your personal workspace, click the check box next to the filename, and ICEcore removes it after you submit the form.

6. When finished, click *OK* to submit the form.

ICEcore displays the first picture in your list as the main picture in your personal workspace, and displays all other pictures as thumbnails (smaller versions) below the contact information:



Tips for uploading images

- ♦ You may add as many pictures as you like, but you must add them one by one.
- ♦ When viewing any personal workspace, move your cursor over the thumbnail pictures located just below the contact information, and ICEcore displays each picture as the larger frame on the left side of the page section.

- ♦ Click any of the pictures in the personal workspace, and ICEcore displays a full-size version of that picture.


2.2.3 Add a Blog Entry

Blogs are a new and popular communications tool available on the Internet. The blog folder in your personal workspace is for your journal entries. Blog folders display journal entries chronologically (starting with the most recent, and ending with the oldest).


From a teamwork perspective, a blog can be a great idea to present your newest ideas to your teammates in a fun, informal way. Comments that teammates make about your journal entry can help you to further develop your ideas. Blogs provide a way to collaborate informally before the work must become more structured.

To add an entry to your blog:

1. View your personal workspace page.
2. In the Workspace section of the tools sidebar, click the title of your blog folder (*Blog*, by default):



3. Click *New > Blog entry*, as shown on the following page.



4. Provide a title, and type your journal entry in the Description section.
5. If you choose, you can click *Browse* to upload a picture in the Attachments section of the form.
6. Click *OK*.

This is an example of a blog entry as it appears on the folder page:



The picture on the following page shows you the content of the entry:

Excitement about our new ad campaign

Aug 20, 2007 4:13 PM by  Efrain Gonzalez

★★★★★ (Average rating is 2.0 from 1 rating.) 1 visit no comments

Our next ad campaign is scheduled to begin just after Labor Day, when people are back from their vacations, refreshed, and ready to pay attention again. And they won't be the only ones who are refreshed. I think that this new ad campaign is a fresh start for our division.

I'd like to draw you to a few aspects of the new ads:

New Acme corporate logo

Copy reflects the new Acme vision and strategy (attached)

A more elegant set of visuals

Moving forward, I think that it's important to take time out and congratulate the ad-campaign team for a job well done! Sally Jaffee in particular deserves a huge round of applause from everyone.

Having said that, we here at Acme are also dedicated to continuous improvement. So, we want to keep the feedback flowing so that our next ad campaign can be even **better** than the last.

Good work, team!

[\[Edit\]](#)


Attachments




Acme
vision and
strategy.doc

[\[HTML\]](#) [\[EDIT\]](#) 8/20/07 4:13:27 PM 20KB Efrain Gonzalez

Later, you can check your blog entry for comments, as shown on the next page.



Click *View comments* to see them:



Tips for writing blog entries

- ♦ Attach pictures or supporting documents to make your journal entries more interesting.

- ♦ For pictures available on the Internet, you can use the HTML editor to place the picture right into your entry.
- ♦ Invite others to comment by asking for specific kinds of feedback.

2.2.4 Collaborating with Others


After doing the tasks described in the previous sections, you have completed the minimum number of tasks strongly recommended to get started using your personal workspace. Developing a vibrant, purposeful collaboration space requires striking a balance between having something for people do when they first arrive in a space (read your introduction, view your pictures, note your contact information, and read and comment on your blog entries), and allowing the participation of your teammates to guide you in developing additional content.

This section provides ideas for further activity involving personal workspaces. Consider these points over time, as you become more accustomed to working with ICEcore.


Commenting on a Blog Entry

While you are waiting for teammates to comment on your initial blog entry, you can add a comment to someone else's blog entry:

1. Sign in and view the portal page.
2. In the "Find people" text box, type a few letters of a teammate's first or last name:




3. In the Workspace section of the tools sidebar, click the title of the person's blog (*Blog*, by default), as shown on the next page.



4. At the bottom of a blog entry, click the *Add comment* link, as shown on the next page.

ICEcore adds your comment to the blog entry:



Collaborate in a Folder


The next section explains how to create a team workspace. Even though, by default, this process is very easy, you may want to use your personal workspace to learn ICEcore collaborative features before creating a team workspace. One way to do this is to create a folder and invite others to participate in the folder with you as teammates.

To create a team folder in your personal workspace:

1. View your personal workspace, as shown on the next page.




2. Click *Manage* > *Add new folder*:




ICEcore displays a form that allows you to create a new folder.

3. Provide a title for your folder and select a type of folder (our example uses “Discussion”).
4. Click *OK*.

Your new folder appears in the Workspaces section of the tools sidebar, as shown on the following page.




5. Click the link for your newly created folder.
6. Add new entries (optional).
7. In the management-menu bar, click *Team > Add or delete team members*:



ICEcore displays a form telling you that the folder is not inheriting and provides you with tools for specifying your teammates. Inheritance is helpful, because it makes many product features work automatically; if you wanted this folder for private use, then applying inheritance would be wise. In this case, however, you want to specify your own team.

8. Typing a few letters of either the first or last names of teammates, as shown on the following page.



9. Click *OK*.

ICEcore now allows teammates to participate in your newly created folder, instead of just being able to visit, as they do in other folders in your personal workspace. This means that teammates may take a more active role in the development of information in the folder. Following our example, when Randy Wayne returns to the “Web site development team folder” in his personal workspace, a teammate may have authored an entry:



You can use team-oriented folders in your personal workspace until you feel more comfortable with the product features. Then, you can create a team workspace.

2.3 Create a Team Workspace


By default, anyone can create a team workspace (your site administrator will inform you, if the defaults are altered for your organization’s installation). Create a team workspace when a collection of workspaces and folders would facilitate your team’s mission.

This section includes:

- ♦ [Section 2.3.1, “Create the Workspace,” on page 41](#)
- ♦ [Section 2.3.2, “View Team Members,” on page 42](#)
- ♦ [Section 2.3.3, “Communicate with Teammates,” on page 42](#)
- ♦ [Section 2.3.4, “Allow Visitors to Your Team Workspace,” on page 43](#)


2.3.1 Create the Workspace

1. From the portal page, in the workspace tree, click *Team workspaces*:



By default, all team workspaces are subworkspaces contained by “Team workspaces.” Your site administrator may instruct you to go to a different workspace to create your team workspace. The remaining steps in the process are the same.

2. Click the *Add a team workspace* button:



ICEcore displays a form used to create your team workspace.

3. Provide a title for your team workspace.
4. In the “Team members” section, use the type to find feature (typing a few letters as ICEcore supplies a list of links that match what you have typed so far) to specify your teammates.
5. In the “Workspace folders” section, click the check box next to the folders you want your team workspace to contain. (You can also add subworkspaces and folders later.)


6. If you choose, you can provide an announcement to be sent by e-mail to your team members, so that they know about the new team workspace.
7. Click *OK*.

Tips for Team Workspaces

- ♦ As the owner of this workspace, you are primarily responsible for workspace administration. Examples of those tasks include creating other containers for information (subworkspaces and folders), possibly adjusting access control (which determines who may do what in the workspace), and providing some initial content to assist team members with getting started.
- ♦ Do not provide a large volume of content. For the workspace to match the needs and style of your team, your teammates active participation should contribute content and guide administrative decisions.

2.3.2 View Team Members

By default, ICEcore includes a team-membership accessory on your workspace page, which shows you the current team membership. *Accessories* are sections at the top of workspaces and folders that provide summary information for you. In this case, the accessory shows you a list of team members for the new team workspace. If you want to close an accessory to provide more room for viewing other contents of the workspace or folder, click the down arrow:



If this accessory is not present, do the following to view the team membership:

1. View your team workspace.
2. Click *Team* > *Show team membership*.

2.3.3 Communicate with Teammates

In addition to having a workspace to contain more items, team workspaces allow for faster communication between teammates. To use team communication tools:

1. Click the *Team* button on the management-menu bar.
2. Click either *Create a meeting with the team* or *Send mail to the team*.


Teammates participate in meetings using their ICEcore Conference clients.

2.3.4 Allow Visitors to Your Team Workspace

By default, only team members may view and participate in the workspaces and folders contained in the team workspace. There may be times when you want to allow other people to visit your team workspace (which, by default, means that they can read entries and comment on them, but they cannot create entries).


To allow visitors to your team workspace:

1. Navigate to your team workspace page.
2. Click *Manage* > *Access control*:



ICEcore displays the “Configure access control” page for the team workspace.

3. In the “This folder inherits...” section, if it is not set to No already, click the *No* radio button, and click *Apply*:



4. Click *Add a role* > *Visitor*:
5. Click *Add a user*, and use the “type to find” feature to select a name, as shown on the next page.

Inherit role membership from the parent folder or work
☐ yes ☒ no

✓ *designates the access control setting of the parent*

Add user names from clipboard

	Group title	Group name	Participa
	Owner of workspace or folder		<input checked="" type="checkbox"/>
	Team members		<input checked="" type="checkbox"/>

Add a group ▼

Group title	Group name	Participa
All users	allUsers	<input checked="" type="checkbox"/>

Add a user ▼

User title	User name	Participa
Efrain Gonzalez	egonzalez	<input checked="" type="checkbox"/>

Add a user

ef

Efrain Gonzalez

[Note: add Efrain Gonzalez been designated as the defa

6. In that new user's row, click the check box in the Visitor column:

Add a user ▼	User title	User name	Participant	Team member	Visitor	Work
	Efrain Gonzalez	egonzalez	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	


- Repeat Steps 5 and 6 until you have added all your visitors.
- Click *Save changes*.
- Click *Close*.

Now those people have the right to view your team workspace and to add comments to existing entries. They cannot create new entries.


2.4 Use Advanced Search to Explore

When you perform a quick search, ICEcore searches all workspaces and folders. Use the Advanced search feature to perform more complex or finely tuned searches. Here is an example of using Advanced search to restrict the scope of the search:

1. From either the navigation portlet or the navigation bar, in the search section, click *Advanced*:



2. Type text that an item must contain, and check the box of one or more workspaces or folders in which to restrict the search, as shown on the next page.



3. Click *Search*.

This advanced search returns links to only those items in the “Files, white papers...” and “General team discussion” (located in the “Corporate web site” team workspace) that contain the string “CSS”. Summaries of items that match the search criteria appear just below the section shown in the previous picture.

2.5 Use the Workspace Tree to Explore

In addition to using search to explore workspaces and folders in ICEcore, you can open the workspace tree in either the navigation portlet or a navigation bar, and you can visit all the places in which you are allowed to visit or participate. For example, your site administrator can create workspaces and folders for broader use throughout your organization.

The following picture shows a possible set of workspaces and folders located in the Global workspace, as shown on the next page.



Features Overview

3

This chapter provides a brief overview of most of the tools, folder types (or “applications”), and workspaces available in ICEcore.


3.1 Tools

This section describes various tools that enhance navigation, usability, knowledge management, and other aspects of ICEcore.

3.1.1 Accessories

Accessories are subsections of a workspace or folder page that enhance the use of ICEcore pages in various ways. Accessories do not contain new information; instead, they point to existing information, organizing and presenting it in a summarized way that can be helpful to you. This section presents two examples of accessories to help you understand how you can use them.


To create an accessory, you can click on the Accessories icon and click *Add an accessory*:




In addition to the various types of accessories (photo gallery, search results, blog, and so on), there are categories that determine the scope of the accessory, as follows:

- ♦ **Personal accessory for this page only:** This accessory appears only to you and only on the currently displayed workspace or folder page.
- ♦ **Personal accessory for all workspaces and folders:** This accessory appears only to you, but it appears on all workspace and folder pages that you view.
- ♦ **Community accessory for this page:** This accessory appears only on this page, and it appears for everyone who views the current page. Only workspace and folder administrators are allowed to establish community accessories.

For folders, accessories appear above the folder content, as shown on the next page.



To close an accessory or the entire accessories panel, click the appropriate Close (down-arrow) icon:




To move an accessory, reordering it within the accessories currently located in the accessory panel, click on its title bar, drag it to your desired position within the accessories panel, and drop it.

To delete an accessory, click the Delete icon (X). Remember that accessories do not contain information; they merely point to and summarize information that exists elsewhere. So, when you delete an accessory, you delete the pointer, not the source information. Also, it is very easy to add the accessory, if you mistakenly deleted it.


Adding an Accessory Visible on All Pages

Using our example installation, the company provides a photo gallery of amusing pictures in the Global workspace area, and one of the characters in the installation wants to have access to these pictures to amuse himself, no matter where he is within ICEcore.


So, notice that the photo-gallery accessory appears when he view the file folder containing graphics for his web-site-redesign work:



And it appears when he views the discussion folder for the web-site redesign effort, as shown on the next page.




To be able to save room for viewing the content of the folder, the person can close either just the photo-gallery accessory or the entire accessory panel itself. This close setting is “sticky”; it remains in effect for every page that this person views:



Adding an Accessory for One Page

Suppose that the character in our sample installation wants to be able to review quickly all of the entries in a discussion folder that he authored, he can create a Search Results accessory applicable to only the Discussion folder, as shown on the next page.




This person can use the Left- and Right-Arrow icons to move back and forth between pages displaying the search results (all entries he authored in this one discussion folder). He can also close the search-results accessory (or the entire accessories panel) to be able to see the folder contents closer to the top of the page.

Layout

When you create accessories for every page that you view, or for a community accessories panel, ICEcore provides a tool for arranging the order of the accessories within the panel. In this way, you can determine an optimal default order in which the defined accessories appear within the panel. (People may personalize the order by dragging and dropping accessories within a community panel.)

To affect the layout of a global or community accessory panel, use one of the tools shown on the following page.




ICEcore then displays the accessories in the reverse order in which they were created. Click the title bar of an accessory, drag it, and drop it into the position you wish it to have. Repeat this action until the accessories are ordered to your liking.

3.1.2 Favorites

The favorites panel allows you to save links to your favorite pages. Because almost all ICEcore pages display the Navigator tools (including the Favorites icon), you can access your favorite pages from anywhere within the installation.


The following picture shows that you can either add the current page to the favorites list or you can click on a *Favorites* link to view that page:



3.1.3 Tags


Tags provide an alternative way to categorize items, making it easier to navigate to and search for them later. Given our sample installation, there is a file folder that contains all of the graphics used in a web-site redesign. It might be helpful to tag the folder as containing “artwork” and “icons.”

After viewing the file folder, click the open icon (right arrow), click Tags, enter the personal tag, and click *Add*:




When you are finished adding all the tags you want, click the Close icon (X).

The Tags section of the tools sidebar now appears as follows:




Both of the tag names (artwork and icons) are links. Click a tag name, and ICEcore searches for all items that have that tag applied to them. Also, in the “Search tags” text box, you can now search for these tags, as shown on the following page.



To remove a tag from an item, view the item, click the *Tags* link and icon, and click the Delete icon (X) next to the tag name. If you are a workspace or folder administrator, you can create community tags, which other people can use to search for items.

3.1.4 Filters

Filters allow you to see only the subset of folder entries that most interest you. To create a filter, view a folder, and click the *Edit* link next to the Filter drop-down list:



Using our sample installation, the person can create a filter that displays all of the web-site-redesign discussion entries that contain the word “navigation,” as shown on the following page.

Filter name

Filter name

Navigation

Filter terms ⓘ

Select the terms of the filter to be added.

Text: navigation|

Authors:

Tags:

Authors

☒ Author: []

In the Filter drop-down list, you see only the filters that you create

+ Workspaces // + Team workspaces // + Corporate

My entries

Funny pictures

New ▾ Sort by ▾ Folder view ▾ Folder action ▾

Filter: Navigation ▾ Edit [1 to 1 of 1] Sh

8. **Brainstorming the navigation**

I think our initial cut at a navigational scheme ne technology. Second, there seem to be too many a bit and brainstorm...


Created by: Jamaal Evans Modified: Aug 20, 20

Meet | Clipboard | Add files to folder

3.1.5 The Clipboard


The clipboard is a tool that allows you to gather people's names as you visit places (workspaces and folders) within ICEcore. Later, when using a tool that requires people's names, you can use the clipboard to specify them.

Using our sample installation, a person can visit the discussion folder within a team workspace, scroll to the bottom of the folder page, and click *Clipboard*, as shown on the following page.



Then, to add members of the team for the currently displayed team workspace, you can click either *Add people from this page* or *Add team members*. The *Add people from this page* link adds the names of everyone who authored an entry or comment in the entries on the page currently displayed.

After adding the names of all team members associated with this team workspace, and after editing the selections, the clipboard can look like this:



When you check the box next to names and click the *Remove selected* button, ICEcore closes the clipboard panel. Or, you can click the Close icon (X) in the upper-right corner of the panel.

As the next step, on another ICEcore page, this person can use the clipboard to send mail to people using the names he has collected, as shown on the following page.

Send email

Recipients

Add email addresses (separate multiple addresses with commas):

☐ Randy Wayne (rwayne@acme.com)

Users
Find people

Groups
Find groups

☒ **Clipboard user names**

Select all Clear all

☒ Beth Powell ☒ Mark Capodilupo
☒ Elaine Lui ☒ Stan Grossman
☒ Jamaal Evans

Team members

3.1.6 Entry-Reference Mark-Up

When creating or modifying an entry, you can create a link to any other entry within the ICEcore installation. The easiest way to create this link is to use a tool in the HTML editor. Given our sample installation, in the wiki folder for the website-redesign project, you can reference other wiki pages. You can highlight text in the body of the entry, and then click the mark-up icon in the HTML editor toolbar, as follows:

Title

home page

Description


B I U ABC | **Paragraph** | **HTML** | **ab**

Top quality...it's the Acme way


When you think of quality widgets, you think of Acme. Since 1927, Acme has been the premier name in International widget technology.

Our new Acme Product Suite provides solutions for all of your widget needs. Speak to an Acme Sales Representative **today** to find out more about this innovative set of products.

Linked directly to **company history**

Tip: Use [[entry title]] to link to other entries in this folder, or click on the  editor toolbar button.

ICEcore displays a new window. Click the Find link, and use “type to find” to specify the title of an entry:



Select the correct entry title, and click the *Insert* link. ICEcore inserts the link into the body of your entry.

This entry-reference mark-up tool also allows you to look for entry titles in other folders. Finally, if you want to hand-code the reference, you can enclose the exact title of an entry in the current folder in double brackets, as follows:

```
Linked directly to [[company history]]
```


Although you can use entry-reference mark-up in any folder, it is used heavily in **wiki folders**.

3.1.7 Rating Stars

ICEcore provides a rating system that allows you to see how other people have evaluated the content of an entry on a scale of one star (not very impressive) to five stars (incredibly impressive).

To evaluate an entry, click the star that represents your evaluation. For example, to give an entry a rating of three stars, click the third star (left to right).

ICEcore indicates the average rating and the number of people who have rated the entry so far. Consider the picture on the following page.




3.1.8 Workflow

A workflow process is an online version of a business process (for example, ordering supplies, hiring new employees, requesting paid time off, and getting expense reimbursements). By creating custom forms and applying workflow processes, your ICEcore site administrator can use ICEcore folders as an application platform. Consult with your site administrators to see if you have common business practices that can be automated using your ICEcore installation.

As a folder entry moves through a business process, it enters states that provide a brief status for the entry. For example, a paid-time-off workflow process can have states such as Submitted, Approved, Denied, and Being Processed by Human Resources.

When you are viewing an entry that is progressing through a workflow process, you can change its state using a drop-down list and an *OK* button, as shown on the following page.




3.1.9 ICEcore Conference

ICEcore Conference is a real-time collaboration tool that allows you to send instant messages, schedule online meetings, and have instant online meetings with people participating in your ICEcore installation.

The features of ICEcore Conference are described in a separate set of documentation. However, the synchronous (ICEcore Conference) and asynchronous features of ICEcore are integrated in helpful ways. As mentioned, ICEcore provides you with a Buddy List portlet. Also, anywhere you see a person's name in ICEcore, you see that person's presence indicator. Finally, at the bottom of a workspace and folder pages, you can quickly start an instant meeting with all teammates for that particular page or with all people who have authored entries and comments on the current page.

The picture on the following page shows you some of your contact options when you click on someone's presence icon.




3.2 Folder Types

This section describes the various ICEcore folder types. Folder types define the type of activities that you do and how you do them. So, folder types can actually be thought of as application types, where each different type of folder functions as a separate mini-application within ICEcore.


Most of the folder tools are common across all types of folders. Examples include most of the tools in the tools sidebar, accessories, subscriptions, team features, sorting, folder views, filtering, and basic folder-page navigation. The subsections that follow are ordered alphabetically and indicate some significant differences in the way a particular folder type functions.

3.2.1 Blogs

Blogs are chronologically listed journal entries. Blog entries resemble discussion-list entries, as shown on the following page.



The tools sidebar also includes a calendar (click on a date to see that day's blog entries) and an Archives section (click on the linked name of a month to see that month's blog entries), as follows:



3.2.2 Discussions

Discussion folders allow you to post entries and make comments about those entries. This manual has described discussion folders and shown pictures of their tools and pages.


By default, if you choose, there are two views that are designed for use with discussion folders. A view is a page design used to display information (in this case, information about entries and comments in a discussion folder). For example, if you changed the view from its default (“list”) to “table,” then a discussion folder appears as follows:

Number	Title	State	Author	Activity date
11.	Meeting agendas and records		Randy Wayne	8/20/07 3:48 PM
10.	Let's meet with the PR people		John Starkweather	8/20/07 3:43 PM
9.	Be sure to test on multiple		Elaine Lui	8/20/07 3:41 PM
8.	Brainstorming the navigation		Jamaal Evans	8/20/07 3:38 PM
7.	Our new source repository		Elaine Lui	8/20/07 3:30 PM
6.	New vision statement and s		Stan Grossman	8/20/07 3:28 PM
5.	Check out this white paper		Stan Grossman	8/20/07 3:23 PM
4.	Web 2.0/Ajax issues		Beth Powell	8/20/07 3:06 PM
3.	Theme ideas		Jamaal Evans	8/20/07 2:59 PM
2.	Our budget	Under review	Mark Capodilupo	8/21/07 3:23 PM

Titles of entries that have not yet been viewed are bold. Hover your mouse over a title, and ICEcore displays the full text of that title. Click, hold, and drag one of the double-arrow icons above the horizontal lines in the table, and you can expand and collapse the table column. Click on a column header (Number, Title, State, Author, Activity date), and ICEcore sorts the table by the values in that column.

3.2.3 Calendars

Calendars help you to keep track of time-ordered appointments or events. By default, a calendar folder displays a monthly view of events, as shown on the following page.




Here are some of the unique calendar tools:

- ♦ **Import calendar:** Allows you to import calendar entries in iCal format (for example, entries from Google and Outlook).
- ♦ **Show entries by:** Changes the criteria used to place the event on the calendar from the default, which is the event date (most useful when displaying information in a calendar view that was originally developed for other folder types, such as discussion folders).
- ♦ **Work day:** Allows you to define a day as being a work day as defined by your site administrator or as a full calendar day.
- ♦ **Number of days:** Changes the number of days shown on a calendar folder page (the default is one month).
- ♦ **Previous and next page:** Displays the previous set and next set of days. For example, if the calendar is currently displaying a month, these icons display the previous and next month of entries.
- ♦ **Calendar applet:** The square icon to the right of the next-page icon displays a panel displaying the current month, which you can use to navigate to specific months or days.

3.2.4 Guestbooks

Guestbooks are folders that allow visitors to sign in and announce their presence on a page. By default, personal workspaces contain guestbooks and accessories that show a summary of the guestbook entries. Given our sample installation, the guestbook on the following page is in one person's personal workspace.



3.2.5 File Folders

File folders contain an alphabetized list of files in a table format. The table functions the same as the table view described in [the discussion-folders section](#). Consider the following:

The screenshot shows a file folder interface with a top navigation bar containing 'New', 'Folder view', and 'Folder action'. Below this is a filter section with 'Filter: --none--', an 'Edit' button, and a 'Show 10 entries' dropdown. A 'Go to page' field shows 'Go 1 2 >>' and a 'Configure columns...' link. The main area displays a table of files:

Title	Comment	Size	Download	HTML	State	Author	Activity date
button_delete.gif	0	1KB	download			Randy Wayne	8/20/07 2:21 PM
button_move_down	0	1KB	download			Randy Wayne	8/20/07 2:21 PM
button_move_up.gif	0	1KB	download			Randy Wayne	8/20/07 2:22 PM
calendar.gif	0	1KB	download			Randy Wayne	8/20/07 2:22 PM
folder.gif	0	1KB	download			Randy Wayne	8/20/07 2:23 PM
folder_blue.gif	0	1KB	download			Randy Wayne	8/20/07 2:22 PM
folder_charts.gif	0	1KB	download			Randy Wayne	8/20/07 2:24 PM
folder_people.gif	0	2KB	download			Randy Wayne	8/20/07 2:24 PM
help.png	0	1KB	download			Randy Wayne	8/20/07 2:25 PM
printer.gif	0	1KB	download			Randy Wayne	8/20/07 2:25 PM


At the bottom of the interface, there is a footer with links: 'Meet | Clipboard | Add files to folder | Folder permalink | Send mail | Change theme | WebDAV URL'.

3.2.6 Milestone folders

A milestone folder tracks the progress of several task folders. Although you can use milestone folders outside of the scope of a project workspace, they are most often used in those workspaces. See [the project workspace section](#) for more information.

3.2.7 Photo Albums

Photo albums display pictures. Our sample installation includes a set of humorous pictures placed in a photo album in the Global workspace area, as follows:



When you click on a thumbnail, ICEcore displays the full-sized photo in a separate window, as shown on the following page.



3.2.8 Surveys


Surveys allow you to conduct polls. You can create polls that allow a single answer to a question or that allow multiple answers to a single question.

3.2.9 Tasks

A task folder keeps track of the progress made in completing work assignments. Although you can use task folders outside of the scope of a project workspace, they are most often used in those workspaces. See [the project workspace section](#) for more information.


3.2.10 Wikis

Wikis are folders whose entries are coauthored by all participants in the folder. Wiki folders have additional tools in the tools sidebar, as shown on the following page.




Use the “type to find” feature in the “Find a page” text box. The Navigation section lists all of the pages in the wiki folder. The standard folder tool “Show xx entries” determines how many page titles are listed here by default. If there are more pages, then ICEcore displays a right-arrow icon that allows you to move through lists of all the pages in the folder.

By default, ICEcore does not display an entry when you first view a wiki folder. If you want an entry to display when someone first views the folder, click the *Set main page* link, as follows:




Note: When you create a wiki folder, be sure to configure it so that all entry titles must be unique.


When working with a wiki entry, it can be helpful to review edits that your teammates may have made to it. To review edits, view a wiki page and click *Reports > Edit history*, as shown in this picture:



ICEcore displays a new browser window. In that window, select the edit versions that you want to compare, and click *Compare*:



ICEcore displays a version of the entry that indicates additions and deletions between the two versions, as shown on the following page.




3.3 Workspaces

This section describes different types of workspaces available in ICEcore.

3.3.1 Global Workspaces

Global workspaces contain information beyond the scope of teamwork that may be of interest broadly across your organization. Given our sample installation, the example on the following page shows how the Global workspaces can be structured for the fictional Acme company:



This particular example uses geography to organize the Acme company's global information, and then uses departmental categories (Engineering, Human Resources, Marketing) to further organize the information. Depending on your organization, you may want to reverse the ordering (function followed by geography) or use some other organizational scheme.

Note: We strongly recommend that you limit the creation of Global workspaces. First, organic team creation is the more effective use model for this product. Second, we have worked with a significant number of customers who duplicated complex organizational charts in the structure of Global workspaces, and users found them to be confusing and unusable. Instead, populate the Global area with a minimal amount of information, and let users guide you as to a useful structure and content in this area.

3.3.2 Personal Workspaces

Personal workspaces provide a home page or start page for your work in ICEcore. It includes contact information, a guestbook, pictures of you, your personal blog, and more.

Previous chapters in this book describe personal workspaces.

3.3.3 Team Workspaces


Team workspaces provide dedicated workspaces for a small group of people to coordinate their efforts and to collaborate.

Previous chapters in this book describe team workspaces.


3.3.4 Project Workspaces

Project workspaces include special accessories that help a leader to track the progress of task completion for a potentially large project. Although project workspaces can contain any type of folder, they are specifically designed to work in conjunction with task and milestone folders.


In our sample installation, there is a corporate web-site development team. This team has begun a project that requires them to redesign the web site for a December 2007 deadline. So, the team created a team workspace for general web-site teamwork, and, within that space, it created a project workspace for the web-site redesign effort:



Within the project workspace, the project leader created standard folders (a discussion area and file folders for various types of files used in the project), a wiki folder to create web-site-page content, and three task folders for several categories of tasks involved in this project effort:



Each task folder contains tasks that fit that task category. Here is an example of one of the task folders, as shown on the following page.



This is the “Tasks, UI design and testing” tasks folder. ICEcore produces the Priority and Status summaries using the individual task-data provided in the table toward the bottom of the folder. So, in the Priority summary, 25% of the individual tasks are marked Critical, and 75% are marked Medium. If the assigned person or the project leader changes the priority value of an individual task, ICEcore recalculates the summary located at the top of the folder. Finally, ICEcore provides a toolbar at the top of the individual task listing that allows you to see only closed tasks, or only tasks due this week, and so on.

A designated individual can change the priority, status, or % done value for a task right on the folder page. For example, if you hover the mouse over the bar in the % Done column, ICEcore displays a percentage value that corresponds to the location of the mouse. When the appropriate percentage is displayed, click the mouse, and ICEcore adjusts the % done value, as shown on the following page.

Due date	Status	Assigned to	% Done
19/07 12:00 AM	[Icons: Warning, Error, Success, Cancel]		20 %
5/07 12:00 AM	[Icons: Warning, Error, Success, Cancel]		0 %
24/07 12:00 AM	[Icons: Warning, Error, Success, Cancel]	Elaine Lui	90 %

So, individual task status in one task folder is rolled up into the summary for that folder. The status values for each task folder roll up again into the milestone folder:

Name	Responsible	Tasks	Status	Due date
Administrative tasks	Randy Wayne	Tasks, Administrative 33 % 66 %	Open	Nov 3
Graphics	Elaine Lui	Tasks, Graphics 50 % 25 % 25 %	Open	Sep 2
UI design and testing	Beth Powell	Tasks, UI design and testing 75 % 25 %	Open	Nov 1

The milestones folder provides a snapshot of the status of each of the task folders. Hover your mouse over the colors in the bar chart, and ICEcore explains the value (needs action, in progress, completed).

Finally, the information rolls up one more time, into the project workspace page, as shown on the following page.

ICEcore Glossary

Items that include an “(a)” are more relevant for ICEcore site administrators.

access control

The tool that determines who has the right to perform which tasks in which places. See also [role-based access control](#).

accessibility mode

An optimized user interface that facilitates use by assistive devices, such as auditory readers.

accessory

A section located at the top of a workspace or folder page that provides a summary view, most likely of the information contained within the item. For example, an accessory can show all of the entries within a folder authored by someone designated as a subject-matter expert.

advanced search

Extra search tools that allow you to specify more specific criteria (such as the author of an item or restricting the search to a portion of the workspace tree).

alias

See [e-mail alias](#).

attachment

A file attached to an [entry](#).

author

The person who created an entry.

blog

A folder that contains a chronological listing of journal entries.

blog archive

A feature of blog folders that allows you to see entries authored in a specific month.

buddy list

A list of people whose [presence](#) you want to check and whom you contact frequently.

calendar

A folder containing entries for scheduled appointments.

clipboard

A tool that gathers people's names. Later, when using a tool that requires names, you can take them from your clipboard.

comment

A reply to an [entry](#).

community tag

A keyword **tag** applied to an item by the owner of a workspace or folder. Other users of the workspace or folder can perform searches based on community tags.

configuration (a)

A set of tools that alter the way item content is presented. There are many types of configuration, ranging from setting allowable **views** for an item, selecting a color scheme, creating custom entries, and enabling workflow processes.

default view

The **configuration** of the information you see when you first view a workspace or folder. Some items may be configured to allow alternate **views**, which you can select.

definition (a)

A set of elements for both the **form** and **view** of a workspace, folder, or entry.

designer (a)

A tool used to create **definitions** or **workflow processes**.

discussion

A folder whose entries are discussion topics and comments about those topics.

e-mail alias

An alternative e-mail address for an e-mail account. To enable e-mail posting into a folder, you must provide an e-mail alias for the one account used to post into all folders in your ICEcore installation. Consult with your ICEcore site administrator for further assistance; site administrators, consult with the IT person responsible for creating e-mail accounts to create new aliases.

e-mail notification

An e-mail message that ICEcore sends indicating new or changed entries in a folder (and subfolders).

entry

An item in a folder.

favorites panel

A tool used to save links to workspaces and folders most important to you, providing a method of accessing these places quickly.

file folder

A folder whose entries are configured to highlight an attached file and to facilitate file management.

filter

A setting that limits a **folder** listing to only the entries that match the filter's search criteria. For example, you can create a filter that shows only the contents of a folder authored by you or that were created past a certain date.

folder

A container for **entries** and other folders. Each folder has a type, such as **blog**, **wiki**, or **calendar**, that determines its appearance and features.

form (a)

An HTML form used to create a workspace, folder, or entry.

global workspace

workspace that, by default, allows everyone in your organization to participate.

guestbook

A **folder** or **accessory** whose entries indicate who has visited the place.

help mode

A dimmed page and information icons (“i”). When you click on an information icon, ICEcore presents a panel of information about that section of the page.

inherit (a)

A process by which a workspace or folder automatically uses **configuration** settings from its **parent**.

instant message (IM)

A quick communication between teammates using the ICEcore Conference messaging software.

LifeRay (a)

The **portal** software within which ICEcore runs by default.

meeting

An online communication by teammates using the ICEcore Conference messaging software. ICEcore Conference provides tools that assist with online meetings, such as people designated as running the meeting, a way for participants to “raise their hands,” and a whiteboard.

milestone

A **folder** that, by default, summarizes the status of tasks in a task folder as they relate to meeting **project** milestones.

navigator

A set of tools that you can use to go anywhere within ICEcore you want to go. The tools include “My **workspace**,” “**Favorites**,” viewing your **teams**, search, **Help**, and a **workspace tree**.

owner

The person who created the workspace, folder, or entry.

parallel workflow process (a)

A set of **state** transitions that happen at the same time as other state transitions. A state in the main thread initiates the parallel process, and a state later in the main thread can wait for the completion of the parallel thread.

parent (a)

A workspace or folder that contains another workspace or folder. The item contained within the parent is sometimes called its child.

participant

An **access role** that, generally, by default, allows people to author entries in a folder.

permalink

A web address (URL) for an ICEcore workspace, folder, or entry that you can copy, paste, and send to a teammate so that they may access a page directly by specifying the address to their web browser.

personal tag

A keyword **tag** that you apply to an item, and that only you can see and use.

personal workspace

A workspace that serves as a person's homepage in ICEcore, including contact information, pictures, a personal **blog**, and more.

photo gallery

A **folder** whose entries are pictures.

portal page

A web page that can run various applications in sections of its page. For example, Google and Yahoo use portal pages. Sections within a portal page may display the local time, the local weather, your favorite stock quotes, and more.

portlet

A section on a portal page. ICEcore runs within portlets.

presence

A person's online status (online, away from the computer, offline, status unknown), represented in ICEcore by people icons of certain colors.

project-management workspace

A **workspace** configured to facilitate the tracking of tasks and completion of complex project work.

role-based access control

A mechanism that controls access by assigning people and groups to roles, and the roles determine the rights assigned to those people. See the online Help for a list of ICEcore default role definitions.

site administrator

The person or people who have the right to perform any task anywhere in the ICEcore installation.

state

See **workflow state**.

subscription

A way to track new or changed items in ICEcore.

tag

A keyword that anyone can apply to a workspace, folder, or entry to make it easier to find. See also **personal tag** and **community tag**.

task

A **folder** that, by default, contains entries that track progress in regard to completing an assignment.

team

An **access role** that, by default, allows people to **participate** in a workspace or folder, to do some minor administrative tasks, and to communicate easily with each other.

team workspace

A **workspace** that restricts participation to only teammates.

template (a)

A set of default configuration settings used to create a new workspace or folder. A template includes at least one **definition**, **access control**, a possible hierarchy of defined items, and possibly more.

type to find

An ICEcore tool that uses the characters you have typed so far to present a list of possible choices. This tool is active for text boxes whose values are within a defined set: for example, people, places (workspaces and folders), and tags.

view

A presentation of an item's content. For example, you can view a discussion folder in either a list or table format. By default, most folders use one view (calendar folders use a calendar view, blog folders use a blog view, and so on).

visitor

An **access role** that, by default, allows people to read entries and make **comments** on them (but not create new entries).

WebDAV

The Web Distributed Authoring and Versioning protocol. If your system provides a tool that uses this protocol, it allows you to manage ICEcore file-folder entries using the WebDAV window.

wiki

A **folder** whose entries are authored by all **participants**.

workflow

An online representation of a business process (for example, document review, paid time-off requests, document sign off, and so on). An **entry** can have an associated workflow process, which places the entry into various workflow states.

workflow state

A status label for an **entry** in a workflow process. A state determines who has the right to work with an entry (including who may see it), who needs to be notified, who needs to perform the next task, and which subsequent states are possible.

workspace

A container for folders and other workspaces.

workspace tree

A tool that allows you to navigate the hierarchy of workspaces, subworkspaces, **folders**, and subfolders within ICEcore.

Troubleshooting

A

This appendix provides guidance for difficulties you might encounter when using ICEcore.

A.1 WebDAV Link Does Not Work

Problem: When clicking the *Use this folder as a WebDAV folder* link in the footer toolbar or the icon used to attach a file using WebDAV, the WebDAV window does not function properly.

When using Windows XP and Internet Explorer Version 7.0 or higher, ICEcore activates the WebDAV link in the footer and the WebDAV icon used to attach files. If the administrator of the folder you are currently using did not configure it properly for use with WebDAV, then the WebDAV window does not function properly. In order for a folder to enable WebDAV properly, it must be configured so that the names of all uploaded files are unique. To affect this setting, the administrator can click *Manage > Modify this folder*.

A.2 Too Many Log Ins for WebDAV

Problem: When using WebDAV, you have to specify your ICEcore username and password more than once.

This is proper behavior for WebDAV. WebDAV requires that you sign in each time you access a distinct program (for example, your web browser and ICEcore). It then may ask you to sign in again to access a file.

A.3 Not Understanding Mirrored Folders

Problem: You are not sure if you want to use mirrored folders, because you do not understand the concept or how they work.

Note: Mirrored folders are available only with the purchase of ICEcore Enterprise.

A mirrored folder is an ICEcore library folder that is synchronized with a folder located outside of ICEcore, on a system drive. When performing basic actions (adding subfolders and files, modifying files, deleting folders and files) using either the ICEcore interface or by accessing the file on the drive, the change is reflected in the other interface. The advantage to using mirrored files is that you can apply ICEcore tools to files on a drive, which includes tools such as text search, workflow, and discussion (in the form of comments applied to the entry in the library folder).

ICEcore supports two types of external folders:

- ♦ A directory on a file system
- ♦ A folder on a Sharepoint server

Here are tips for using mirrored files:

- ♦ When specifying the path to the system folder, specify the full (absolute) path to the folder.
- ♦ **Warning:** After creating the mirrored folder, you cannot alter the path name, and you cannot reconfigure the ICEcore library folder to be a non-mirrored folder.

- ♦ To initialize the new mirrored folder, click *Manage > Modify this folder*, and use the Synchronize tool.
- ♦ **Strong recommendation:** Do not attach additional files to entries in a mirrored folder. Behavior regarding the attachments is unpredictable.
- ♦ Synchronization happens only manually using the ICEcore menu items; ICEcore does not support scheduled synchronization. Synchronizing behaviors (listed in the following bullets) occur only upon using the ICEcore manual synchronization.
- ♦ When you delete a file on the server, ICEcore deletes the entire entry in the library folder (not just the attached file).
- ♦ **Warning:** Adding and deleting subfolders adds and deletes subfolders in the other system. When you delete a subfolder, you delete all of its contents in both places.