| | |
|---|---|
| **Status** | Finished |
| **Started** | Monday, 12 October 2026, 5:01 AM |
| **Completed** | Monday, 12 October 2026, 5:04 AM |
| **Duration** | 3 mins 37 secs |
| **Grade** | **13.00** out of 15.00 (**86.67**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {2,5,3,1}

b. {2,5,1}

c. {}

d. {3} ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. (1, 4, 8)

b. [2, 3, 9]

c. [1, 4, 8] ✓

d. [1, 2, 4, 3, 8, 9]

Question **3**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (25,19,18,17)
- b. Error
- c. (16,17,18,19) ✓
- d. (16,17,18)

Question **4**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t1 = (55, 44, 33, 22, 11)

x = [t1[i] for i in range(0, len(t1), 2)]

print(x)

- a. [55, 33, 11] ✓
- b. ([55,33,11])
- c. (55,33,11)
- d. [(55,33,11)]

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. {'rec', True, ('cse', 'ece')}
- b. Error
- c. {'rec', 1, ('cse', 'ece'),True}
- d. {'rec', 1, ('cse', 'ece')} ✓

Question **6**

Incorrect

Mark 0.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. Error

b. (1,2,3,4,5,6)

c. (1,2,3)(4,5,6)

d. (1,2,3,3,2,1) ✗

Question **7**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the elements of both set1 and set2

b. A new set will be created with the unique elements of set1 and set2. ✗

c. Elements of set1 will get appended to set2

d. Elements of set2 will get appended to set1

Question **8**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. A tuple is unordered

b. None of these

c. We can change the tuple once created

d. A tuple maintains the order of items ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
print(min(t)+max(t)+t.count(52))
```

a. Error

b. 100

c. 2

d. 117 ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. All of the above

b. i,ii ✓

c. ii

d. iii

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

a. 12

b. (12)

c. Error ✓

d. (55,78,64,25)

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {2}

b. {1,3,4}

c. {4} ✓

d. {1,3,2}

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append( (5, 6, 7) )

print(len(my_t1))

a. Error ✓

b. 5

c. 1

d. 2

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl1=tupl+tupl ✓

b. tupl[1]=2

c. tupl.append(2)

d. tupl.sort()

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. {1,3,8,9,41}

b. ("Wonder")

c. (1,4,5,6,7) ✓

d. [1,2,3,4]