Runspindle: Fleet Evidence and Control

Design scaffold; no live deployment or measured savings.

November 2026

State must be observable

- A process observation is not a managed session or a completed task.
- Every record needs identity, timestamp, source, and freshness.
- Missing updates mean unknown, not permission to restart.

Bind control to identity

- Verify host, repository, process, session, and task before an action.
- Native Codex is the planned host boundary.
- Tether routes bounded requests; delivery alone proves no outcome.

One browser, one controller

- Authorized passive KasmVNC viewing grants no input control.
- Interactive takeover needs a fenced lease on the same browser as PinchTab.
- Fence stale lease epochs and revoke streams on handoff.
- OpenBao secret references must stay out of logs and evaluation data.

Durability is not external certainty

- Temporal stores durable intent and approval waits.
- An uncertain submission requires reconciliation before retry.
- Browser-side fencing and account isolation need separate tests.

Console and release evidence

- Planned console views must use actual fleet observations with age.
- Collectors/Langfuse identity and readback are proposed; masking coverage remains unresolved.
- No live fleet is connected in this scaffold.
- Platform packaging, development integration, and production acceptance remain planned.

A bounded validation plan

- Test stale routes, recycled process IDs, cancellation, restart, and duplicate requests.
- Use permissioned environments; do not inherit historical success claims.
- No implementation, deployment, or savings result is claimed. Source: SRC-002, SRC-009.