UNITY CATALOG · CONTENT AUDIT · RESCAN AFTER DNS CUTOVER

docs.unitycatalog.io

Second pass of the Unity Catalog OSS documentation, now that docs.unitycatalog.io CNAMEs to docs-uc.vercel.app. Same checks as the first scan: links, credentials, grammar, LLM readability.

Rescanned 21 October 2026, 12:17 PDT · First scan was against docs-new.unitycatalog.io the same morning · 31 HTML pages, 34 snippets, llms.txt, llms-full.txt, 3 JSON indexes · grammar via LanguageTool 6.8

31	0	4	35	2
Pages indexed	Real credentials leaked	Confirmed dead links	Old URLs 404 on prod	Issues closed by cutover

1. What changed since the first scan

DNS cutover is complete. docs.unitycatalog.io CNAMEs to docs-uc.vercel.app and returns the new site over HTTPS 200. Canonical tags, sitemap, robots.txt, Markdown twins, env archives (`/env/unitycatalog.tar.gz`, `/env/uc-aws.tar.gz`), diagrams, and tutorial curl commands now resolve on the public hostname. The ~170 “waiting on cutover” 404s from the first scan are gone.

The home-page quickstart is fixed. It now runs `curl -fsSL https://docs.unitycatalog.io/env/unitycatalog.tar.gz | tar -xz` (200). The old `/env/uc-docs-env.tar.gz` path is still 404 if anyone bookmarked it.

Old-site URLs are now live 404s. 35 paths from the previous Netlify docs (`/quickstart`, `/usage/*`, `/server/*`, `/integrations/*`, `/ai/*`) have no redirects. Before cutover they still worked on the apex; they 404 for real users now. The in-page link to `/usage/cli/` is one of them.

2. Executive summary

Content quality is unchanged and still strong: 25 of 26 tutorial, how-to, and explanation pages score 92 or higher. They ship Markdown twins, tagged code fences, meta descriptions, and a reading grade around 7–9. No real credentials or internal Databricks hosts, tokens, or emails were found. docs-new.unitycatalog.io still serves the same site (200) as a second hostname.

The remaining high-priority work is redirects for 35 old URLs, plus two broken outbound links (GitHub managed-tables spec filename, Apache Iceberg catalog URL). API reference pages are still client-rendered with no Markdown twin.

3. Site-wide action items

Pri.	Issue	Fix
High	35 old-site URLs (/quickstart, /usage/*, /server/*, /integrations/*, /ai/*, /docker_compose) now 404 on docs.unitycatalog.io after a trailing-slash 308. These broke for real users at cutover.	Add permanent redirects (vercel.ts / vercel.json). Several topics have no new equivalent yet (AI integrations, auth / Google auth, users & privileges, UI, models, Trino / Kuzu / PuppyGraph / SpiceAI / CelerData / XTable) — decide redirect vs. content gap.
High	/explanation/external-and-managed-tables links to GitHub ManagedTablesSpec.md (404) and to /usage/cli/ (404 after cutover).	Rename the GitHub link to ManagedDeltaTablesSpec.md. Point the CLI link at /how-to/run-local-server#run-the-uc-cli.

Pri.	Issue	Fix
High	/how-to/iceberg-rest links to iceberg.apache.org/concepts/catalog/ (404). Also referenced from concepts.json.	Use iceberg.apache.org/rest-catalog-spec/ (or /terms/).
Medium	The 4 API reference pages (and /reference/api) render client-side. Server HTML contains only “Loading the API reference…” (~25 words) and there is no .md twin.	Prerender the operation list (method, path, summary) into the HTML and emit a .md twin. llms.txt already links the OpenAPI YAML, which partially mitigates this for agents.
Medium	HTML puts UI chrome inside <main>: breadcrumbs (“Guide Use Unity Catalog Tables”), “Copy page”, “Full script”, tab labels, and step numbers. Scrapers that read HTML get this text spliced into prose.	Move breadcrumbs/buttons outside <main>, or mark them aria-hidden / data-nosnippet. The .md twins are clean, so this mainly affects crawlers that ignore them.
Low	/reference/api serves a duplicate of /reference/api/catalog with status 200 (canonical points at catalog). Not in sitemap.	Return a 308 redirect to /reference/api/catalog.
Low	Home page has no Markdown twin (/index.md is 404), although llms.txt says every page is available as Markdown.	Emit /index.md, or reword the llms.txt claim.
Low	Examples use bucket `s3://uc-docs`. That bucket name is unregistered on AWS, so a third party could claim it.	Use AWS’s reserved documentation bucket `amzn-s3-demo-bucket` (or a clearly fake <your-bucket>).
Low	Shipped config files include the comment “Generated by trestle” (12 occurrences, run-local-server and configure-backend-db).	Confirm “trestle” is a public tool name. If it is internal tooling, strip the comment from generated files.
Low	Slack link go.unitycatalog.io/slack redirects to a Slack shared invite that returned 403 to an automated client.	Open it in a browser to confirm the invite is not expired.

4. LLM readability

Score = sum of: Markdown twin (20), server-rendered prose ≥150 words (15), meta description 50–200 chars (10), single H1 with no skipped heading levels (10), ≤200 words per heading (10), language-tagged code fences (10), Flesch reading ease ≥60 (10; ≥50 partial), average sentence ≤18 words (5), ≤1 sentence over 40 words (5), no dead links (5). Target: 90+.

Page	Score	Words	Flesch	Grade	.md	Notes
/reference/api/catalog	57	24	–	–	No	Client-rendered, no twin
/reference/api/control	57	24	–	–	No	Client-rendered, no twin
/reference/api/iceberg	57	25	–	–	No	Client-rendered, no twin
/reference/api/delta	58	26	–	–	No	Client-rendered, no twin
/	65	212	55.3	9.0	No	No twin; untagged code block
/tutorials/managed-delta-table	92	733	64.4	8.2	Yes	h1→h3 skip; 5 long sentences
/how-to/seed-tpch-data	92	424	51.3	11.1	Yes	h1→h3 skip; avg sentence 21 words
/tutorials/python-client	93	492	60.0	8.5	Yes	h1→h3 skip
/tutorials/read-volume-files	94	653	64.0	7.9	Yes	h1→h3 skip
/tutorials/first-python-function	94	707	61.6	8.4	Yes	h1→h3 skip
/how-to/configure-aws-storage	94	1467	57.6	8.9	Yes	Longest page; 4 long sentences
/how-to/iceberg-rest	95	993	57.6	8.1	Yes	1 dead link
/explanation/external-and-managed-tables	95	970	59.1	8.9	Yes	2 dead links
/tutorials/getting-started	96	581	64.9	7.4	Yes	h1→h3 skip
/tutorials/first-metric-view	96	599	69.0	6.8	Yes	h1→h3 skip

Page	Score	Words	Flesch	Grade	.md	Notes
/how-to/run-local-server	96	767	52.4	10.0	Yes	3 long sentences
/how-to/duckdb	96	466	51.8	9.1	Yes	
/how-to/managed-storage-s3	96	650	53.2	8.9	Yes	
/explanation/what-is-unity-catalog	98	797	54.1	9.5	Yes	
/how-to/table-storage-formats	98	655	67.6	6.7	Yes	
/how-to/replace-and-overwrite-tables	98	893	64.5	7.8	Yes	
/how-to/metric-views	98	713	67.3	7.4	Yes	
/how-to/manage-volumes	98	727	60.9	7.7	Yes	
/how-to/python-dataframes	98	531	55.3	8.3	Yes	
/explanation/uc-basics	98	1360	58.2	8.8	Yes	
/explanation/credential-vending	98	1202	56.4	8.7	Yes	
/how-to/manage-catalogs-and-schemas	100	674	60.8	7.4	Yes	
/how-to/register-external-table	100	760	60.1	7.8	Yes	
/how-to/configure-spark	100	604	60.4	8.1	Yes	
/how-to/configure-backend-db	100	692	60.6	8.1	Yes	

Also present site-wide: llms.txt, llms-full.txt (26 pages), scripts.json, concepts.json, and per-page meta descriptions. All JSON indexes parse. Flesch and grade are computed on prose with code blocks stripped.

5. Dead links

Canonical, sitemap, Markdown-twin, env-archive, and diagram URLs on docs.unitycatalog.io now return 200. PyPI was verified via pip (direct curl to pypi.org is blocked on this network). unitycatalog-client 0.7.0 exists.

Page	Link	Status	Fix
/explanation/external-and-managed-tables	github.com/unitycatalog/unitycatalog/blob/v0.7.0/spec/protocols/ManagedTablesSpec.md	404	File was renamed: ManagedDeltaTablesSpec.md
/explanation/external-and-managed-tables	docs.unitycatalog.io/usage/cli/	404 (broke at cutover)	Point at /how-to/run-local-server#run-the-uc-cli
/how-to/iceberg-rest	iceberg.apache.org/concepts/catalog/	404	Use iceberg.apache.org/rest-catalog-spec/ (or /terms/)
/	go.unitycatalog.io/slack	403 (bot-blocked)	Verify the invite in a browser

Old-site URLs with no redirect on the new host

Each of these is a 308 (strip trailing slash) then 404 on production docs.unitycatalog.io. Add redirects, or accept a content gap for inbound bookmarks and search results.

/ai/client, /ai/integrations/{anthropic,autogen,crewai,gemini,langchain,litellm,llamaindex,openai}, /ai/quickstart, /ai/usage, /docker_compose, /integrations/unity-catalog-{celerdata,daft,duckdb,kuzu,puppygraph,spark,spiceai,trino,xtable}, /quickstart, /server/{auth,configuration,google-auth,users-privileges}, /usage/cli, /usage/functions, /usage/models, /usage/tables/{deltalake,formats,uniform}, /usage/ui, /usage/volumes

6. Credentials and internal Databricks information

Scanned page text, Markdown twins, snippets, llms-full.txt, and JSON indexes for AWS / Databricks / GitHub / Slack tokens, private keys, JWTs, connection strings, internal Databricks hosts, workspace URLs, @databricks.com emails, go/ links, private IPs, and TODO/confidential markers. No real secrets or internal Databricks references were found. The three “Databricks” mentions are public product comparisons (Databricks created Unity Catalog and open-sourced it; Databricks Unity Catalog is a managed service; Databricks compute mounts /Volumes paths).

Matched	Where	Verdict
`arn:aws:iam::123456789012:role/uc-master`, uc-storage-*	run-local-server, configure-aws-storage, managed-storage-s3 + snippets	**Safe.** 123456789012 is AWS’s documentation account ID.
`token="not-used"`	register-external-table, python-dataframes, iceberg-rest + snippets	**Safe.** Explicit placeholder for an auth-disabled local server.
`hibernate.connection.password=change-me`	configure-backend-db	**Safe.** Obvious placeholder.
`aws.secretKey=rustfs-root-secret`	run-local-server (simulated S3)	**Safe.** Local RustFS default for a throwaway container.
`s3://uc-docs`, s3://bucket, s3://acme-lake	Several how-tos	**Not a secret, but claimable.** Switch examples to amzn-s3-demo-bucket.
“Generated by trestle”	run-local-server, configure-backend-db (12 occurrences)	**Verify.** Confirm trestle is a public tool name, not internal.

7. Grammar

Copy is very clean. LanguageTool 6.8 raised about 60 hits; after manual review, most were false positives (inline code such as “an int”, breadcrumbs, page titles used as subjects). These are the real ones:

Page	Current	Suggested	Type
/how-to/run-local-server	“The docs ship several environments, each its own download.”	“…each with its own download.”	Grammar
/explanation/what-is-unity-catalog	“Apache Iceberg (TM)”	“Apache Iceberg™”	Typography
/tutorials/read-volume-files	“Otherwise it opens the location directly.”	“Otherwise, it opens…”	Punctuation
/how-to/configure-backend-db	“By default this is an H2 file…”	“By default, this is…”	Punctuation
configure-spark (4×), iceberg-rest (3×), duckdb (2×), metric-views (1×)	“a Unity Catalog catalog”	Optional: “a catalog in Unity Catalog”	Style

8. Action items by page

Items already listed in §3 are repeated here so a reviewer can work page by page.

Page	Pri.	Action
/	Low	Emit /index.md twin. (Quickstart archive URL is fixed.)
	Low	Add a language tag to the quickstart code block.
	Low	Manually verify the Slack invite link.
/reference/api/{catalog,control,delta,iceberg}	Medium	Prerender operations into HTML; content is JS-only today.
	Medium	Emit .md twins (could be generated from the OpenAPI YAML).
/reference/api	Low	308 redirect to /reference/api/catalog instead of serving a duplicate.

Page	Pri.	Action
/explanation/external-and-managed-tables	High	Fix link: ManagedTablesSpec.md → ManagedDeltaTablesSpec.md (also in concepts.json, llms-full.txt).
	High	Replace old-site link /usage/cli/ with /how-to/run-local-server#run-the-uc-cli.
/how-to/iceberg-rest	High	Fix dead link iceberg.apache.org/concepts/catalog/ (also in concepts.json).
	Low	Reword “Unity Catalog catalog” (3×).
/how-to/run-local-server	Low	Grammar: “each its own download” → “each with its own download”.
	Low	Confirm “Generated by trestle” comments are OK to publish.
	Low	Break up 3 sentences over 40 words.
/how-to/seed-tpch-data	Medium	Highest reading grade on the site (11.1, avg 21 words/sentence). Split the opening sentence.
	Low	Heading skip h1 → h3 (“Generate TPC-H”). Use h2.
/tutorials/* (all 6 tutorials)	Low	Heading skip h1 → h3 on the first step (“Start the server/environment”). Promote steps to h2 or add an h2 “Steps” wrapper.
/tutorials/managed-delta-table	Low	5 sentences over 40 words; split the session-setup and storage-root sentences.
/tutorials/read-volume-files	Low	Add comma: “Otherwise, it opens the location directly.”
/how-to/configure-aws-storage	Low	Replace s3://uc-docs with amzn-s3-demo-bucket (also snippets).
	Low	Longest page (1,467 words) with 4 long sentences; consider splitting IAM setup into its own section.
/how-to/managed-storage-s3, /how-to/python-dataframes	Low	Replace s3://uc-docs with amzn-s3-demo-bucket (also snippets).
/how-to/configure-backend-db	Low	Add comma: “By default, this is…”.
	Low	Confirm “Generated by trestle” comment is OK to publish.
/explanation/what-is-unity-catalog	Low	“Apache Iceberg (TM)” → “Apache Iceberg™”.
/how-to/configure-spark, /how-to/duckdb, /how-to/metric-views	Low	Optional style: reword “Unity Catalog catalog”.
Site config (sitemap, robots, llms.txt, JSON indexes)	High	Add redirects for the 35 old-site URLs. Cutover made these live 404s.

9. Method

Crawled the sitemap at docs.unitycatalog.io plus in-site navigation. Fetched HTML, Markdown twins, snippets, llms.txt / llms-full.txt, scripts.json, concepts.json, and env/environments.json. Checked unique link targets with HEAD (GET on 403/405). Secret scan used regexes for AWS keys, Databricks PATs, GitHub/Slack tokens, private keys, JWTs, password assignments, ARNs, Databricks internal hosts/workspaces, private IPs, and TODO/confidential markers. Readability used textstat (Flesch, Flesch–Kincaid) on prose with <pre>/<code> removed. Grammar used a local LanguageTool 6.8 instance, then a manual pass. Old-site nav paths were replayed against the production hostname with redirects followed. DNS: docs.unitycatalog.io CNAME docs-uc.vercel.app.

Source site: https://docs.unitycatalog.io · This PDF does not include raw HTML dumps or credential-like strings beyond the documented placeholders.