

Technologies

OpenLayers 2.11

<http://openlayers.org/>

Prototype 1.7

<http://www.prototypejs.org/>

Rails UJS for Prototype

<http://github.com/rails/prototype-ujs>

What's going on?

rails.js

```
document.on("click", "form input...") {  
  // register the pressed submit button  
  event.findElement('form').  
    store('rails:submit-button',  
      button.name || false);  
});
```

What's going on?

prototype.js

```
function findElement(ev, exp) {  
  var element = Event.element(ev);  
  if (!exp) return element;  
  while (element) {  
    if (Object.isElement(element) &&  
        Prototype.Selector.match(element,  
        exp)) {
```

What's going on?

prototype.js

```
ATTR: function(elem, match){  
  var name = match[1],  
  result = Expr.attrHandle[name] ?  
    Expr.attrHandle[name](elem) :  
    elem[name] != null ?  
      elem[name] : elem.getAttribute(name),
```

Null and Undefined

Firefox, Chrome

<code>foo.bar == null</code>	<code>true</code>
<code>foo.bar === null</code>	<code>false</code>
<code>foo.bar === undefined</code>	<code>true</code>
<code>typeof foo.bar</code>	<code>"undefined"</code>

Null and Undefined

IE ActiveX DOM Element

<code>foo.bar == null</code>	Exception
<code>foo.bar === null</code>	Exception
<code>foo.bar === undefined</code>	Exception
<code>typeof foo.bar</code>	“unknown”

Solution?

prototype.js

...

```
// Ignore IE ActiveX elements
```

```
if (Object.isElement(element) &&
```

```
    !element['tagUrn'] &&
```


```
    Prototype.Selector.match(element,  
        expression)) {
```

...

Increasingly Irrelevant?


Internet Explorer version adoption

Percent



Worldwide desktop browser market share: February-October 2011

Percent



Links

Three Common mistakes in Javascript/EcmaScript

http://weblogs.asp.net/bleroy/archive/2005/02/15/Three-common-mistakes-in-JavaScript-_2F00_-EcmaScript.aspx

What is the Typeof “Unknown”?

<http://robertnyman.com/2005/12/21/what-is-typeof-unknown/>