

PLEASE TYPE OR USE BLACK INK

F. FOR USE BY USER FACILITY/IMPORTER (Devices Only)			
1. Check One ☐ User Facility ☐ Importer		2. UF/Importer Report Number	
3. User Facility or Importer Name/Address			
4. Contact Person		5. Phone Number	
6. Date User Facility or Importer Became Aware of Event (dd-mmm-yyyy)	7. Type of Report ☐ Initial ☐ Follow-up # _____	8. Date of This Report (dd-mmm-yyyy)	
9. Approximate Age of Device	10. Event Problem Codes (Refer to coding manual)		
	Patient Code _____ - _____ - _____ Device Code _____ - _____ - _____		
11. Report Sent to FDA? (If Yes, enter date (dd-mmm-yyyy)) ☐ Yes _____ ☐ No		12. Location Where Event Occurred ☐ Hospital ☐ Outpatient Diagnostic Facility ☐ Home ☐ Ambulatory Surgical Facility ☐ Nursing Home ☐ Outpatient Treatment Facility ☐ Other: _____ (Specify)	
13. Report Sent to Manufacturer? (If Yes, enter date (dd-mmm-yyyy)) ☐ Yes _____ ☐ No			
14. Manufacturer Name/Address			

G. ALL MANUFACTURERS	
1. Contact Office (and Manufacturing Site for Devices)	2. Phone Number
Name Drug Safety Department, Clinical/Trial/Engine Research	
Address	3. Report Source (Check all that apply)
Email Address	☐ Foreign ☒ Study ☐ Literature ☐ Consumer ☐ Health Professional ☐ User Facility ☐ Company Representative ☐ Distributor ☐ Other: _____
Compounding Outsourcing Facility 503B? ☐ Yes	
4. Date Received by Manufacturer (dd-mmm-yyyy) 18 __ - EEB __ - 2026 __ __	5. NDA # _____ ANDA # _____ IND # IND-999999 BLA # _____ PMA/ 510(k) # _____
6. If IND, Give Protocol #	
7. Type of Report (Check all that apply) ☐ 5-day ☐ 30-day ☐ 7-day ☐ Periodic ☐ 10-day ☒ Initial ☒ 15-day ☐ Follow-up # _____	Combination Product ☐ Yes Pre-1938 ☐ Yes OTC ☐ Yes
9. Manufacturer Report Number CTE-SIM-2026-001-58F545F3	8. Adverse Event Term(s) fatigue

H. DEVICE MANUFACTURERS ONLY	
1. Type of Reportable Event ☐ Death ☐ Serious Injury ☐ Malfunction	2. If Follow-up, What Type? ☐ Correction ☐ Additional Information ☐ Response to FDA Request ☐ Device Evaluation
3. Device Evaluated by Manufacturer? ☐ Not Returned to Manufacturer ☐ Yes ☐ Evaluation Summary Attached ☐ No (Attach page to explain why not) or provide code: _____	4. Device Manufacture Date (dd-mmm-yyyy) __ - __ - ____
	5. Labeled for Single Use? ☐ Yes ☐ No
6. Event Problem and Evaluation Codes (Refer to coding manual)	
Patient Code _____ - _____ - _____ Device Code _____ - _____ - _____ Method _____ - _____ - _____ Results _____ - _____ - _____ Conclusions _____ - _____ - _____	
7. If Remedial Action Initiated, Check Type ☐ Recall ☐ Notification ☐ Repair ☐ Inspection ☐ Replace ☐ Patient Monitoring ☐ Relabeling ☐ Modification/Adjustment ☐ Other: _____	8. Usage of Device ☐ Initial Use of Device ☐ Reuse ☐ Unknown
9. If action reported to FDA under 21 USC 360i(f), list correction/removal reporting number:	
10. ☐ Additional Manufacturer Narrative and / or 11. ☐ Corrected Data	

This section applies only to requirements of the Paperwork Reduction Act of 1995.
The public reporting burden for this collection of information has been estimated to average 73 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to:

Department of Health and Human Services
Food and Drug Administration
Office of Chief Information Officer
Paperwork Reduction Act (PRA) Staff
PRAStaff@fda.hhs.gov
Please DO NOT RETURN this form to the above PRA Staff email address.

OMB Statement: "An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number."

(CONTINUATION PAGE)

For use by user-facilities,
importers, distributors, and manufacturers
for MANDATORY reporting

Page 3 of 3

MEDWATCH

FORM FDA 3500A (10/15) (continued)

B.5. Describe Event or Problem (continued)

Test narrative for fatigue Grade 3 SAE in an 83-year-old male.

B.6. Relevant Tests/Laboratory Data, Including Dates (continued)

ANC: 3.8 x10⁹/L [2026-01-25]; HEMOGLOBIN: 11.5 g/dL [2026-01-25]; PLATELETS: 219.0 x10⁹/L [2026-01-25]; CREATININE: 1.6 mg/dL [2026-01-25]; EGFR: 44.0 mL/min/1.73m² [2026-01-25]; ALT: 37.0 U/L [2026-01-25]; AST: 32.0 U/L [2026-01-25]; TOTALBILIRUBIN: 1.1 mg/dL [2026-01-25]; GLUCOSEFASTING: 134.0 mg/dL [2026-01-25]; HBA1C: 7.1 % [2026-01-25]; TSH: 1.94 mIU/L [2026-01-25]; LDH: 302.0 U/L [2026-01-25]; ALBUMIN: 3.45 g/dL [2026-01-25]; SODIUM: 140.0 mmol/L [2026-01-25]; ANC: 4.1 x10⁹/L [2026-01-26]; HEMOGLOBIN: 11.5 g/dL [2026-01-26]; PLATELETS: 220.0 x10⁹/L [2026-01-26]; CREATININE: 1.59 mg/dL [2026-01-26]; EGFR: 47.0 mL/min/1.73m² [2026-01-26]; ALT: 35.0 U/L [2026-01-26]; AST: 32.0 U/L [2026-01-26]; TOTALBILIRUBIN: 1.1 mg/dL [2026-01-26]; GLUCOSEFASTING: 133.0 mg/dL [2026-01-26]; HBA1C: 7.1 % [2026-01-26]; TSH: 1.95 mIU/L [2026-01-26]; LDH: 297.0 U/L [2026-01-26]; ALBUMIN: 3.4 g/dL [2026-01-26]; SODIUM: 141.0 mmol/L [2026-01-26]; ANC: 4.3 x10⁹/L [2026-01-27]; HEMOGLOBIN: 11.6 g/dL [2026-01-27]; PLATELETS: 225.0 x10⁹/L [2026-01-27]; CREATININE: 1.6 mg/dL [2026-01-27]; EGFR: 46.0 mL/min/1.73m² [2026-01-27]; ALT: 34.0 U/L [2026-01-27]; AST: 31.0 U/L [2026-01-27]; TOTALBILIRUBIN: 1.1 mg/dL [2026-01-27]; GLUCOSEFASTING: 135.0 mg/dL [2026-01-27]; HBA1C: 7.1 % [2026-01-27]; TSH: 1.96 mIU/L [2026-01-27]; LDH: 295.0 U/L [2026-01-27]; ALBUMIN: 3.4 g/dL [2026-01-27]; SODIUM: 141.0 mmol/L [2026-01-27]; ANC: 4.6 x10⁹/L [2026-01-28]; HEMOGLOBIN: 11.6 g/dL [2026-01-28]; PLATELETS: 233.0 x10⁹/L [2026-01-28]; CREATININE: 1.6 mg/dL [2026-01-28]; EGFR: 45.0 mL/min/1.73m² [2026-01-28]; ALT: 33.0 U/L [2026-01-28]; AST: 31.0 U/L [2026-01-28]; TOTALBILIRUBIN: 1.0

B.7. Other Relevant History, Including Preexisting Medical Conditions (e.g., allergies, pregnancy, smoking and alcohol use, hepatic/renal dysfunction, etc.) (continued)

hypertension (ongoing); diabetes (ongoing)

Concomitant Medical Products and Therapy Dates (Exclude treatment of event) (For continuation of C.2 and/or D.11; please distinguish)

Lisinopril (hypertension); Glipizide (diabetes)

Other Remarks