

ELLIOTT WAVE / NEOWAVE

Developer Update Audit and Mandatory Correction Handoff

Comparison of the updated Pine Script against the 100% Source-Locked Master Developer Specification V3.1, conclusively resolved by the V3.3 Zero-Clarification Final Profile

AUDIT RESULT: The submitted script is a useful Core Impulse foundation, but it is not V3.3 specification-complete. Estimated implemented logic match: approximately 25-30%.

Audit item	Details
Specification reviewed	Elliott_Wave_100pct_Source_Locked_Developer_Spec_V3_3_ZERO_CLARIFICATION_FINAL(2).pdf - 122 pages
Script reviewed	elliott_wave_notes(1).pine - Pine v6 - 1,205 lines
Audit date	22 August 2026
Audit type	Static source-code and rendered-specification review
Purpose	Exact developer handoff: what is updated correctly, what is partial/incorrect, and what must be completed

Prepared for direct submission to the Pine Script developer.

1. Executive Decision

DO NOT ACCEPT THIS BUILD AS FINAL. Visible 1-2-3-4-5 labels or successful compilation are not acceptance under V3.3. All mandatory pattern families, nine timeframe engines, diagnostics, alerts, Python parity and acceptance evidence must be delivered.

The developer has moved the code away from a purely fixed positional cycle and has introduced a candidate-state Core Impulse engine. This is a meaningful improvement. However, the final PDF explicitly requires a complete multi-timeframe Elliott/NeoWave product, not only a single-timeframe impulse skeleton.

The current build should be classified as **PARTIAL - CORE IMPULSE FOUNDATION**. It must not be described as 100% complete, production-ready, or compliant with the Zero-Clarification Final Profile.

1.1 Estimated coverage

Module	Estimated match	Audit status
Pivot and input layer	60-65%	PARTIAL
Point-0 / Wave-1 foundation	50-55%	PARTIAL
Wave-2	35-40%	CRITICAL GAPS
Wave-3	40-45%	PARTIAL
Wave-4	30-35%	CRITICAL FORMULA DEFECT
Wave-5	25-30%	PARTIAL
Correction families	15-20%	MOSTLY MISSING
Diagonals and extensions	5-10%	MISSING
Nine-timeframe engine	0-5%	NOT IMPLEMENTED
Alerts and HP trade plan	5-10%	NOT IMPLEMENTED
Acceptance package / Python parity	0%	NOT DELIVERED
Overall weighted logic match	25-30%	NOT ACCEPTABLE AS FINAL

Important: percentages measure enforceable code paths, not the presence of comments, input names, status text or dashboard promises.

2. Updates Implemented Properly or Substantially

The following work should be retained and extended. 'Properly' here means that a meaningful implementation exists; it does not mean the entire associated V3.3 module is complete.

No.	Implemented update	Audit assessment	Script evidence
2.1	Pine Script v6 foundation	Correct foundation.	Header uses //@version=6.
2.2	Candidate-state engine skeleton	Meaningful improvement over fixed-cycle labelling.	SEARCHING / FORMING / CONFIRMED / ALTERNATE / INVALID variables and engine stages.
2.3	Confirmed raw pivot input	Confirmed left/right pivot approach is present.	ta.pivohigh / ta.pivotlow with pivotRight offset.
2.4	Point-0 and Wave-1 locking	Partial but useful base-lock architecture.	baseLocked and lockedBase/W1 bar-price fields.
2.5	Important H/L and oscillator support	Base candidate uses Important H/L, MACD extreme and RSI/MACD divergence.	f_candidate_oscillator and f_candidate_for_count.
2.6	Wave-1 internal move candidates	Checks 5/9/13/17/21 raw moves.	f_find_phase1_candidate and f_impulse_count.
2.7	Wave-2 correction container	W2 is not simply the next opposite pivot.	W2_CORRECTION_CONTAINER state.
2.8	Limited Zig-Zag / Flat classifier	A real, but incomplete, correction classifier exists.	f_eval_simple_correction.
2.9	Wave-2 normal price band	23.6%-81.2% normal band is present.	wave2MinRetrace / wave2MaxRetrace and W2 normal check.
2.10	Wave-3 trending/terminal distinction	Below 161.8% is not automatically rejected if terminal conditions are attempted.	trending and terminal branches.
2.11	Wave-4 before Wave-5 transition lock	Wave-5 is not confirmed immediately after Wave-3 reversal.	W4_CORRECTION_CONTAINER must transition to W5_FORMING.
2.12	Wave-3 shortest check	Deferred comparison of W1/W3/W5 is present.	w3Shortest calculation in W5 stage.
2.13	W3/W5 MACD divergence support	Support/required input exists.	divergencePass in W5 stage.
2.14	Locked endpoint protection	Same-type raw pivot replacement avoids locked main endpoints.	lockedMainEndpoint check in f_upsert_swing.
2.15	Basic dashboard and reason text	Useful starting diagnostics exist.	State, degree, parent stage, pattern, evidence, reason and next rows.

3. Critical Defects Requiring Immediate Correction

Priority P0 defects can materially confirm the wrong wave or make a single-timeframe prototype appear compliant. Correct these before visual refinements.

ID	Defect	Why current code fails	Required correction
P0-01	Nine independent timeframe engines are absent	V3.3 requires independent M/W/D/288/240/60/15/5/3 pivot arrays, Point-0 locks, candidates, confirmed labels, alternates, invalidations and recount checkpoints. The script has one current-chart state engine. request.security() is used only for Important H/L, not nine Elliott counts.	Build nine independent bounded state engines; calculate all nine on every supported chart; preserve parent context without overwriting child counts.
P0-02	Wave-2 time gate is calculated but not enforced	The binding W2 boolean requires any approved time window: 0.25x, 0.50x, 1.00x or 2.00x W1, with tolerance. Current W2 confirmation ignores timeRatio.	Implement AnyTimeWindowPass and include it as a mandatory AND gate in W2_CONFIRMED. Store observed duration, target, tolerance and first failure.
P0-03	Microscopic Wave-2 branch is wrong	The code accepts approximately 14% +/-2%. V3.3 defines 14% to below 23.6%, plus combined W1+W2 duration <=13 counted-timeframe bars and required microscopic structure/context.	Replace the tolerance-to-14 shortcut with the exact continuous band, duration gate and named W2_MICRO validator.
P0-04	Wave-4 retracement anchor is wrong	The current candidate calculation divides W3-to-W4 movement by Point0-to-W3 movement. Normal W4 retracement must be evaluated against Wave-3 length, W2-to-W3.	Use abs(W3-W4) / abs(W3-W2), then apply 23.6%-50% normal, shallow special and terminal/diagonal exception branches.
P0-05	W-X-Y is missing from Wave-2	V3.3 explicitly allows Zig-Zag, Flat or W-X-Y for W2. The simple correction evaluator only confirms Zig-Zag or Flat.	Add component-level W, X and Y candidates, small/large X rules, Y completion, double confirmation and actual Y endpoint locking.
P0-06	Closed counted-timeframe confirmation is incomplete	Point-0 breach uses current bar high/low and may invalidate intrabar in live use. Required confirmed-at metadata and closed-bar lifecycle are absent.	Gate confirmations, invalidations, recounts and alerts on confirmed counted-timeframe bars/pivots; separately store detectedBar, confirmedBar and endpointBar.
P0-07	V3.3 resolved states are not respected	The script still produces TBD_BLOCKED and 'PROJECT FILTERS TBD'. V3.3 retires TBD-BLOCKED for resolved rules.	Implement the resolved C1-C27 decisions. Use only SEARCHING, FORMING, CONFIRMED, ALTERNATE and INVALID for final profile operation.

4. Mandatory Missing Modules

ID	Missing module	Required implementation
M-01	Full multi-timeframe routing and dashboard	Nine always-on counts; parent alignment; opposite child/parent counts may coexist; one optional full overlay.
M-02	Complete correction candidate model	Run Zig-Zag, Flat, Double, Triple and Triangle candidates in parallel; eliminate only by their hard rules.
M-03	Double correction W-X-Y	Small/large X, Y rules, time/Fib validation, double confirmation and Y actual completion.
M-04	Triple correction W-X-Y-XX-Z	Track five components, XX rules, Z pattern restrictions, completion and failure branches.
M-05	Six triangle families	Contracting and expanding: horizontal, irregular and running; location, leg, trendline, apex, completion and thrust rules.
M-06	Leading Diagonal parser	Correct location, internal structure, overlap, wedge/trendline, Fib/time and completion rules.
M-07	Ending Diagonal parser	W5 or C location, 3-3-3-3-3, overlap/wedge, divergence and actual completion.
M-08	Extension engine	Microscopic, W3 extensions through 9/13/17/21 moves, W5 extension/megaphone branch and market-type control.
M-09	Complete Wave-5 branches	Normal, truncated, extended and Ending Diagonal as independent named candidates.
M-10	Larger post-W5 correction engine	After W5, open actual candidate parsers. Current text-only 'Larger correction pending' is not implementation.
M-11	Time-profile engine	Mandatory OR windows per gate; separate market-extreme time origin and Elliott structure origin; Fib time zones and conflict-resolved profiles.
M-12	Candidate ranking/tie-break	Hard validity, completed gates, subdivision match, normalized Fib/time error, support, earlier confirmation; primary plus max two alternates.
M-13	Exact debug records	First-failed rule ID, observed/required values, invalidation, source profile, confirmation timestamp and recount checkpoint.
M-14	Alerts	FORMING, CONFIRMED, INVALID, CONTROLLED_RECOUNT, CORRECTION_COMPLETE, HP_BUY and HP_SELL once per closed counted-timeframe bar.
M-15	HP Wave-3 trade plan	Eligibility, four-bar entry window, Point-0 stop, T1/T2/T3, expiry, plots and alerts; no broker execution.
M-16	Acceptance and parity package	Python engine, fixtures, screenshots/logs, Pine-Python parity, non-repaint replay proof, performance report and user guide.

5. Detailed Rule-by-Rule Correction Register

ID	Area	Current script	Required result	Priority
R-01	Final source profile	Script header and modes remain centered on V3.1/Core Impulse.	Make V3.3 Final Profile the binding production mode; legacy comparison mode cannot be acceptance mode.	P0
R-02	Timeframe pivots	One global 5/5 input.	Defaults: M2, W3, D/288/240=5, 60=7, 15=9, 5=12, 3=15; advanced overrides only.	P0
R-03	Important H/L	144 source bars via ta.highest/lowest.	Use preceding 144 calendar days converted deterministically per counted timeframe.	P0
R-04	RSI default	Length 14.	Set locked default to RSI(13), close source.	P1
R-05	MACD comparison	Histogram stored; line comparison incomplete.	Use MACD line as primary and histogram as momentum confirmation where specified.	P1
R-06	Divergence window	Previous same-type pivot without locked 5-60 bar window.	Corresponding confirmed pivots, minimum 5 and maximum 60 counted-timeframe bars.	P1
R-07	W1 validation	5/9/13/17/21 counts plus degree and oscillator support.	Add complete subordinate structure validation, LD possibility, time/support rules and exact confirmed metadata.	P1
R-08	W2 price	Normal band mostly correct.	Retain inclusive 23.6%-81.2%; add <14 insufficient, exact microscopic, >81.2 deep-risk lifecycle and maximum-close rule.	P0
R-09	W2 structure	Limited Zig-Zag/Flat only.	Add W-X-Y, terminal C/Y completion and closed pivot confirmation.	P0
R-10	W2 time	Diagnostic only.	Mandatory OR gate across 0.25/0.50/1.00/2.00 windows with locked tolerance.	P0
R-11	Flat validation	B range exists, but complete subtype/component rules do not.	Implement A/B/C structure, B up to 111% only for Flat family, subtype ranges, time and C completion.	P0
R-12	W3 classification	Trending/terminal skeleton exists.	Add full Trending/Terminal/Diagonal validators, W3 time, gaps/support, extension retention and maximum rule resolution.	P1
R-13	W4	Correction container exists, formula wrong and families incomplete.	Correct denominator; implement allowed correction candidates, alternation/similarity, time and subtype overlap rules.	P0
R-14	W5	Normal and limited truncated branches.	Add normal, truncated, extended and ED branches; market restrictions and reversal confirmation.	P0
R-15	Post-W5 correction	Text placeholder only.	Run full parallel larger-correction classifier and lock C/Y/Z/E only on completion pivot.	P0
R-16	Recount	Mostly releases Point-0 and searches forward.	Recount from nearest justified checkpoint; log supersession; FBD/FBO may nominate, never unconditional reset.	P1
R-17	Dashboard	Single engine, seven rows.	All nine timeframes and required detailed fields; debug/production modes; selected overlay controls.	P1
R-18	Drawings/history	Current locked cycle only; objects recreated.	Latest three completed cycles per timeframe; reuse drawings; current/selected overlay only; resource fallback order.	P2
R-19	Alerts	Absent.	Implement all seven specified alert types with complete payload.	P1
R-20	HP plan	Eligibility text only, marked TBD.	Implement exact eligibility, entry/stop/targets/expiry, plots and alerts.	P1

6. Exact Wave-2 Acceptance Logic

This is the minimum binding logic the developer must implement. Alternatives inside one gate are OR; mandatory gate categories are AND.

W2_CONFIRMED = W1_CONFIRMED AND PriceGatePass AND AnyTimeWindowPass AND CorrectiveStructureComplete AND TerminalLegComplete AND Point0Protected AND ClosedBarConfirmationPass

Gate	Required behaviour	Failure state
Price <14%	Insufficient retracement.	FORMING
14% to <23.6%	Only W2_MICRO; combined W1+W2 duration <=13 bars plus microscopic structure/context.	FORMING unless all micro rules pass
23.6%-81.2% inclusive	Normal price gate PASS; continuous band, not exact Fib touch.	Proceed to other gates
>81.2%, Point-0 protected	Deep-risk/developing; do not confirm normal W2; apply maximum consecutive-close rule.	FORMING / alternate monitoring
Point-0 breached	Hard invalidation.	INVALID and controlled recount
Time	Any one of 0.25x, 0.50x, 1.00x, 2.00x W1 within tolerance.	FORMING
Structure	Completed Zig-Zag, Flat or W-X-Y.	FORMING
Terminal leg	C or Y actually complete on confirmed pivot.	FORMING
Closed confirmation	No future bar or intrabar historical promotion.	FORMING

The current script fails this acceptance rule because time is not included in the confirmation boolean, W-X-Y is absent, the microscopic definition is wrong, and terminal-leg completion is not fully proven.

7. Nine-Timeframe Implementation Contract

Display	Pine TF	Pivot L/R	Context parent	Count ownership
Monthly	1M	2/2	None	Independent
Weekly	1W	3/3	Monthly	Independent
Daily	1D	5/5	Weekly	Independent
288 minute	288	5/5	Daily	Independent parallel child
4 hour	240	5/5	Daily	Independent parallel child
1 hour	60	7/7	4H primary; 288 secondary	Independent
15 minute	15	9/9	1H	Independent
5 minute	5	12/12	15m	Independent
3 minute	3	15/15	5m	Independent

- Every timeframe must own separate raw pivots, Point-0, candidates, locked labels, alternates, invalidations and recount checkpoint.
- A lower timeframe must never advance, reset or overwrite a higher-timeframe count.
- Parent alignment changes confidence/ranking only; it does not erase a structurally valid child count.
- Calculate all nine counts. Draw full objects only for the current locked timeframe or one selected overlay timeframe.
- The compact dashboard must summarize the other eight counts at all times.

8. Required Dashboard, Alerts and HP Plan

8.1 Dashboard fields

Required field	Minimum content
Timeframe / degree	Counted timeframe and degree name
Direction	Bullish / Bearish / Neutral
Last confirmed	Point-0 / W1 / W2 / W3 / W4 / W5 / correction endpoint
Active candidate	Wave and pattern, e.g. W4 - Zig-Zag
Alternate	Highest-ranked still-valid alternate
State	SEARCHING / FORMING / CONFIRMED / ALTERNATE / INVALID
Price gate	Observed ratio and PASS/FAIL
Time gate	Observed duration, target and PASS/FAIL
Internal	Completed/required subordinate moves
Parent alignment	Primary and secondary parent context
Next condition	Exact next mandatory gate
Invalidation	Exact price/pattern boundary
Debug failure	First-failed rule ID plus observed/required values

8.2 Alerts

- FORMING
- CONFIRMED
- INVALID
- CONTROLLED_RECOUNT
- CORRECTION_COMPLETE
- HP_BUY
- HP_SELL

Every alert must fire once per closed counted-timeframe bar and include symbol, chart TF, counted TF, direction, label, pattern, endpoint price/time, state and invalidation.

HP Wave-3 Trade Plan

The HP module consumes a confirmed Elliott state. It must never create or alter an Elliott label merely to issue a trade signal.

Field	Bullish HP BUY	Bearish HP SELL
Eligibility	W1 confirmed; W2 61.8%-81.2%; valid time; terminal correction complete; Point-0 protected; confirmation closed	Mirrored
Entry	Break above confirmation candle high within next 4 counted-TF bars	Break below confirmation candle low within next 4 counted-TF bars
Stop	Point-0 minus one minimum tick	Point-0 plus one minimum tick
T1	W1 endpoint	W1 endpoint
T2	100% 0-W1-W2 projection	100% mirror projection
T3	161.8% 0-W1-W2 projection	161.8% mirror projection
Expiry	No trigger in 4 bars, Point-0 breach, or correction invalid	Mirrored

9. Developer Delivery and Acceptance Checklist

The developer must mark every item DONE and provide evidence. PARTIAL, TBD, placeholder text or an undocumented exclusion does not pass final acceptance.

Check	Mandatory deliverable	Evidence required	Status
A01	Pine v6 compiles	Compiler screenshot/log; no undisclosed warnings	[]
A02	Nine independent timeframe engines	State/debug tests for M/W/D/288/240/60/15/5/3	[]
A03	Impulse branches	W1-W5, trending/terminal, extensions, truncation	[]
A04	Leading and Ending Diagonals	Deterministic fixtures and real-market example	[]
A05	Zig-Zag and Flat families	Fixtures, completion pivots and failure reasons	[]
A06	Double and Triple	W-X-Y and W-X-Y-XX-Z fixtures	[]
A07	Six triangle families	Fixtures, E completion and thrust zones	[]
A08	Non-repaint	Bar Replay/video or timestamped screenshots	[]
A09	Controlled recount	Checkpoint and reason-code logs	[]
A10	Dashboard and alerts	All fields and seven alert payloads	[]
A11	HP plan	Eligibility, trigger, expiry, stop and three targets	[]
A12	Python implementation	Same states/rules and configuration register	[]
A13	Pine-vs-Python parity	Identical fixture comparison report	[]
A14	Synthetic OHLCV fixtures	Expected endpoints, bars, states, ratios and reasons	[]
A15	Real-market examples	Impulse, diagonal/extension, Zig-Zag, Flat, Double, Triple, Triangle	[]
A16	Performance/resource report	Representative symbols and timeframes	[]
A17	User guide	Inputs, dashboard, states, alerts and limitations	[]

10. Priority Implementation Order

Order	Work package	Required outcome
1	Freeze V3.3 architecture	Create common candidate objects, rule records, confirmation metadata and nine independent timeframe containers.
2	Correct P0 formulas and defaults	W4 denominator, W2 time gate, microscopic definition, RSI13, time-based 144-day context and TF pivot defaults.
3	Complete W1-W5 engine	Full internal, price, time, invalidation and subtype validators; remove resolved TBD states.
4	Build correction components	Reusable Zig-Zag, Flat, Double, Triple and component completion model.
5	Build diagonals, extensions and triangles	Implement location, structure, Fib/time, trendline and completion validators.
6	Implement recount/ranking	Nearest checkpoint recount; max two alternates; deterministic tie-break.
7	Implement display and alerts	Current/selected overlay, nine-TF dashboard, debug fields, seven alerts and HP plan.
8	Build Python parity and fixtures	Run identical deterministic datasets through both engines.
9	Acceptance demonstration	Compilation, replay, screenshots/logs, parity and performance report before completion claim.

The developer should correct logic before adjusting labels, colours, dashboard cosmetics or chart clutter. Visual polish cannot repair an invalid structural confirmation.

11. Scope and Change-Control Notice

All corrections in this report are requirements already contained in the supplied V3.1 specification as conclusively resolved by V3.3 Sections 18-31. They are specification-completion and defect-correction items, not new feature requests or paid scope additions.

- Corrections, diagonals, extensions, nine-timeframe counts, states, non-repaint evidence, debug logs, Python parity and fixtures cannot be treated as optional add-ons.
- If a genuine contradiction or TradingView platform impossibility exists, it must be submitted in writing before implementation, with exact rule IDs, reproducible evidence and the deterministic fallback.
- A developer-requested change becomes a new change only when the owner requests behaviour different from V3.3 after scope acceptance.
- Successful compilation, visible wave labels or a verbal statement of completion is not final acceptance.

Developer response required

Response item	Developer completion
I confirm that I reviewed this audit against the V3.3 final profile.	Name/date: _____
I accept the P0 defects and missing modules as in-scope corrections.	Yes / No; written exception: _____
I will provide a revised compliance matrix with DONE/PARTIAL and evidence links.	Target date: _____
I will not claim completion until all acceptance gates pass.	Signature: _____

End of developer handoff