

Bioreference Laboratories

SPECIMEN INFORMATION

SPECIMEN: 103622289

REQUISITION: 86010570

Lab ref no:

PATIENT INFORMATION

Beshero-Bondar, Elisa

DOB: June 02, 1971

AGE: 50

GENDER: Female

FASTING: Unknown

REPORT STATUS: FINAL

ORDERING PHYSICIAN

Abraham, Andrew

CLIENT INFORMATION

Verily-COVID

COLLECTED: 08/18/2021 07:30PM UTC

RECEIVED:

REPORTED: 08/22/2021 02:39AM UTC

Clinical Info:

Test Name	Result	Reference Range	Lab
Novel Coronavirus COVID-19 Nasal/Nasopharynx			
Novel Coronavirus COVID-19 Nasal/Nasopharynx	not_detected	Not Detected	01
ASSAY INFORMATION: Real Time RT-PCR or TMA. Both RT-PCR and TMA are nucleic acid amplification tests (NAAT) which are molecular testing modalities and recommended by the CDC for passenger travel. Testing and International Air Travel, cdc.gov/coronavirus/2019-ncov/travelers/testing-air-travel.html 2/18/2021 NOTE: The COVID-19 assay is under Emergency Use Authorization (EUA) by the U.S. Food and Drug Administration. BioReference Laboratories and GeneDx are designated as high complexity laboratories by the Clinical Laboratory Improvement Amendments of 1988 (CLIA) and are qualified to perform this test.			

Performing Laboratory Information:

01: BioReference Laboratories, Inc., 481 Edward H. Ross Dr, Elmwood Park NJ, phone: , Director: