



Release Notes

RFID SDK for MAUI. NET 10 (iOS) v1.2.0

May 2026



Contents

Contents	2
Overview	3
Device Compatibility	3
Version History	3
Components	5
Installation.....	5



Overview

Zebra RFID SDK for MAUI enables a developer to build native applications to connect and control Zebra RFID readers over a Bluetooth connection (no cradle involved) on iOS devices from a single, shared C# codebase.

Functionality:

1. Discover, connect and disconnect readers
2. Perform basic inventory (start, stop inventory with relevant notifications)
3. Barcode reading

Device Compatibility

For the compatible devices list, please visit the following page.

[RFID Reader SDK For MAUI \(iOS\)](#)

Version History

Version 1.0.25 – 05/2026

1. .NET 10 Support
2. SDK – Fast ID and Inventory Protocol Support
3. SDK – 32 Prefilter Support
4. General bug fixes and stability

Version 1.0.20 – 12/2025

1. Impinj tag support
2. General bug fixes and stability

Version 1.0.13 – 06/2025

1. Network status support
2. IOT status support
3. Connection type (BT/Proclip) support
4. General bug fixes and stability

Version 1.0.11 – 04/2025

1. App – Endpoint configuration support
2. Offline configuration support
3. App - Enterprise network encryption support
4. General bug fixes and stability



Version 1.0.8 – 12/2024

1. SDK – Endpoint configuration support
2. General bug fixes and stability

Note: In the POC app, Endpoint configuration functionality is not supported but is supported in the SDK.

WLAN encryptions such as Enterprise network encryptions are not supported in the POC app, but it is supported in the SDK.

In the POC app, during a WLAN scan in environments with numerous networks, the selected SSID may occasionally differ from the one shown in the profile connection menu. This issue does not occur when fewer networks are present, and the correct functionality is fully supported within the SDK.

Version 1.0.6 – 07/2024

1. .NET 8 Support
2. WLAN Support

Version 1.0.0 – 03/2023

Initial release (.NET 7).

1. Trigger Mapping
2. Tag Read, Write, and Lock
3. Access Sequence
4. Inventory Start/Stop
5. Single Tag Locations
6. Barcode Scanning
7. Get Battery Status
8. Request Battery status event
9. Trigger Press Release Event
10. Firmware Update
11. Region Settings



Components

The RFID SDK for MAUI ZIP file contains the following components:

- iOS MAUI libraries
- Demo application source code

Installation

Supported operating systems:

- iOS 17.x, 18.x and 26.x