

CreekReady

Official alert in.
Clear household plan out.


Henderson Damian Mejia Gonzales · Solo entrant



The alert arrives. The household must still decide.

In Cedar Creek, the last mile may include an older adult, a pet, limited mobility—or no vehicle.

COMMUNITY-WIDE WARNING




The official alert must cover the whole community.

But what do we do next?

- 01 Who needs help first?
- 02 What should be staged now?
- 03 When should we stop planning and follow officials?

One alert becomes a plan the household can scan.

Pasted alert + household constraints → trusted facts + staged actions



AI helps choose the order—not the facts.

A narrow role for Featherless keeps the safety boundary inspectable.

01

Facts stay bounded

Displayed place, timing, and official instructions: deterministic extraction, not model output.

02

AI ranks vetted IDs

Featherless can order approved action IDs; it cannot author new emergency actions.

03

Output is validated

Schema rules and a source allowlist reject malformed or unknown selections.

04

Failure is labeled

Any provider or validation failure returns the deterministic guided fallback.

No account · no database · no server-side plan storage

THE PROMISE

Official alert in.



**Clear household
plan out.**

What this prototype does not do

- It does not authenticate or monitor alerts.
- It has no live weather, road, location, or emergency-services feed.
- It does not replace the original alert or officials.
- It has no field-validated accuracy metric yet.

The official signal stays in control.