Visoka skola strukovnih studija za informacione i komunikacione tehnologije

Visoka ICT

Dokumentacija za sajt iz Web programiranja

Autor:Nemanja Lukic 135/15, Internet Tehnologije Beograd 2018

Uvod

Korisceni programski jezici

-HTML, CSS

-JAVASCRIPT(JQUERY, AJAX)

-JSON

Opis funkcionalnosti sajta

Na index stranici se filmovu dinamicki ucitavaju iz json fajla-pomocu ajaxa,takodje je odradjena pretraga pomocu ajaxa i sortiranje po kategoriji.Na stranici Kontakt je formular na kom su primenjeni regularni izrazi.Na stranici login je improvizovao logovanje tako sto se unosi username i password i proverava se dal takav korisnik postoji u json fajlu korisnici.

Organizacija

Index.html










Izaberite Marku ▼














sitemap rss dokumentaci

Autor.html



Galerija.html





sitemap rss dokumentacija

Kontakt.html

	Pocetna	Galerija	Autor	Kontakt	Logovanje	
Canvas D COLOURS CAN COME ALIVE				AVAII	LABLE FROM 14 TH FEB.	
	First Name					
	Last Name					
	Email Address					
	Comments		Posalji			

sitemap rss dokumentacij

Logovanje.html





sitemap rss dokumentacija

Nije koriscen tudji css

Script kodovi

Skripta.js

```
$.ajax({
  type:'GET',
  url:'js/navigacija.json',
  success:function(podaci){
  var lista="";
  $.each(podaci,function(index,podatak){
     lista+='<a class="link" href='+podatak.Link+'><li
class="navigacija">'+podatak.Naziv+'</a>';
  });
  lista+="";
  $("#navigacija").append(lista);
  }
});
slideShow();
function slideShow(){
  var trenutni=$('#banner .aktivna');
  var sledeci=trenutni.next().length ? trenutni.next() :
trenutni.parent().children(':first');
  trenutni.addClass('neaktivna');
```

```
trenutni.removeClass('aktivna');
  sledeci.removeClass('neaktivna');
  sledeci.addClass('aktivna');
  setTimeout(slideShow,3000);
}
$.ajax({
 type: 'GET',
 url:'js/telefoni.json',
 success:function(telefoni){
    var niz="";
    $.each(telefoni,function(index,telefon){
      niz+='<div class="telefon"><img src='+telefon.Putanja+'><h4
class="naziv">'+telefon.Naziv+'</h4><h3
class="cena">'+telefon.Cena+'</h3></div>';
    });
    $('#telefoni').append(niz);
    $('.telefon').hover(
      function(){
        console.log('aaaa');
        $(this).addClass('uokviri');
      },
      function(){
        $(this).removeClass('uokviri');
```

```
}
   );
 }
});
$('#pretrazi').keyup(function(){
  var keyword = document.getElementById('pretrazi').value.toLowerCase();
  $.ajax({
    type: 'GET',
    url:'js/telefoni.json',
    success:function(telefoni){
      var niz="";
      $.each(telefoni,function(index,telefon){
         if(telefon.Naziv.toLowerCase().indexOf(keyword)!== -1) {
           niz += '<div class="telefon"><img src=' + telefon.Putanja + '><h4
class="naziv">' + telefon.Naziv + '</h4><h3 class="cena">' + telefon.Cena +
'</h3></div>';
         }
      });
      $('#telefoni').html(niz);
      $('.telefon').hover(
         function(){
           console.log('aaaa');
```

```
$(this).addClass('uokviri');
         },
         function(){
           $(this).removeClass('uokviri');
         }
      );
    }
  });
});
$("#sortiraj").change(function(){
  var marka=$(this).val().toLowerCase();
  $.ajax({
    type:'GET',
    url:'js/telefoni.json',
    success:function(telefoni){
      var niz="";
      $.each(telefoni,function(index,telefon){
         if(telefon.Marka.toLowerCase().indexOf(marka)!== -1) {
           niz += '<div class="telefon"><img src=' + telefon.Putanja + '><h4
class="naziv">' + telefon.Naziv + '</h4><h3 class="cena">' + telefon.Cena +
'</h3></div>';
```

```
}
      });
       $('#telefoni').html(niz);
       $('.telefon').hover(
         function(){
           console.log('aaaa');
           $(this).addClass('uokviri');
         },
         function(){
           $(this).removeClass('uokviri');
         }
      );
    }
  });
});
$('#posalji').click(function(){
  var podaci=[];
  var greske=[];
 var ime=document.getElementById('ime').value;
  var prezime=document.getElementById('prezime').value;
  var email=document.getElementById('email').value;
```

```
var
regemail=/^(([^<>()\[\]\\.,;:\s@"]+(\.[^<>()\[\]\\.,;:\s@"]+)*)|(".+"))@((\[[0-
9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}])|(([a-zA-Z\-0-9]+\.)+[a-zA-Z]{2,}))$/;
  var komentar=document.getElementById('komentar').value;
  var regime=/[\w]{3,15}/;
  var regprezime=/[\w]{5,20}/;
  if(!regime.test(ime)){
    greske.push('Ime nije u dobrom formatu');
  }
  else{
    podaci.push(ime);
  }
  if(!regprezime.test(prezime)){
    greske.push('Prezime nije u dobrom formatu');
  }
  else{
    podaci.push(prezime);
  }
  if(!regemail.test(email)){
    greske.push('Email nije u dobrom formatu');
  }
  else{
    podaci.push(email);
  }
```

```
if(komentar != ""){
    podaci.push(komentar);
  }
  else{
    greske.push('morate ostaviti neki komentar');
  }
  if(greske.length==0){
   alert("vas komentar je uspesno poslat");
  }
  else{
    alert(greske);
  }
});
$('#login').click(function(){
var username=$('#username').val();
var password=$('#password').val();
$.ajax({
 type:'GET',
 url:'js/korisnici.json',
  success:function(korisnici){
    var logovanje=0;
    $.each(korisnici,function(index,korisnik){
```

```
if(korisnik.Username==username && korisnik.Password==password){
       logovanje+=1;
      }
   });
 if(logovanje==1){
   alert("Uspesno ste se ulogovali");
 }
 else{
   alert("Ne postoji takav korisnik");
 }
 }
});
});
```

```
JSON fajlovi
Navigacija.json
{"Naziv":"Pocetna","Link":"index.html"},
 {"Naziv":"Galerija","Link":"galerija.html"},
 {"Naziv":"Autor","Link":"autor.html"},
 {"Naziv":"Kontakt","Link":"kontakt.html"},
 {"Naziv":"Logovanje","Link":"logovanje.html"}
]
Korisnici.json
{"Username":"Nemanja","Password":"sifra1"},
 {"Username":"Luka","Password":"sifra1"}
Telefoni.json
{"Naziv":"Iphone
X","Marka":"Apple","Cena":"1000$","Putanja":"images/x.jpg"},
 {"Naziv":"Iphone
8","Marka":"Apple","Cena":"880$","Putanja":"images/8.jpg"},
 {"Naziv":"Xperia
XZ1","Marka":"Sony","Cena":"540$","Putanja":"images/xz1.jpg"},
 {"Naziv":"HTC
U11", "Marka": "HTC", "Cena": "640$", "Putanja": "images/u11.jpg"},
```

```
{"Naziv":"Galaxy
S8+","Marka":"Samsung","Cena":"980$","Putanja":"images/s8+.jpg"},

{"Naziv":"Galaxy
S8","Marka":"Samsung","Cena":"900$","Putanja":"images/s8.jpg"},

{"Naziv":"Galaxy S7
edge","Marka":"Samsung","Cena":"730$","Putanja":"images/s7.jpg"},

{"Naziv":"Huawei nova
2","Marka":"Huawei","Cena":"730$","Putanja":"images/nova2.jpg"},

{"Naziv":"Galaxy
Note8","Marka":"Samsung","Cena":"930$","Putanja":"images/note8.jpg"}
```

HTML KODOVI

```
Index.html
<html>
<head>
  <meta charset="utf-8"/>
  <title>Telefoni</title>
  <link rel="stylesheet" type="text/css" href="css/stil.css">
  <script src="js/jquery-3.3.1.min.js"></script>
</head>
<body>
<div id="navigacija">
</div>
<div id="banner">
  <img class="aktivna nekativna" src="images/iphone.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/samsung.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/sony.jpg" width="100%" height="50%">
</div>
<div id="pretraga">
  <input type="text" id="pretrazi" placeholder="pretrazite po nazivu">
```

```
<select id="sortiraj">
   <option value="">Izaberite Marku</option>
   <option value="Apple">Apple
   <option value="Samsung">Samsung</option>
   <option value="Sony">Sony</option>
   <option value="HTC">HTC</option>
   <option value="Huawei">Huawei
   </select></div>
<div id="telefoni">
</div>
</body>
<footer>
 <a href="sitemap.xml">sitemap</a>
   <a href="rss.xml">rss</a>
   <a href="dokumentacija.pdf">dokumentacija</a>
 </footer>
<script src="js/skripta.js"></script>
</html>
```

Galerija.html

```
<html>
<head>
  <meta charset="utf-8"/>
  <title>Telefoni</title>
  <link rel="stylesheet" type="text/css" href="css/stil.css">
  <link href="css/vanillabox.css" rel="stylesheet" type="text/css"/>
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css"/>
  <script src="js/jquery-3.3.1.min.js"></script>
</head>
<body>
<div id="navigacija">
</div>
<div id="banner">
  <img class="aktivna nekativna" src="images/iphone.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/samsung.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/sony.jpg" width="100%" height="50%">
</div>
```

```
<div class="centar">
  <div class="ispis">
    <div class="okvirSlike">
      <div class="slika"><a href="images/1.jpg"><img src="images/1.jpg"</pre>
alt="Web 1"/></a></div>
      <div class="slika"><a href="images/2.jpg"><img src="images/2.jpg"</pre>
alt="Web 2"/></a></div>
      <div class="slika"><a href="images/3.jpg"><img src="images/3.jpg"</pre>
alt="Web 3"/></a></div>
      <div class="cistac"></div>
    </div>
    <div class="okvirSlike">
      <div class="slika"><a href="images/4.jpg"><img src="images/4.jpg"</pre>
alt="Web 4"/></a></div>
      <div class="slika"><a href="images/5.jpg"><img src="images/5.jpg"</pre>
alt="Web 5"/></a></div>
       <div class="slika"><a href="images/6.jpg"><img src="images/6.jpg"</pre>
alt="Web 6"/></a></div>
      <div class="cistac"></div>
    </div>
  </div>
</div>
</div>
</body>
```

```
<footer>
  <a href="sitemap.xml">sitemap</a>
    <a href="rss.xml">rss</a>
    <a href="dokumentacija.pdf">dokumentacija</a>
  </footer>
<script src="js/jquery.vanillabox.js" type="text/javascript"></script>
<script src="js/skripta.js"></script>
<script>
  $('.slika a').vanillabox();
  $('.slika a img').hover(function(){
    $(this).animate({width: '+=30px'}, 2000);
  }, function(){
    $(this).animate({width: '-=30px'}, 2000);
 });
</script>
</html>
```

Kontakt.html

```
<html>
<head>
  <meta charset="utf-8"/>
  <title>Telefoni</title>
  <link rel="stylesheet" type="text/css" href="css/stil.css">
  <link href="css/vanillabox.css" rel="stylesheet" type="text/css"/>
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css"/>
  <script src="js/jquery-3.3.1.min.js"></script>
</head>
<body>
<div id="navigacija">
</div>
<div id="banner">
  <img class="aktivna nekativna" src="images/iphone.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/samsung.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/sony.jpg" width="100%" height="50%">
</div>
```

```
<div class="centar">
  <div class="ispis">
    <div class="okvirSlike">
      <div class="slika"><a href="images/1.jpg"><img src="images/1.jpg"</pre>
alt="Web 1"/></a></div>
      <div class="slika"><a href="images/2.jpg"><img src="images/2.jpg"</pre>
alt="Web 2"/></a></div>
      <div class="slika"><a href="images/3.jpg"><img src="images/3.jpg"</pre>
alt="Web 3"/></a></div>
      <div class="cistac"></div>
    </div>
    <div class="okvirSlike">
      <div class="slika"><a href="images/4.jpg"><img src="images/4.jpg"</pre>
alt="Web 4"/></a></div>
      <div class="slika"><a href="images/5.jpg"><img src="images/5.jpg"</pre>
alt="Web 5"/></a></div>
       <div class="slika"><a href="images/6.jpg"><img src="images/6.jpg"</pre>
alt="Web 6"/></a></div>
      <div class="cistac"></div>
    </div>
  </div>
</div>
</div>
</body>
```

```
<footer>
  <a href="sitemap.xml">sitemap</a>
    <a href="rss.xml">rss</a>
    <a href="dokumentacija.pdf">dokumentacija</a>
  </footer>
<script src="js/jquery.vanillabox.js" type="text/javascript"></script>
<script src="js/skripta.js"></script>
<script>
  $('.slika a').vanillabox();
  $('.slika a img').hover(function(){
    $(this).animate({width: '+=30px'}, 2000);
  }, function(){
    $(this).animate({width: '-=30px'}, 2000);
 });
</script>
</html>
```

Logovanje.html

```
<html>
<head>
  <meta charset="utf-8"/>
  <title>Telefoni</title>
  <link rel="stylesheet" type="text/css" href="css/stil.css">
  <script src="js/jquery-3.3.1.min.js"></script>
</head>
<body>
<div id="navigacija">
</div>
<div id="banner">
  <img class="aktivna nekativna" src="images/iphone.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/samsung.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/sony.jpg" width="100%" height="50%">
</div>
<form class="login">
  <h1 class="login-title">Login</h1>
```

```
<input type="text" id="username" class="login-input"</pre>
placeholder="Username" autofocus>
  <input type="password" id="password" class="login-input"</pre>
placeholder="Password">
  <input type="button" id="login" value="Login" class="login-button">
</form>
</div>
</body>
<footer>
 <a href="sitemap.xml">sitemap</a>
   <a href="rss.xml">rss</a>
   <a href="dokumentacija.pdf">dokumentacija</a>
  </footer>
<script src="js/skripta.js"></script>
</html>
```

Autor.html

```
<html>
<head>
  <meta charset="utf-8"/>
  <title>Telefoni</title>
  <link rel="stylesheet" type="text/css" href="css/stil.css">
  <script src="js/jquery-3.3.1.min.js"></script>
</head>
<body>
<div id="navigacija">
</div>
<div id="banner">
  <img class="aktivna nekativna" src="images/iphone.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/samsung.jpg" width="100%"</pre>
height="50%">
  <img class="neaktivna" src="images/sony.jpg" width="100%" height="50%">
</div>
<div id="sadrzaj">
  <div id="text">
```

<h4>Hello, my name is Nemanja Lukic. I was born on 27th july in 1996.I graduated on "Tehnicka Skola Obrenovac" high school.I am currently on Visoka ICT college in Belgrade and this website is a project for Web Programming course at ICT college.<h3>

```
</div>
 <div id="slika">
   <img src="images/ja.jpg" width="400px">
 </div>
</div>
</body>
<footer>
 <a href="sitemap.xml">sitemap</a>
   <a href="rss.xml">rss</a>
   <a href="dokumentacija.pdf">dokumentacija</a>
 </footer>
<script src="js/skripta.js"></script>
</html>
```