Differentiable Probabilistic Models

William Watson

nextbillyonair@gmail.com

Abstract

d

Contents

1	Intro	oduction	6
	1.1	Philosophy	6
2	Back	ground	6
	2.1	Kronecker Product	6
	2.2	Gradients	6
	2.3	Jacobian	6
	2.4	Hessian	6
	2.5	Newton Optimization	6
3	Dist	ributions	6
	3.1	Distribution (Base Class)	6
	3.2	Arcsine	6
	3.3	Asymmetric Laplace	6
	3.4	Bernoulli	6
	3.5	Beta	6
	3.6	Binomial	6
	3.7	Categorical	6
	3.8	Cauchy	6
	3.9	Chi Square	6
	3.10	Conditional Model	6
	3.11	Convolution	6
	3.12	Data	6
	3.13	Dirac Delta	6
	3.14	Dirichlet	6
	3.15	Exponential	6
	3.16	Fisher-Snedcor (F-Distribution)	6

Differentiable Probabilistc Models: Documentation

3.17	Gamma	6
3.18	Generator	6
3.19	Gumbel	6
3.20	Gumbel Softmax	6
3.21	Gumbel Mixture Model	6
3.22	Half Cauchy	6
3.23	Half Normal	6
3.24	Hyperbolic Secant	6
3.25	Infinite Mixture Model	6
3.26	Kumaraswamy	6
3.27	Langevin	6
3.28	Laplace	6
3.29	Log Cauchy	6
3.30	Log Laplace	6
3.31	Log Normal	6
3.32	Logistic	6
3.33	Logit Normal	6
3.34	Mixture Model	6
3.35	Negative Binomial	6
3.36	Normal (Independent)	6
3.37	Normal (Multivariate)	6
3.38	Pareto	6
3.39	Poisson	6
3.40	Rayleigh	6
3.41	Relaxed Bernoulli	6
3.42	Student T	6
3.43	Transformed Distribution	6
3.44	Uniform	6
3.45	Weibull	6
Tron	oforms	6
4.1	Transform (Base Class)	7
4.1	Inverse Transform	7
4.2	Chain	7
4.3	Affine	7
4.5		7
4.6	Exp	7
4.6	Expm1	7
4.7	Identity	8
4.8	Kumaraswamv	8
+ .7	INDUDICATIVATIVE CONTRACTOR CONTR	α

	4.10	Log .		8
	4.11	Logit .		8
	4.12	NICE		8
	4.13	Planar		8
	4.14	Power		8
	4.15	Radial		9
	4.16	Recipro	ocal	9
	4.17	Sigmoi	d	9
	4.18	SinhAr	csinh	9
	4.19	Softplu	s	9
	4.20	Softsig	n	9
	4.21	Square		9
	4.22	Tanh .		9
	4.23	Weibul	1	9
_	C:4			9
5	Crite 5.1			
	3.1	5.1.1	Ences 10 Cross-Entropy 10	
		5.1.2	Perplexity	
		5.1.3	Exponential	
		5.1.4	Forward KL Divergence	
		5.1.5	Reverse KL Divergence	
		5.1.6	Jensen-Shannon Divergence	
		5.1.7	Earth Mover's Distance	
	5.2		arial Loss	
	5.2	5.2.1	Adversarial Loss (Base Class)	
		5.2.2	GAN Loss	
		5.2.3	MMGAN Loss	
		5.2.4	WGAN Loss	
		5.2.5	LSGAN Loss	
		5.2.6	Gradient Penalty	2
		5.2.7	Spectral Norm	2
	5.3	ELBO	· · · · · · · · · · · · · · · · · · ·	2
6	Mod		1:	
	6.1		sion	
		6.1.1	Linear Regression (Normal)	
		6.1.2	L1 Regression (Laplace)	
		6.1.3	Ridge Regression (Normal + Normal Prior on Weights)	
		6.1.4	Lasso Regression (Normal + Laplace Prior on Weights)	2

		6.1.5	Poisson Regression (Poisson)	12
		6.1.6	Negative Binomial Regression (Negative Binomial)	12
	6.2	Classif	fication	12
		6.2.1	Logistic Regression (Bernoulli)	12
		6.2.2	Bayesian Logistic Regression (Bernoulli)	12
		6.2.3	Softmax Regression (Categorical)	12
		6.2.4	Bernoulli Naive Bayes (Bernoulli - Bernoulli)	12
		6.2.5	Gaussian Naive Bayes (Categorical - Gaussian)	12
		6.2.6	Multinomial Naive Bayes (Categorical - Categorical)	12
		6.2.7	Linear Discriminant Analysis (Categorical - Shared Covariance)	12
		6.2.8	Quadratic Discriminant Analysis (Categorical - Multivariate Gaussian)	12
	6.3	Cluster	ring	12
		6.3.1	Gaussian Mixture Model (Categorical - Multivariate Gaussian)	12
	6.4	Uncon	strained Matrix Factorization (Gaussian)	12
	6.5	Princip	ple Components Analysis	12
		6.5.1	PCA	12
		6.5.2	EM-PPCA	12
		6.5.3	Variational PPCA	12
	6.6	Genera	ative Adversarial Networks	12
		6.6.1	Generative Adversarial Networks	12
		6.6.2	GAN Model	12
		6.6.3	MMGAN Model	12
		6.6.4	WGAN Model	12
		6.6.5	LSGAN Model	12
	6.7	Variati	onal Auto-Encoders	12
7	Mon	te Carl	o	12
	7.1	Monte	Carlo Integration	12
	7.2	Linear	Congruential Generator	12
	7.3	Inverse	e Transform Sampling	12
	7.4	Iuller	12	
	7.5	glia-Bray	12	
	7.6	Rejecti	ion Sampling	12
	7.7	MCMO	C: Metropolis	12
	7.8	MCMO	C: Metropolis-Hastings	12
	7.9	MCMO	C: Simulated Annealing	12
	7.10	MCMO	C: Metropolis-Adjusted Langevin Algorithm (MALA)	12
	7.11	MCMO	C: Hamiltonian Monte Carlo	12

1 Introduction

- 1.1 Philosophy
- 2 Background
- 2.1 Kronecker Product
- 2.2 Gradients
- 2.3 Jacobian
- 2.4 Hessian
- 2.5 Newton Optimization
- 3 Distributions
- 3.1 Distribution (Base Class)
- 3.2 Arcsine
- 3.3 Asymmetric Laplace
- 3.4 Bernoulli
- 3.5 Beta
- 3.6 Binomial
- 3.7 Categorical
- 3.8 Cauchy
- 3.9 Chi Square
- 3.10 Conditional Model
- 3.11 Convolution
- 3.12 Data
- 3.13 Dirac Delta
- 3.14 Dirichlet
- 3.15 Exponential
- 3.16 Fisher-Snedcor (F-Distribution)
- **3.17** Gamma
- 3.18 Generator
- 3.19 Gumbel
- 3.20 Gumbel Softmax
- 3.21 Gumbel Mixture Model
- 3.22 Half Cauchy
- 3.23 Half Normal
- 3.24 Hyperbolic Secant
- 3.25 Infinite Mixture Model
- 3.26 Kumaraswamy

3 27 Langavin

- 4.1 Transform (Base Class)
- 4.2 Inverse Transform
- 4.3 Chain
- 4.4 Affine
 - Parameters
 - Location $\mu \in \mathbb{R}^n$
 - Scale $\sigma > 0$
 - Forward

$$f(x) = \mu + \sigma \cdot x \tag{1}$$

• Inverse

$$f^{-1}(y) = \frac{y - \mu}{\sigma} \tag{2}$$

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = \log|\sigma| \tag{3}$$

- 4.5 Exp
 - Parameters
 - None
 - Forward

$$f(x) = e^x (4)$$

• Inverse

$$f^{-1}(y) = \log y \tag{5}$$

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = x \tag{6}$$

- 4.6 Expm1
 - Parameters
 - None
 - Forward

$$f(x) = e^x - 1 \tag{7}$$

• Inverse

$$f^{-1}(y) = \log(1+y) \tag{8}$$

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = x\tag{9}$$

- 4.7 Gumbel
 - Parameters
 - Location $\mu \in \mathbb{R}^n$
 - Scale $\sigma > 0$
 - Forward

$$f(x) = \exp\left(-\exp\left(-\frac{x-\mu}{\sigma}\right)\right) \tag{10}$$

• Inverse

$$f^{-1}(y) = \mu - \sigma \cdot \log\left(-\log\left(y\right)\right) \tag{11}$$

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = -\log\left(\frac{\sigma}{-\log(y)\cdot y}\right) \tag{12}$$

- 4.8 Identity
- 4.9 Kumaraswamy
- 4.10 Log
 - Parameters
 - None
 - Forward

$$f(x) = \log x \tag{13}$$

• Inverse

$$f^{-1}(y) = \exp y \tag{14}$$

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = -y \tag{15}$$

- 4.11 Logit
 - Parameters
 - None
 - Forward

$$f(x) = \log\left(\frac{x}{1-x}\right) \tag{16}$$

• Inverse

$$f^{-1}(y) = \frac{1}{1 + e^{-y}} \tag{17}$$

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = \log(1 + e^{-y}) + \log(1 + e^{y})$$
(18)

- 4.12 NICE
- 4.13 Planar
- **4.14** Power
 - Parameters
 - Power p
 - Forward

$$f(x) = \begin{cases} e^x & p = 0\\ (1 + x \cdot p)^{1/p} & \text{otherwise} \end{cases}$$
 (19)

• Inverse

$$f^{-1}(y) = \begin{cases} \log y & p = 0\\ y^{p-1}/p & \text{otherwise} \end{cases}$$
 (20)

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = \begin{cases} x & p = 0\\ \left(\frac{1}{p} - 1\right) \cdot \log(x \cdot p + 1) & \text{otherwise} \end{cases}$$
 (21)

4.15 Radial

4.16 Reciprocal

- Parameters
 - None
- Forward

$$f(x) = 1/x \tag{22}$$

• Inverse

$$f^{-1}(y) = 1/y (23)$$

• Log Absolute Determinant Jacobian

$$\log|\det \mathbf{J}|(x,y) = -2 \cdot \log|x| \tag{24}$$

4.17 Sigmoid

- Parameters
 - None
- Forward

$$f(x) = \frac{1}{1 + e^{-x}} \tag{25}$$

• Inverse

$$f^{-1}(y) = \log\left(\frac{y}{1-y}\right) \tag{26}$$

• Log Absolute Determinant Jacobian

$$\log |\det \mathbf{J}|(x,y) = -\log (1 + e^{-x}) - \log (1 + e^{x})$$
(27)

- 4.18 SinhArcsinh
- 4.19 Softplus
- 4.20 Softsign
- 4.21 Square
- 4.22 Tanh
- 4.23 Weibull

5 Criterion

The criterion and divergences listed here can be used to quantify the "distance" between two distributions. Hence, in conjunction with torch optimizers, one can minimize said difference to learn the paramters of a distribution. For sake of notation clarity, p is the true distribution and q is the learned distribution. Hence we "fit" q to match p. In addition, we provide the Monte Carlo approximation.

		P		Q	
	Criterion	$\log p(x)$	$x \sim P$	$\log q(x)$	$x \sim Q$
Divergence	Cross-Entropy Perplexity Exponential Forward KL Reverse KL JS Divergence	<i>y y y y</i>	<i>y y y</i>	>	<i>y</i>
Adversarial	GAN MMGAN WGAN LSGAN		<i>y y y</i>		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

5.1 Divergences

5.1.1 Cross-Entropy

$$H(p,q) = -\int p(x) \log q(x) dx$$

$$= -\frac{1}{n} \sum_{x \sim p} \log q(x)$$
(28)

5.1.2 Perplexity

$$H(p,q) = \exp\left(-\int p(x)\log q(x)dx\right)$$

$$= \exp\left(-\frac{1}{n}\sum_{x\sim p}\log q(x)\right)$$
(29)

5.1.3 Exponential

5.1.4 Forward KL Divergence

$$H(p,q) = \int p(x) \log \frac{p(x)}{q(x)} dx$$

$$= \frac{1}{n} \sum_{x \sim p} \log \frac{p(x)}{q(x)}$$
(30)

5.1.5 Reverse KL Divergence

$$H(p,q) = \int q(x) \log \frac{q(x)}{p(x)} dx$$

$$= \frac{1}{n} \sum_{x \sim q} \log \frac{q(x)}{p(x)}$$
(31)

5.1.6 Jensen-Shannon Divergence

5.1.7 Earth Mover's Distance

5.2 Adversarial Loss

Adversarial Losses are criterion functions that allow for sample-sample based training between models p and q. More formally, it hides a Discriminator model that attempts to discriminate between the real data from p and fake data generated from q.

- 5.2.1 Adversarial Loss (Base Class)
- 5.2.2 GAN Loss
- 5.2.3 MMGAN Loss
- 5.2.4 WGAN Loss
- 5.2.5 LSGAN Loss
- 5.2.6 Gradient Penalty
- 5.2.7 Spectral Norm
- **5.3** ELBO
- 6 Models
- 6.1 Regression
- 6.1.1 Linear Regression (Normal)
- **6.1.2** L1 Regression (Laplace)
- **6.1.3** Ridge Regression (Normal + Normal Prior on Weights)
- 6.1.4 Lasso Regression (Normal + Laplace Prior on Weights)
- **6.1.5** Poisson Regression (Poisson)
- **6.1.6** Negative Binomial Regression (Negative Binomial)
- 6.2 Classification
- 6.2.1 Logistic Regression (Bernoulli)
- 6.2.2 Bayesian Logistic Regression (Bernoulli)
- **6.2.3** Softmax Regression (Categorical)
- 6.2.4 Bernoulli Naive Bayes (Bernoulli Bernoulli)
- **6.2.5** Gaussian Naive Bayes (Categorical Gaussian)
- 6.2.6 Multinomial Naive Bayes (Categorical Categorical)
- 6.2.7 Linear Discriminant Analysis (Categorical Shared Covariance)
- 6.2.8 Quadratic Discriminant Analysis (Categorical Multivariate Gaussian)
- 6.3 Clustering
- 6.3.1 Gaussian Mixture Model (Categorical Multivariate Gaussian)
- **6.4** Unconstrained Matrix Factorization (Gaussian)
- **6.5** Principle Components Analysis
- 6.5.1 PCA
- 6.5.2 EM-PPCA
- 6.5.3 Variational PPCA
- 6.6 Generative Adversarial Networks
- 6.6.1 Generative Adversarial Networks
- 6.6.2 GAN Model
- 6.6.3 MMGAN Model
- 6.6.4 WGAN Model
- 6.6.5 LSGAN Model