

Encounter type with `requires_labs=true` ? Don't make the patient wait for a fresh draw if they already have recent results. Pass them via `setLabResults` and the wizard skips its auto-order-labs branch + persists the PDFs as `patient_documents` linked to the chart and encounter.

The integration pattern

```
// 1. Attach prior lab results – base64 OR HTTPS URL fetched server-side
PrescribeRx.setLabResults([
  {
    name:      'TSH 2026-04',
    lab_type:   'TSH',
    collected_at: '2026-04-15',
    pdf_base64: 'JVBERi0xLjQK...' // preferred
  },
  {
    name:      'Comprehensive Metabolic Panel',
    lab_type:   'CMP',
    collected_at: '2026-04-15',
    pdf_url:    'https://your-cdn.example.com/labs/abc123.pdf'
  }
]);

// 2. (Optional) attach other supporting documents alongside
PrescribeRx.setDocuments([
  { type: 'lab_result_pdf', filename: 'thyroid_panel.pdf', file_base64: '...' }
]);

// On submit, the wizard checks each required panel against the supplied
// lab_type markers. All required panels covered → labs_satisfied=true and
// the auto-lab-order branch is skipped. Missing panels → ONLY those are
// auto-ordered. See /api/docs/field-mapping#documents for the full schema.
```

Try it

Click "Generate test PDF" first; that creates a tiny placeholder PDF + base64-encodes it inline. Then click "setLabResults" to ship it to the iframe.

Generate test PDF

setLabResults (TSH + CMP)

setDocuments (raw)

Reset wizard

PDF size: -

Base64 size: -

Live wizard

SANDBOX MODE — TEST TRANSACTION ONLY. No real charges will be processed. Use test card **4111 1111 1111 1111**, any future expiration, any 3-digit CVC.

Male TRT Consult



Step 1 of 10 · 10%

Product Selection

Select products/medications of interest

Browse Products



Testosterone 200 mg/ml (5ML Vial)

Sex Hormones (Male)



Testosterone Example

Sex Hormones (Male)

\$14.70

Save & Continue →

Event log

```
13:02:22.874 ready {"version":"1.1.0"}
```

Required vs satisfied

Use `GET /api/v1/encounters/{id}/lab-requirements` from your backend to check which biomarkers are still needed. The endpoint returns `missing_biomarker_ids[]` per panel — pass through to your UI so the patient sees "we still need a free T4" instead of a generic "labs required" prompt.

```
curl "https://demo.prescribe-rx.com/api/v1/encounters/$ENC/lab-requirements" \
-H "Authorization: Bearer $TOKEN"
```