

Hit any sandbox API endpoint live. Sandbox tokens are auto-loaded from `/api/docs/tokens` ; switch token type with the dropdown to change scope (sales-org / client / patient). All calls go to `https://demo.prescribe-rx.com/api/v1` on this instance.

Sandbox-only. This page is disabled in production (`app()->environment('production')`) and the routes return 404. Treat all data here as throwaway — sandbox tokens are regenerated every 12h.

Request

Token type

sales-org token



Loaded 5 sandbox tokens (auto-regenerated every 12h)

Method & path

GET



/catalog

GET /catalog

GET /products

GET /packages

GET /encounters

GET /orders

GET /auth/me

GET /me/patient/dashboard

GET /telehealth/encounter-types

GET /webhooks/event-types

POST /telehealth/intake/unified

Body (JSON — used for POST/PUT/PATCH)

```
{"key": "value"}
```



Send request

► cURL equivalent

Response

—

Body

No response yet – click "Send request"

► Headers

Heads up: POSTing to `/telehealth/intake/unified` creates real (sandbox-flagged) encounters. The preset payload uses a name with "Test" so the encounter is auto-flagged as `is_sandbox=true`, which skips provider auto-assignment + fulfillment dispatch. Production parity testing should always use the explicit `"is_sandbox": true` field.