

TSPI-AI Clinical Decision Engine

Module Selection, Severity Classification and Dosing Protocol

Master Developer Specification v3.0

TSPI-AI MASTER PRINCIPLE

Treat the Network, Not the Disease.

TSPI-AI does not classify patients according to disease labels.

TSPI-AI evaluates:

- Biological Network Activity
- Network Resilience
- Inflammatory Burden
- Adaptive Capacity
- Biological Aging Trajectory

and prescribes interventions according to the degree of network dysfunction.

The ultimate objective is:

Restoration and Preservation of Prakati (Biological Homeostasis)

through continuous biological network harmonization.

TSPI FRAMEWORK

TSPI-AI operates through:

3 Keys → 9 Steps → 12 Systems → 39 Axes → 180 Living Biological Networks →
Personalized Module Recommendation Engine

PRIMARY OBJECTIVES

Key 1

Metabolic Energy

Restore cellular energy production and metabolic efficiency.

Key 2

Biological Dynamic

Restore biological communication, adaptability and resilience.

Key 3

Biointegrity

Preserve structural and functional integrity of tissues, organs and biological networks.

SEVERITY CLASSIFICATION MODEL

TSPI-AI classifies all individuals into four biological network states.

Level 0 Preventive Longevity & Network Optimization Stage

Level 1 Functional Imbalance Stage

Level 2 Systemic Dysfunction Stage

Level 3 Advanced Network Failure Stage

LEVEL 0

Preventive Longevity & Network Optimization Stage

Definition

A proactive optimization stage designed for healthy individuals, longevity-focused individuals, executives, athletes, wellness clients, and individuals seeking to maximize biological performance and healthy aging.

This level is not intended for disease treatment.

Its objective is to maintain Prakati, enhance resilience, delay biological aging, and prevent future network deterioration.

Core Philosophy

The goal is not merely preventing disease.

The goal is to optimize biological networks before dysfunction occurs.

Characteristics

- Healthy individuals
 - No significant symptoms
 - Normal daily function
 - No active disease
 - Minimal inflammatory burden
 - Stable laboratory markers
 - High adaptive capacity
-

Examples

- Healthy adults
 - Longevity programs
 - Executive wellness programs
 - Athletic optimization
 - Healthy aging programs
 - Post-recovery maintenance
 - Biological age optimization
-

Biological Objectives

- Preserve microbiome diversity
 - Maintain immune balance
 - Support mitochondrial function
 - Maintain metabolic flexibility
 - Support autophagy
 - Promote genomic stability
 - Slow biological aging
 - Preserve network resilience
 - Maintain Prakati
-

Therapeutic Focus

Primary emphasis:

Optimization

not

Correction

Dosage Protocol

All assigned modules:

2 capsules × 2 times daily

Administration:

Option A

Morning + Evening

Option B

Upon waking + Before bedtime

Total:

4 capsules per module daily

AI Goal

Maintain:

Level 0

and prevent transition to:

Level 1

LEVEL 1

Functional Imbalance Stage

Definition

Early biological dysfunction with preserved resilience and minimal network disruption.

Characteristics

- Mild symptoms
 - Preserved quality of life
 - Early dysfunction
 - Low inflammatory burden
 - Minimal laboratory abnormalities
-

Examples

- Mild insomnia
 - Functional dyspepsia
 - Early GERD
 - Mild allergic rhinitis
 - Mild eczema
 - Prediabetes
 - Early hypertension
-

Biological Features

- Localized dysfunction

- Mild inflammatory activity
 - Preserved tissue repair
 - Mild network imbalance
-

Therapeutic Objective

Correct dysfunction before progression.

Dosage Protocol

All assigned modules:

2 capsules × 3 times daily

Morning

Midday

Evening

Total:

6 capsules per module daily

LEVEL 2

Systemic Dysfunction Stage

Definition

Persistent dysfunction involving multiple biological systems accompanied by measurable physiological abnormalities.

Characteristics

- Multiple symptoms
- Reduced resilience

- Chronic disease activity
 - Moderate inflammatory burden
 - Laboratory abnormalities
-

Examples

- Type 2 diabetes
 - CKD Stage 3
 - Fatty liver disease
 - Long COVID
 - COPD
 - Stable autoimmune disease
 - Moderate psoriasis
-

Biological Features

- Chronic inflammation
 - Dysbiosis
 - Oxidative stress
 - Mitochondrial dysfunction
 - Reduced adaptive reserve
-

Therapeutic Objective

Reverse network deterioration and restore biological resilience.

Dosage Protocol

All assigned modules:

3 capsules × 3 times daily

Morning

Midday

Evening

Total:

9 capsules per module daily

LEVEL 3

Advanced Network Failure Stage

Definition

A state of severe biological network dysregulation characterized by excessive inflammatory signaling, progressive tissue injury, impaired adaptive capacity and accelerated biological decline.

Level 3 is defined primarily by network activity rather than disease name.

A patient may enter Level 3 despite not having terminal disease whenever inflammatory signaling becomes sufficiently intense to drive disease progression.

HIGH INFLAMMATORY SIGNAL PRINCIPLE

This is one of the most important concepts within TSPI.

Severity is driven by inflammatory activity.

The stronger the inflammatory signal:

- The greater the biological stress
 - The greater the network disruption
 - The greater the tissue injury
 - The higher the intervention intensity required
-

Biological Characteristics

Persistent activation of:

- NF- κ B
- IL-6

- TNF- α
- COX-2
- NLRP3 Inflammasome
- ROS
- Chronic immune activation pathways

creating self-perpetuating inflammatory loops.

Clinical Examples

Active Autoimmune Disease

- Active SLE
 - Active Rheumatoid Arthritis
 - Vasculitis
 - Psoriatic Arthritis
 - Severe Psoriasis
-

Severe Inflammatory Skin Disease

- Severe eczema
 - Severe dermatitis
 - Generalized inflammatory eruptions
-

Progressive Cancer

- Active tumor progression
- Metastatic disease
- Cancer cachexia
- Sarcopenia

TSPI recognizes cancer progression as both a proliferative and inflammatory process.

Advanced Chronic Disease

- CKD Stage 4–5
- Advanced cardiovascular disease
- Severe COPD
- Post-chemotherapy biological exhaustion

Therapeutic Objectives

1. Suppress excessive inflammatory signaling
 2. Restore microbiome ecosystem balance
 3. Reduce oxidative stress burden
 4. Improve mitochondrial energy production
 5. Activate autophagy
 6. Re-establish immune homeostasis
 7. Promote tissue repair
 8. Restore biological resilience
-

Dosage Protocol

All assigned modules:

3 capsules × 5 times daily

Upon waking

Morning

Midday

Evening

Before bedtime

Total:

15 capsules per module daily

KS CORE REGULATORY MODULE

KS functions as the foundational regulatory module.

KS dosing is determined by bowel performance rather than severity level.

Core Functions

- Detoxification
 - Bowel Regulation
 - Microbiome Restoration
 - Circadian Synchronization
 - Metabolic Activation
-

KS BOWEL OPTIMIZATION ALGORITHM

AI evaluates:

- Frequency
 - Stool consistency
 - Ease of evacuation
 - Bloating
 - Incomplete evacuation
 - Constipation severity
-

Therapeutic Goal

Minimum:

2 comfortable bowel movements daily

Desired outcome:

- Complete evacuation
 - No straining
 - No bloating
 - No residual stool sensation
-

KS Starting Dose

Normal bowel movement:

2 capsules before bedtime

Incomplete evacuation:

2 capsules before bedtime

-

2 capsules upon waking

Chronic constipation:

4 capsules before bedtime

-

2 capsules upon waking

KS Titration

Increase:

2 capsules

every

3–7 days

until bowel targets are achieved.

Practical Maximum

8 capsules before bedtime

-

4 capsules upon waking

Maximum:

12 capsules daily

Physician review recommended beyond this level.

NETWORK SEVERITY SCORE (NSS)

Range:

0–100

NSS 0–15

Level 0

Preventive Longevity & Network Optimization

NSS 16–30

Level 1

Functional Imbalance

NSS 31–60

Level 2

Systemic Dysfunction

NSS 61–100

Level 3

Advanced Network Failure

SYSTEM PRIORITY SCORE (SPS)

The AI ranks dysfunction across all 12 Systems.

SPS determines:

- Module selection
 - Module priority
 - Module sequencing
 - Treatment intensity
-

AI DECISION ENGINE

Collect Data



Evaluate 12 Systems



Evaluate 39 Axes



Calculate NSS



Calculate SPS



Determine Severity Level



Select TSPI Modules



Apply Severity-Based Dosing



Apply KS Protocol



Generate Personalized Intervention Plan



Reassess Every 14–30 Days

DIGITAL TWIN READY ARCHITECTURE

Future inputs:

- Genomics
- Epigenomics
- Transcriptomics
- Proteomics
- Metabolomics
- Microbiome Sequencing
- Wearables
- HRV
- CGM
- Digital Phenotype Data

These continuously update NSS and SPS.

FINAL TSPI PRINCIPLE

Optimization Before Dysfunction.

Correction Before Disease.

Restoration Before Failure.

Preservation of Prakati Throughout Life.

The purpose of TSPI-AI is not merely to manage disease, but to continuously optimize, restore, and preserve human biological networks throughout the entire lifespan.