Printed for: Matt Bishop

```
1 | #! /bin/sh
  #
2
3 || #
4 # exercise 2a
  MASTER=MasterList
6
  # exercise 5a
7
  GENMASTER="no"
8
9
10 # exercise 3a
11 TMP=/tmp/$$
  > $TMP
12
13
14
   # exercise 5b
  for i in "$@"
15
   do
16
       case "$i" in
17
       -g) GENMASTER=yes ;;
18
       esac
19
   done
20
21
   if [ "$GENMASTER"x = yesx ]
22
   then
23
       if [ -e "$MASTER" ]
24
       then
25
                echo "$MASTER exists; please delete it" 1>&2
26
                exit 1
27
       else
28
                > "$MASTER"
29
       fi
30
       #
31
32
       for i in *
       do
33
                if [ ! -f "$i" -o "$i"x = "$MASTER"x ]
34
                then
35
                         continue
36
                fi
37
                echo `ls -sail "$i"` `shasum "$i"` >> "$MASTER"
38
       done
39
       exit 0
40
   fi
41
```

Page 2/2

scan5c.sh Saved: 4/16/17, 11:07:12 PM

Printed for: Matt Bishop

```
42
43 # exercise 3e
44 if [ ! -f "$MASTER" ]
45
       echo "Master file does not exist; please generate it" 1>&2
46
       exit 1
47
  fi
48
49
  for i in *
50
51
  do
       # exercise 3b
52
       if [ "$i" = "$TMP" ]
53
       then
54
           continue
55
       fi
56
       # exercise 2c
57
       if [ "$i" = "$MASTER" -o ! -f "$i" ]
58
       then
59
           continue
60
       fi
61
       # exercise 3c
62
       echo `ls -sail "$i"` `shasum "$i"` >> $TMP
63
  done
64
65
66 # exercise 3d, with the modification given in exercise 4
  echo "Changed files:"
  diff "$MASTER" "$TMP" | grep '^\(<\|>\)' | awk '{ print $NF }' | sort | uniq
  # exercise 3f
69
70 | rm $TMP
  exit 0
71
72
```