Printed for: Matt Bishop

```
1 | #! /bin/sh
   timeroundtomins () {
        H=\echo $1 \mid sed 's/([0-9]*):.*/\1/'
3
        M=\ensuremath{`echo} $1 | sed 's/[0-9]*:\([0-9]*\):.*/\1/'<math>\ensuremath{`}
4
        S=\ echo $1 | sed 's/[0-9]*:[0-9]*:([0-9]*).*/1/'
5
        APM=\echo $1 \mid sed 's/[0-9]*:[0-9]*:[0-9]* \setminus ([AP]M\setminus).*/\setminus 1/'
6
        if [ $S -ge 30 ]
7
        then
8
            M=\ensuremath{`expr\ $M+1$}
9
        fi
10
        if [ $M -ge 60 ]
11
        then
12
            M=00
13
            H=`expr $H + 1`
14
        fi
15
        if [ $H -eq 13 ]
16
        then
17
            H=01
18
            APM=PM
19
        elif [ $H -eq 24 ]
20
        then
21
            H=00
22
            APM=AM
23
        elif [ $H -lt 10 ]
24
        then
25
            H=0$H
26
        fi
27
        echo $H:$M$APM
28
29
   durroundtomins () {
30
        H=\echo $1 \mid sed 's/([0-9]*):.*/\1/'
31
        M=\`echo $1 | sed 's/[0-9]*:\([0-9]*\):.*/\1/'\`
32
        S=\ echo 1 \mid sed 's/[0-9]*:[0-9]*:([0-9]*).*/\1/'\)
33
        if [ $S -ge 30 ]
34
        then
35
            M=`expr $M+1`
36
        fi
37
        if [ $M -ge 60 ]
38
        then
39
            M=00
40
            H=\ensuremath{`expr\ $H+1$}
41
```

ipconnBP.sh Page 2/2 Saved: 7/13/16, 11:35:35 PM Printed for: Matt Bishop

```
fi
42
       echo $H:$M$APM
43
  }
44
45
46 | IFS=,
  COUNT=0
47
  while read CONN DATE TIME DURATION PROTO SRCPORT DESTPORT SRCIP DESTIP ATTACK TYPE
49
   do
       if [ $COUNT -ne 0 ]
50
       then
51
           TIMEMIN="`timeroundtomins $TIME`"
52
           DURMIN="`durroundtomins $DURATION`"
53
       else
54
           TIMEMIN='TIME (MINUTES)'
55
           DURMIN='DURATION (MINUTES)'
56
       fi
57
       echo
58
   "$CONN,$DATE,$TIME,$TIMEMIN,$DURATION,$DURMIN,$PROTO,$SRCPORT,$DESTPORT,$SRCIP,$
   DESTIP, $ATTACK, $TYPE"
       COUNT=`expr $COUNT + 1`
59
   done < connect.csv</pre>
60
61
```