



Brand Identity Guidelines

The complete and final specification for the Nexolve Technologies identity — the mark, the lockups, the palette, the type, the motion and the rules that govern them.

What is decided, and what is fixed

01 The company Who we are, what we do, who signs for it	02 The mark Matrix O — construction and geometry
03 Clear space & sizes Minimums and the ring-reduction rule	04 Lockups Primary, stack, single line, reversed
05 Short forms Avatar, favicon, app icon	06 Colour The Signal palette and its ramp
07 Typography Archivo, one family, four roles	08 Motion Revolve — the one house animation
09 Applications Card, letterhead, signature, deck	10 Misuse The eight things never to do

ONE-LINE SUMMARY

A halftone ring system in navy and cyan, set in Archivo, arranged on a visible grid with 2px rules. Precise, quiet and engineered — the identity of a firm that is trusted with other people's systems.

Nexolve Technologies

A procurement and supply chain transformation firm working across APAC and the Middle East. We design how organisations source, buy and pay, then implement it on SAP, Coupa and Oracle — with the integration, analytics and software engineering delivered by the same accountable team.

FOUNDED 2024	REGIONS APAC · ME	PRACTICE 5 service lines
---------------------------------------	--	---

VOICE

We sound like

Precise. Plain. Specific about scope and honest about risk. We name the platform, the module and the date. We never oversell a timeline.

We never sound like

Breathless. No "revolutionise", no "unlock", no "seamless". No exclamation marks, and no claim we cannot evidence from a delivered project.



CHIEF EXECUTIVE OFFICER

Maaz Younus Chottani



SAP Ariba Architect · Techno-Functional Consultant

info@nexolve.tech

www.nexolve.tech


Matrix O

Three concentric halftone rings around a lit core — the O of Nexolve, drawn as a resolution grid. Weight and dash pitch both reduce inward, so the mark reads as something focusing rather than something spinning.



All four versions are the same geometry. Nothing is redrawn per medium — only the colour assignment changes. Where a process cannot hold three tones, use the one-colour cut.

Give it room, and drop rings as it shrinks



CLEAR SPACE

On every side, clear space equals one quarter of the mark's diameter. Nothing enters it — no type, no rule, no image edge, no page trim.

MINIMUM SIZES

Mark alone: 16 px on screen, 8 mm in print. Primary lockup: 120 px on screen, 32 mm in print. Below those, use the next short form down.



Above 48 px
Three rings



24–48 px
Two rings, larger core



Below 24 px
One ring, solid core

The reduction is not optional. Scaling the three-ring mark down to favicon size fills the gaps and turns it into a solid disc. Always swap to the cut made for that size band.

Four lockups, one hierarchy

PRIMARY**Horizontal**

Headers, decks,
documents, signatures



NEXOLVE
TECHNOLOGIES

SECONDARY**Centred stack**

Square formats,
signage, merchandise



NEXOLVE
TECHNOLOGIES

COMPACT**Single line**

App bars, banners,
sponsor strips



NEXOLVE TECHNOLOGIES

MANDATORY TWIN**Reversed**

Dark decks, video, print
on ink




NEXOLVE
TECHNOLOGIES

The mark is never smaller than the cap height of NEXOLVE, never larger than twice it. The rule between mark and name is 2px and always full name-block height.

When there is no room for the name


The short form is always the mark itself — never a letter, never a monogram.

Nexolve has one symbol, and it is the same symbol at every size.




Social avatar

Navy disc, three rings, reversed. 400 × 400 minimum.




App icon

Square navy tile, two rings. No corner rounding applied by us.



Favicon · 16 px

One ring, solid core, navy on white. Shown here at 32 px.




Stamp · etch · emboss

One colour, no core highlight, no gradient.

There is no letter monogram. An "N" mark was explored and rejected — the ring system already carries the O of Nexolve, and running a second symbol would split recognition across two shapes.

The Signal palette



 Deep Navy · #0B2A44 Primary. Wordmark, outer ring, dark grounds.	 Mid Blue · #1A5A8A Middle ring, secondary rules, chart series two.
 Signal Blue · #4AA3DD Inner ring, links, active states, small emphasis.	 Core Cyan · #7FD0FF The lit core only. Never a field, never body text.
 Ink · #201E1D Body copy, 2px rules, one-colour cut.	 Ground · #F3F2F2 Default page. White is reserved for cards and panels.
 Night · #0E1418 Dark theme ground. The reversed lockup's home.	 Alert Red · #EC3013 Warnings and one primary action per view. Never in the mark.

PROPORTION

Roughly 70% ground, 20% ink, 8% navy family, 2% cyan and red combined. If a page looks blue, it has too much blue.

CONTRAST

Signal Blue and Core Cyan do not carry body text on light grounds. For paragraph text in colour, use Deep Navy or #14456B.

Archivo, and nothing else

One family across the whole identity. Hierarchy comes from weight and size, never from a second typeface. Substitute Arial only where Archivo cannot be embedded.

DISPLAY · 800	Procurement, solved	
HEADING · 700	Source-to-pay architecture	
BODY · 400	We design, implement and integrate procurement platforms for organisations that cannot afford for those systems to be wrong.	
LABEL · 700 CAPS	ADVISORY · DELIVERY · INTEGRATION · ENGINEERING	
WORDMARK 800 weight, +0.02em tracking, all caps. Never re-spaced.	DESCRIPTOR 600 weight, +0.42em tracking, all caps, always beneath.	MINIMUM Body never below 12 pt in print or 15 px on screen.

Copy is set flush left, ragged right. No justified text, no centred paragraphs, no italics for emphasis — use weight instead.

Revolve — the house motion

One animation, one loop, everywhere. The three rings counter-rotate by exactly one dash pitch while the core breathes once — so the first and last frame are identical and the cut is invisible.



LOOP 1.5 s 30 frames, infinite	ROTATION 20 / -24 / 30° One dash pitch per ring	CORE ±18% One sine breath, no hue shift	FORMATS GIF · SVG 400 × 400 baked per ground
--	---	---	--

WHERE IT RUNS

Preloaders, deck openers, video stings, the site header and email signatures. Anywhere it cannot loop cleanly, use the static mark.

NEVER

Do not speed it up, reverse it, add bounce easing, or place the light file on a coloured field. GIF carries no soft alpha — match the ground.


The business card

85 × 55 mm. The front is night navy with the mark blown up past the trim so only an arc of it survives — the identity as texture, not as a badge. The back is ground grey and carries the proposition.

FRONT



BACK



Letterhead & email signature

 NEXOLVE TECHNOLOGIES BODY BEGINS AT THE FOURTH GRID LINE INFO@NEXOLVETECH.COM WWW.NEXOLVETECH.COM APAC & ME LETTERHEAD · FIRST SHEET	NEXOLVE TECHNOLOGIES Page 02 CONTINUATION SHEET
--	---

EMAIL SIGNATURE  Maaz Younus Chottani Chief Executive Officer · Nexolve Technologies info@nexolve.tech · www.nexolve.tech
--

The continuation sheet repeats the rule and the running head, never the logotype. Letterhead ghost mark sits at 9% opacity and is always cropped by the sheet edge.

Eight things never to do

✗ Do not stretch, squash or rotate the mark or the wordmark.	✗ Do not re-space NEXOLVE or TECHNOLOGIES.
✗ Do not add a gradient, glow, bevel or drop shadow to the mark.	✗ Do not recolour the rings outside the Signal palette.
✗ Do not place the light lockup on a photograph or mid-tone field.	✗ Do not scale the three-ring mark below 48 px — swap the cut.
✗ Do not enclose the mark in a box, badge or outline it did not come with.	✗ Do not set the company name in any typeface other than Archivo.

Before external launch: complete a trademark clearance search for both the name and the device (Vienna codes 26.1.5 and 26.1.18) in the classes Nexolve trades in, and take an attorney's opinion. This document specifies the design; it does not clear it.



NEXOLVE
TECHNOLOGIES

BRAND OWNER

Maaz Younus Chottani

Chief Executive Officer

CONTACT

info@nexolve.tech

www.nexolve.tech