



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For carpoolwith.me | Verdict: Compliant

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **carpoolwith.me** as of Wed Nov 08 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments(for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI**, **design, and readability** adjustments (for the vision impaired).

| 1 | Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button". | Yes | 2 | 0 | 100% |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|---|------|

Relevant

Successful Elements

Requirement

<div tabindex="0" role="combobox" aria-controls=":r3:" aria-expanded="fal
se" aria-haspopup="listbox" class="MuiSelect-select MuiSelect-outlined Mu
iInputBase-input MuiOutlinedInput-input css-11u53oe-MuiSelect-select-MuiI
nputBase-input-MuiOutlinedInput...</pre>

<button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiB utton-containedPrimary MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-root MuiButton-contained MuiButton-containedPrimary MuiButton-s izeMedium MuiButton-containedS...

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

2

Successes

(

Failures

100%

Score

Successful Elements

<div tabindex="0" role="combobox" aria-controls=":r3:" aria-expanded="fal
se" aria-haspopup="listbox" class="MuiSelect-select MuiSelect-outlined Mu
iInputBase-input MuiOutlinedInput-input css-11u53oe-MuiSelect-select-MuiI
nputBase-input-MuiOutlinedInput...</pre>

<button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiB utton-containedPrimary MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-root MuiButton-contained MuiButton-containedPrimary MuiButton-s izeMedium MuiButton-containedS...

Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be

Yes

4

0

100%

Successful Elements

<button clas
s="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton-textInherit
MuiButton-sizeMedium MuiButton-textSizeMedium MuiButton-colorInherit MuiB
utton-root MuiButton-text MuiB...</pre>

<button clas
s="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton-textPrimary
MuiButton-sizeMedium MuiButton-textSizeMedium MuiButton-root MuiButton-te
xt MuiButton-textPrimary MuiBu...</pre>

<butto
n class="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton-textP
rimary MuiButton-sizeMedium MuiButton-textSizeMedium MuiButton-root MuiBu
tton-text MuiButton-textPrimary...</pre>

<butto
n class="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton-textPrimary MuiButton-sizeMedium MuiButton-textSizeMedium MuiButton-root MuiButton-text MuiButton-textPrimary...</pre>

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

No 0

An H1 title provides information to blindusers using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. Yes Pass -

100%

Successful Elements

<h1 style="font-size: 50px;">Get there, together.</h1>

| 7 | Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. | No | 0 | 0 | - |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------|-------------|-------------|
| 8 | Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. | Yes | Pass | - | 100% |
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "O". | Yes | Pass | - | 100% |
| | <pre>Successful Elements <div aria-haspopup="listbox" c="" iinputbase-input="" muioutlinedi="" nputbase-input-muioutlinedinp<="" pre="" role="combo se" tabindex="0"></div></pre> | lass="Mui nput-inpu | Select-select M | MuiSelect-d | outlined Mu |
| | | | | | Jeteet Maii |
| 10 | Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. | Yes | Pass | - | 100% |
| 10 | using the keyboard should be surrounded by a visual outline whenever they are | Yes | Pass | 0 | |

| 13 | Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible. | No | 0 | 0 | - |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 14 | Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. | No | 0 | 0 | - |
| 15 | Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. | No | 0 | 0 | - |
| 16 | Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". | No | 0 | 0 | - |
| 17 | Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. | No | 0 | 0 | - |
| 18 | Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. | Yes | Pass | - | 100% |

| 19 | Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute. | No | 0 | 0 | - |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------|-----------|-----|
| 20 | Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none". Successful Elements | Yes | 2 | 1 | 29% |
| | <pre><svg aria-hidden="true" class="MuiSvgIcon-root elect-iconOutlined css-hfutr =" false"="" nicon"=""><path (<="" 0="" d="M7 10l5 5 5</pre></th><th>'2-MuiSvgIco viewBox=" th=""><th>n-root-MuiSel</th><th>lect-icon"</th><th>focusable</th></path></svg></pre> | n-root-MuiSel | lect-icon" | focusable | |
| | <pre><svg a="" class="MuiSvgIcon-root on-root" focusable="false" stid="SearchIcon"><path d=" 6 9.5 16 5.91 13.09 3 9.5 35</pre></th><th>ria-hidden= M15.5 14h</th><th>" th="" true"="" viewbo<=""><th>ox="0 0 24 2</th><th>24" data-te</th></path></svg></pre> | ox="0 0 24 2 | 24" data-te | | |
| | Failed Elements | | | | |
| | <span class="MuiTouchRipple-</th><th>root css-8j</th><th>e8zh-MuiTouch</th><th>nRipple-root</th><th>t"> | | | | |
| 21 | Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute. | No | 0 | 0 | - |
| 22 | Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. | No | 0 | 0 | - |

| 23 | Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. | No | 0 | 0 | - |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 24 | Form fields should either include an "aria- label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). | Yes | Pass | - | 100% |
| | Successful Elements | | | | |
| | <pre><input -input"="" aria-invalid="false" cs="" muioutlinedinput-input="" ut="" value=""/></pre> | | | | |
| 25 | Form elements cannot have the same ID, or else their corresponding label will provide false information. | No | 0 | 0 | - |
| 26 | Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. | No | 0 | 0 | - |
| 27 | The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. | No | 0 | 0 | - |
| 28 | aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. | No | O | 0 | - |
| 29 | All forms should have a submission button | No | 0 | 0 | - |

| | hidden if the form can be submitted using the Enter key. | | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------|--------------|-------------|
| 30 | Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. | No | 0 | 0 | - |
| 31 | The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. | Yes | Pass | - | 100% |
| | Successful Elements | | | | |
| | <title>React App</title> | | | | |
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100% |
| | Successful Elements | | | | |
| | <pre><html lang="en"><head> <meta icon.ico"=""/> <meta name="viewp le=1"/> <meta content="</pre" name="theme-col n"/></head></html></pre> | ort" conten [.] | t="width=devi | .ce-width, i | initial-sca |
| | | | | | |
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100% |
| | Successful Elements | | | | |

tnat equals to "putton". Buttons can be

34 Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.

Fail -

Failed Elements

<div class="search-container"><h1 style="font-size: 50px;">Get there, tog
ether.</h1><div style="margin-top: 100px; text-align: center; transition:
margin-top 0.5s ease 0s;"><h2>Find a carpool in your area. </h2><div clas
s="search-bar" style="display:...</pre>

No

35 Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.

Yes Pass

100%

-1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass

100%

Flements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.

Yes 6 4

60%

Successful Elements

<button class="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton-textInherit MuiButton-sizeMedium MuiButton-textSizeMedium MuiButton-colo
rInherit MuiButton-root MuiButton-text MuiButton-textInherit MuiButton-si
zeMedium MuiButton-textSizeMedi...</pre>

<button class="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton
-textPrimary MuiButton-sizeMedium MuiButton-textSizeMedium MuiButton-root
MuiButton-text MuiButton-textPrimary MuiButton-sizeMedium MuiButton-textS
izeMedium css-1nx4d88-MuiButto...</pre>

<button class="MuiButtonBase-root MuiButton-root MuiButton-text MuiButton--textPrimary MuiButton-sizeMedium MuiButton-textSizeMedium MuiButton-root MuiButton-text MuiButton-textPrimary MuiButton-sizeMedium MuiButton-textS izeMedium css-607rum-MuiButton...

<button class="MuiButtonBase-root MuiButton-root MuiButton-contained MuiB utton-containedPrimary MuiButton-sizeMedium MuiButton-containedSizeMedium MuiButton-root MuiButton-contained MuiButton-containedPrimary MuiButton-s izeMedium MuiButton-containedS...

Failed Elements

<h1 style="font-size: 50px;">Get there, together.</h1>

<h2>Find a carpool in your area. </h2>

<label class="MuiFormLabel-root MuiInputLabel-root MuiInputLabel-formCont
rol MuiInputLabel-animated MuiInputLabel-sizeMedium MuiInputLabel-outline
d MuiFormLabel-colorPrimary MuiInputLabel-root MuiInputLabel-formControl
MuiInputLabel-animated MuiInput...</pre>

<div tabindex="0" role="combobox" aria-controls=":r3:" aria-expanded="fal
se" aria-haspopup="listbox" class="MuiSelect-select MuiSelect-outlined Mu
iInputBase-input MuiOutlinedInput-input css-11u53oe-MuiSelect-select-MuiI
nputBase-input-MuiOutlinedInput...</pre>

38 Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

No 0 0

46 Breadcrumbs main element should include No 0 0 a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."

| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No | 0 | 0 | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|
| 48 | Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance. | No | 0 | 0 | - |
| 49 | Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant. | No | 0 | 0 | _ |