

Commands Help

11 January 2023 22:09

github clone Project open Path

\\wsl\$

Clone Repo from Github By HTTP Link

gh repo clone <https://github.com/Frictionlessdigital/dermtechprograms.com.git>

Regular Using commands :

sudo chmod -R 777 ~/beta/

In Terminal for Laravel if redis got refused connect then use these commands or composer dependencies error:

- composer install --ignore-platform-reqs
- composer update --ignore-platform-reqs
- sudo apt-get install redis-server
- redis-server
- sudo service redis-server status
- sudo apt update

Create UI in Laravel with auth install

First Install Package UI

- composer require laravel/ui

#Then Hit Below Command

- php artisan ui bootstrap --auth Or
- php artisan ui vue --auth Or
- php artisan ui react --auth

Create Global Scope

php artisan make:scope PostdetailScope

Install package in laravel for google cloud services

composer require superbalist/laravel-google-cloud-storage --ignore-platform-reqs

In laravel test Testfiles cases

sail test tests/Feature/Exports/Speaker/AnnualUtilization/Sheets/ActiveNominationsHandlerTest.php

In laravel Testfiles test with full coverage cases

sail test tests/Feature/Exports/Speaker/AnnualUtilization/Sheets/ActiveNominationsHandlerTest.php --coverage-html coverage

Get Specific Property Route list in Laravel

Filter the route list by Name.

php artisan route:list --name={resource_name}

Filter the route list by URI.

php artisan route:list --path={resource_name}

Filter the route list by method.

php artisan route:list --method=GET

#use both filter at same time by URI and method

php artisan route:list --path=account --method=GET

Filter the routes and display them in reverse order.

php artisan route:list --method=GET --reverse

The following is equivalent to the previous example.

php artisan route:list --method=GET -r

Filter the routes and sort `name` column.
php artisan route:list --method=GET --sort=name

Remove Files and Folders Forcefully

rm -rfv xyz.com

Create Polycies in laravel for model

php artisan make:policy Postpolicy --model=Post

Create Test File in tests/Unit Folder

php artisan make:test UserTest --unit

Create Test File in tests/Feature Folder

php artisan make:test DemoTest

Run Laravel Project With Diffrent Port

php artisan serve --port=8181

composer global require "phpunit/phpunit=4.1.*"

Give Permission to folders for edit read and write

sudo chmod -R 777 ~/beta/

In Laravel Project seed data with migration

sail art migrate:fresh --seed

Migrate specific merge file in laravel

sail art migrate --path=/database/migrations/{filename}

Install Redis Package in laravel or anywhere in folder

composer require predis/predis

Specific seeder file data Seed in table in database

php artisan db:seed --class=BlogSeeder

Get List Of Branch

git branch -a

Get Current Branch Name

git branch

Revert changes to modified files.

git reset --hard

Remove all untracked files and directories.

'-f' is force, '-d' is remove directories.

git clean -fd

if you want to revert the changes only in the current working directory, use

git checkout --

Use "git checkout -- ..." to discard changes in working directory

git checkout -- app/views/posts/index.html.erb

removes all changes made to unstaged files in git status

git checkout -- *

This will move your changes to the stash, bringing you back to the state of HEAD

git stash

This will delete the latest stash created in the last command.

git stash drop

Switch To Specific Branch in git

git checkout branch_name

Or

#for first time if branch showing error like : did not match any file(s) known to git

git checkout -b branch_name

remove branch in for git command

git branch -D branch_name

to set main branch and switch to that branch

git --set-upstream-to=origin/cs/tw/34686897_GCS cs/tw/34686897_GCS

Git add all changed file

git add -A

If this error shows : The current branch {branch_name} has no upstream branch

git push --set-upstream origin branch_name

To reset all commites and added files for push

git reset HEAD^

If pull data from another branch firt merge with that then hit command

git pull origin another_branch_name

after create branch inside of any parent branch after that during pushing file set upstream

git push --set-upstream origin current_created_branch_name

if .git folder removed or courrupted error showing Follow the following steps

rm -fr .git

git init

git remote add origin [your-git-remote-url]

git fetch

git reset --mixed origin/master

if you want revert changes of files that you already commits

git revert -n {commit_id}

git revert --continue

git push

Merge My Branch to another branch

Git checkout {parent_branch_name}

Git pull

Git merge {my_changed_branch_name}

Git push

Change Move Chnages File from Current Branch to Another Branch

```
git stash save
git checkout destination-branch
git stash pop
```

View Pr for current Branch and Open in web

```
gh pr view --web
```

Search in All Files in Project

```
grep --include=*.php -rnw './' -e "label_short"
```

Git Merge Issue When Conflit then we can follow the steps

Checkfile conflicts and set you chnages with previous changes in file

If show a **fatal: You have not concluded your merge (MERGE_HEAD exists). Please, commit your changes before you merge.** Then after resolve conflict add and push you file in branch

Git revert Merge Branch from your Branch

```
git revert -m 1 {conversation_commit_hash}
```

git Push

Git delete stash save data

```
git stash drop      # drop top hash, stash@{0}
```

```
git stash drop stash@{n} # drop specific stash - see git stash list
```

Abort Merge

```
git merge --abord
```