
A Visual Guide to Split-Apply-Combine in R

Legend

Symbols used in this document:



A list is denoted by square brackets: $[\ldots]$.

Reshaping


as.matrix Coerces a data-frame to a matrix.




as.table Coerces an array to a contingency table.



as.data.frame Coerces an array or contingency table to a data-frame.



xtabs Coerces a data-frame to a contingency table.



c Coerces an array or contingency table to a vector.



unlist Coerces a data-frame to a vector.



stack Concatenates the columns of a data-frame into a single column along with a factor. Non-vector columns are dropped.




unstack Reverses the effects of stack



Splitting

as.list Coerces a data-frame to a list of vectors.



split Divides a vector or data-frame into the groups defined by a factor.

unstack Splits a vector or the column of a data-frame into the groups defined by a factor.

Applying

Some of the following functions may return an array instead of a list depending on the output of f.


tapply Applies a function to each cell of a ragged array.

apply Applies a function to margins of an array.

lapply Applies a function over a list or vector.


Combining

rbind Combines a sequence of vectors, arrays or data-frames by rows.



cbind Combines a sequence of vectors, arrays or data-frames by columns.

simplify2array Combines a list of arrays into a single array by adding more dimensions.



unlist Coerces a list of arrays to a vector.

$$\left[\begin{array}{c} \\ \end{array} \right], \left[\begin{array}{c} \\ \end{array} \right], \ldots \right] \ \rightarrow \ \left[\begin{array}{c} \\ \end{array} \right]$$

as.data.frame Coerces a list of vectors to a data-frame.

$$\left[\left[\begin{array}{c} \\ \\ \end{array} \right], \left[\begin{array}{c} \\ \\ \end{array} \right], \ldots \right] \ \rightarrow \ \left[\begin{array}{c} \\ \\ \end{array} \right]$$

stack Coerces a sequence of vectors into a single-column data-frame along with a factor.

$$\left[\begin{array}{ccc} & & & \\ & & \\ & & \end{array} \right] \rightarrow \begin{array}{ccc} & & \\ & & \\ & & \end{array}$$

unsplit Combines a sequence of vectors or data-frames into a single vector or data-frame by interleaving rows according to a factor.

$$\begin{bmatrix} \begin{bmatrix} 1 \\ 1 \end{bmatrix}, \begin{bmatrix} 1 \\ 1 \end{bmatrix}, \dots \end{bmatrix} + \begin{bmatrix} 1 \\ 1 \end{bmatrix} \rightarrow \begin{bmatrix} 1 \\ 1 \end{bmatrix}$$

merge Merges two data-frames by common columns.

$$+ \rightarrow$$

Version: 1.0

Copyright © 2016 Ernest Adrogué Calveras.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation.