

HTML5 & CSS3

Practice MCQ Workbook

50 Questions · No Answers · Self-Assessment Edition
University of Buea — COT | TCHAPGA TCHITO C. | 2025/2026

Course	HTML5 Introduction & CSS3 — Web Development (2025/2026)
Sections	Section A: HTML5 (Q1–Q25) Section B: CSS3 (Q26–Q50)
Instructions	Circle or write A, B, C, or D on the Answer line. No calculators needed.

MY SCORE TRACKER		
Section A — HTML5 (Q1–Q25)	Section B — CSS3 (Q26–Q50)	TOTAL (out of 50)
Score: _____ / 25	Score: _____ / 25	Score: _____ / 50

SECTION A — HTML5 (Questions Q1 – Q25)

The following questions cover: Web Ecosystem & Protocols · HTML5 Document Structure · Semantic Tags · Text Content · Lists · Links · Images & Media · Tables · Forms · HTML5-Specific Features · Accessibility

Q1. What does DNS stand for?

[HTML5 — Web Ecosystem]

- A. Dynamic Naming System
- B. Domain Name System
- C. Data Network Server
- D. Digital Network Service

Answer: _____

Q2. Which declaration must appear at the very beginning of every HTML5 document?

[HTML5 — Document Structure]

- A. <html lang="en">
- B. <meta charset="UTF-8">
- C. <!DOCTYPE html>
- D. <head>

Answer: _____

Q3. Which protocol encrypts web traffic using TLS/SSL and is required for login forms?

[HTML5 — Web Ecosystem]

- A. HTTP
- B. FTP
- C. SMTP
- D. HTTPS

Answer: _____

Q4. What is the PRIMARY purpose of the alt attribute on the tag?

[HTML5 — Images & Media]

- A. Define the image alignment
- B. Set the image width and height
- C. Provide a text description for screen readers and when the image fails to load
- D. Specify the image file format

Answer: _____

Q5. Which HTML5 semantic tag should be used exclusively for the site's primary navigation links?

[HTML5 — Semantic Tags]

- A. <menu>
- B. <header>
- C. <nav>
- D.

Answer: _____

Q6. In the URL <https://www.example.com:443/courses?page=1#top>, what is the role of the fragment #top?

[HTML5 — Web Ecosystem]

- A. It sends a query parameter to the server
- B. It specifies the port number
- C. It jumps to the element with id="top" on the same page
- D. It defines the HTTP method

Answer: _____

Q7. How many <h1> elements should a well-structured HTML5 page contain?

[HTML5 — Headings]

- A. As many as needed
- B. Two maximum
- C. Exactly one
- D. Three

Answer: _____

Q8. Which <input> type both renders a text field AND automatically validates for a valid email format?

[HTML5 — Forms]

- A. type="text"
- B. type="mail"
- C. type="email"
- D. type="validate"

Answer: _____

Q9. Which HTML5 element creates a native collapsible accordion section without any JavaScript?

[HTML5 — HTML5 Features]

- A. <collapse>
- B. <accordion>
- C. <details>
- D. <toggle>

Answer: _____

Q10. What is the purpose of <meta name="viewport" content="width=device-width, initial-scale=1.0">?

[HTML5 — Document Structure]

- A. Declares the character encoding
- B. Links an external stylesheet
- C. Ensures correct layout scaling on mobile devices
- D. Sets the page language for search engines

Answer: _____

Q11. Which attribute/value pair opens a hyperlink in a new browser tab?

[HTML5 — Links]

- A. rel="new"
- B. href="#"
- C. target="_blank"
- D. target="new-tab"

Answer: _____

Q12. What does the loading="lazy" attribute on achieve?

[HTML5 — Images & Media]

- A. Forces all images to download simultaneously
- B. Defers off-screen images until the user scrolls near them
- C. Loads the highest-resolution version of the image
- D. Prevents images below the fold from loading at all

Answer: _____

Q13. Which HTML element is used to group the header rows of a table for styling and accessibility?

[HTML5 — Tables]

- A. <th>
- B. <thead>
- C. <tr>
- D. <header>

Answer: _____

Q14. Which form validation attribute ensures that a field cannot be left empty on submission?

[HTML5 — Forms]

- A. placeholder
- B. disabled
- C. readonly
- D. required

Answer: _____

Q15. Which HTML5 tag provides a machine-readable date/time value beneficial to search engines and screen readers?

[HTML5 — HTML5 Features]

- A. <date>
- B. <datetime>
- C. <time>
- D. <clock>

Answer: _____

Q16. Which attribute on a <label> element links it to its corresponding form control?

[HTML5 — Forms]

- A. name
- B. id
- C. for
- D. link

Answer: _____

Q17. What is the key distinction between the Internet and the World Wide Web?

[HTML5 — Web Ecosystem]

- A. They are identical — the terms are interchangeable
- B. The Internet is the global network infrastructure; the Web is one service (HTTP/HTML) running on top of it
- C. The Web is faster than the Internet
- D. The Internet is used only for email; the Web is used for all other communication

Answer: _____

Q18. Which HTML5 semantic element best represents a self-contained piece of content — such as a blog post or news article — that makes sense independently?

[HTML5 — Semantic Tags]

- A. <section>
- B. <div>
- C. <article>
- D. <aside>

Answer: _____

Q19. A form field marked disabled is:

[HTML5 — Forms]

- A. Visible, interactive, and its value IS submitted
- B. Hidden from the page entirely
- C. Visible but NOT interactive, and its value is NOT submitted
- D. Visible, NOT interactive, but its value IS submitted

Answer: _____

Q20. Why should rel="noopener" be added to links with target="_blank"?

[HTML5 — Links]

- A. It removes the underline from external links
- B. It opens the link in the same tab instead of a new one
- C. It prevents the newly opened tab from accessing the opener's window object
- D. It validates that the URL is reachable

Answer: _____

Q21. Which <input> type renders a slider control with min and max values?

[HTML5 — Forms]

- A. type="slider"
- B. type="range"
- C. type="number"
- D. type="scroll"

Answer: _____

Q22. What does the colspan="3" attribute on a <td> element do?

[HTML5 — Tables]

- A. Sets the column width to 3 pixels
- B. Makes the cell span 3 columns horizontally
- C. Makes the cell span 3 rows vertically
- D. Colours the column with 3 shades

Answer: _____

Q23. Which HTML5 element provides a blank bitmap surface that JavaScript can use to draw 2D graphics?

[HTML5 — HTML5 Features]

- A. <draw>
- B. <graphics>
- C. <canvas>
- D. <picture>

Answer: _____

Q24. Which tag preserves all whitespace and line breaks exactly as written in the source code?

[HTML5 — Text Content]

- A. <p>
- B. <code>
- C. <pre>
- D. <blockquote>

Answer: _____

Q25. According to WCAG AA, what is the minimum colour contrast ratio required for normal body text?

[HTML5 — Accessibility]

- A. 2:1
- B. 3:1
- C. 4.5:1
- D. 7:1

Answer: _____

SECTION B — CSS3 (Questions Q26 – Q50)

The following questions cover: Applying CSS · Selectors & Specificity · Typography · Colours · Backgrounds · Borders & Shadows · Box Model · Float & Display · Flexbox · Grid Layout · Positioning & Z-Index · Transitions & Transforms · Media Queries & Responsive Design

Q26. Which method of applying CSS has the HIGHEST specificity and overrides all others?

[CSS3 — Applying CSS]

- A. External stylesheet (<link>)
- B. Internal stylesheet (<style>)
- C. Inline style (style attribute)
- D. Imported stylesheet (@import)

Answer: _____

Q27. What does box-sizing: border-box achieve?

[CSS3 — Box Model]

- A. Adds a visible border to all selected elements
- B. Includes padding and border INSIDE the declared width and height
- C. Removes all default browser borders
- D. Centers the element within its parent container

Answer: _____

Q28. Which CSS selector targets all elements that have class="card"?

[CSS3 — Selectors]

- A. #card
- B. .card
- C. *card
- D. [card]

Answer: _____

Q29. What is the CSS rem unit relative to?

[CSS3 — Typography]

- A. The parent element's font size
- B. The viewport width
- C. The root <html> element's font size
- D. The operating system's default font size

Answer: _____

Q30. Which Flexbox property aligns items along the MAIN axis of the flex container?

[CSS3 — Flexbox]

- A. align-items
- B. align-content
- C. justify-content
- D. align-self

Answer: _____

Q31. Which CSS declaration creates a diagonal linear gradient from navy to teal?

[CSS3 — Backgrounds]

- A. gradient(135deg, #1A237E, #00695C)
- B. linear-gradient(135deg, #1A237E, #00695C)
- C. background(diagonal, navy, teal)
- D. gradient-linear(navy 0%, teal 100%)

Answer: _____

Q32. Which lists the CSS box model layers from OUTERMOST to INNERMOST?

[CSS3 — Box Model]

- A. Border → Padding → Content → Margin
- B. Margin → Border → Padding → Content
- C. Padding → Margin → Border → Content
- D. Content → Padding → Border → Margin

Answer: _____

Q33. Which CSS position value removes an element from the document flow and pins it to the viewport so it remains visible during scrolling?

[CSS3 — Positioning]

- A. absolute
- B. relative
- C. sticky
- D. fixed

Answer: _____

Q34. Which flex item property defines how much extra free space an item absorbs relative to other items?

[CSS3 — Flexbox]

- A. flex-shrink
- B. flex-basis
- C. flex-grow
- D. align-self

Answer: _____

Q35. What does grid-template-columns: repeat(3, 1fr) define?

[CSS3 — Grid]

- A. Three rows of equal height
- B. Three equal-width columns that share available space evenly
- C. A 3×3 grid of identical cells
- D. Three columns each 1 pixel wide

Answer: _____

Q36. Which CSS pseudo-class applies styles to a hyperlink that the user has already visited?

[CSS3 — Pseudo-Classes]

- A. :active
- B. :hover
- C. :focus
- D. :visited

Answer: _____

Q37. What does z-index control in CSS?

[CSS3 — Positioning]

- A. Element transparency (opacity)
- B. The stacking order of positioned elements along the Z axis
- C. The element's width along the Z dimension
- D. The animation speed of transitions

Answer: _____

Q38. Which CSS property creates smooth animated changes when an element's state changes (e.g., on :hover)?

[CSS3 — Transitions]

- A. animation
- B. transform
- C. transition
- D. @keyframes

Answer: _____

Q39. What does the CSS child combinator (A > B) select?

[CSS3 — Selectors]

- A. All B elements anywhere inside A
- B. Only B elements that are DIRECT children of A
- C. The first B immediately after A as a sibling
- D. All B siblings that follow A

Answer: _____

Q40. Which media query applies CSS rules ONLY when the viewport is at least 768 px wide?

[CSS3 — Media Queries]

- A. @media (max-width: 768px)
- B. @media (min-width: 768px)
- C. @media (width: 768px)
- D. @media screen-width >= 768px

Answer: _____

Q41. What does background-size: cover do to a background image?

[CSS3 — Backgrounds]

- A. Tiles the image to fill the entire element
- B. Scales the image to fit entirely inside the element, possibly leaving gaps
- C. Scales the image to cover the entire element, cropping if necessary
- D. Resets the image to its original pixel dimensions

Answer: _____

Q42. What is the correct order for declaring link pseudo-class states (LVHA rule)?

[CSS3 — Pseudo-Classes]

- A. :link → :visited → :hover → :active
- B. :hover → :link → :active → :visited
- C. :active → :link → :hover → :visited
- D. :visited → :hover → :link → :active

Answer: _____

Q43. Which CSS property controls horizontal text alignment within a block element?

[CSS3 — Typography]

- A. vertical-align
- B. text-align
- C. align-items
- D. justify-self

Answer: _____

Q44. What is the difference between display: none and visibility: hidden?

[CSS3 — Display]

- A. They are identical in behaviour
- B. display: none removes the element from layout entirely; visibility: hidden hides it but keeps its space
- C. visibility: hidden removes the element; display: none only makes it transparent
- D. display: none works only on block elements; visibility: hidden works on any element

Answer: _____

Q45. What does grid-column: 1 / -1 mean in CSS Grid?

[CSS3 — Grid]

- A. The item spans from column 1 to the last column (full width)
- B. The item occupies one column only
- C. The item is removed from the grid
- D. A new column is inserted between column 1 and -1

Answer: _____

Q46. Which CSS property is used to rotate, scale, and translate elements visually without affecting document flow?

[CSS3 — Transforms]

- A. transition
- B. animation
- C. transform
- D. position

Answer: _____

Q47. What problem does the clearfix hack (`::after { content: ""; display: block; clear: both; }`) solve?

[CSS3 — Float]

- A. Removes default browser form styling
- B. Prevents text from wrapping around floated elements
- C. Fixes a parent container that collapses to zero height because all its children are floated
- D. Clears all inline styles from child elements

Answer: _____

Q48. What colour does `rgba(0, 0, 0, 0.5)` represent?

[CSS3 — Colours]

- A. Solid red with 50% opacity
- B. Semi-transparent black (50% opacity)
- C. Solid white with 50% opacity
- D. A completely transparent pixel

Answer: _____

Q49. In a pure-CSS dropdown menu, which rule makes the dropdown panel appear when its parent list item is hovered?

[CSS3 — Navigation]

- A. `.dropdown:hover .dropdown-content { display: block; }`
- B. `.dropdown-content:hover { visibility: visible; }`
- C. `.dropdown:focus .dropdown-content { opacity: 1; }`
- D. `.dropdown-content { z-index: 1; }`

Answer: _____

Q50. Which statement best describes mobile-first responsive web design?

[CSS3 — Responsive Design]

- A. Designing a website exclusively for mobile phones
- B. Writing base CSS for the smallest screen, then progressively enhancing with min-width media queries
- C. Writing CSS for desktop first, then using max-width queries to scale down for mobile
- D. Using a mobile operating system as the development environment

Answer: _____

— End of Practice Workbook —

Request the Answer Key from your lecturer after completing all questions. For further practice, refer to: developer.mozilla.org · w3schools.com · css-tricks.com

University of Buea — College of Technology (COT) | TCHAPGA TCHITO C. | 2025/2026