		1	l	2		67	3		1	Į.	5		i
Indicator		Total Nu reported l		% Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		Newborns at birth	% Newborns weighed at birth to live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	7,041	7,268	99.1	99.2	146	145	98.0	98.0	6,971	7,264	99.0	99.9
1	East	5,151	4,886	99.2	99.4	85	103	98.4	97.9	5,085	4,896	98.7	100.2
2	North	243	200	106.6	99.0	9	1	96.4	99.5	243	199	100.0	99.5
3	South	853	1,257	97.8	98.9	16	20	98.2	98.4	849	1,250	99.5	99.4
4	West	794	925	97.2	98.8	36	21	95.7	97.8	794	919	100.0	99.4

		7	1	8		9	9	1	0	11		12	
Indicator		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth (Female Live Births/ Male Live Births *1000)		Number of Infants given OPV 0 (Birth Dose)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	557	554	8.0	7.6	5,972	6,145	84.8	84.5	946	928	6,822	6,976
1	East	458	440	9.0	9.0	4,099	3,856	79.6	78.9	951	921	5,018	4,678
2	North	22	16	9.1	8.0	242	198	99.6	99.0	944	770	226	200
3	South 42 5:		52	4.9	4.2	845	1,183	99.1	94.1	846	946	790	1,187
4	West	35	46	4.4	5.0	786	908	99.0	98.2	1,031	981	788	911

		1	3	1	4	1	5	1	6	1	7	1	8
Indicator		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	6,829	7,164	6,360	6,522	96.9	96.0	97.0	98.6	90.3	89.7	1	0
1	East	4,994	4,771	4,664	4,405	97.4	95.7	97.0	97.6	90.5	90.2	0	0
2	North	240	201	219	196	93.0	100.0	98.8	100.5	90.1	98.0	0	0
3	South	777	1,253	733	1,074	92.6	94.4	91.1	99.7	85.9	85.4	0	0
4	West	818	939	744	847	99.2	98.5	103.0	101.5	93.7	91.6	1	0

		19		20		2	21		22		3	24	
In	dicator	Number of Infants given DPT2		Number of Infants given DPT3			Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		of Infants tavalent 3	Number of Infants given Measles	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	0	1	0	9	7,891	7,579	7,609	7,552	7,669	7,674	6,250	7,460
1	East	0	0	0	0	4,131	3,760	3,827	3,737	3,865	3,834	2,943	3,747
2	North	0	1	0	0	585	477	562	477	552	479	443	424
3	South	0	0	0	9	1,668	1,666	1,694	1,673	1,695	1,681	1,342	1,668
4	West	0	0	0	0	1,507	1,676	1,526	1,665	1,557	1,680	1,522	1,621

		2	5	2	6	2	7	2	8	2	9	3	0
Indicator		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		immunize	Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles/ MR		% ;iven Vit A eported live rth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	1,418	10	108.9	102.8	7,628	7,494	8.5	-4.1	107.7	100.9	99.1	89.2
1	East	850	0	73.6	76.7	3,786	3,745	41.1	21.5	74.2	73.6	97.0	73.9
2	North	126	8	234.2	216.0	529	436	-84.6	-110.9	227.2	221.0	80.6	90.5
3	South	346	2	197.9	132.9	1,701	1,690	-72.7	-33.1	192.5	134.8	83.7	104.9
4	West	96	0	203.8	175.2	1,612	1,623	-86.1	-72.6	198.0	173.5	126.8	106.4

		3	1	3	2	3	3	3	4	3	5	36	
In	dicator	Adverse Events Following Imunisation (Abcess)		Adverse Events Following Imunisation (Deaths)		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned		Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	20	7	1	0	1	0	98.6	98.2	88.3	88.2	238	279
1	East	2	2	1	0	1	0	98.1	96.9	78.3	78.1	34	57
2	North	1	3	0	0	0	0	98.3	99.6	97.1	97.7	1	4
3	South	2	1	0	0	0	0	98.7	99.4	93.0	95.1	70	167
4	West	15	1	0	0	0	0	99.6	99.0	96.0	95.2	133	51

		3	7	38		3	39		0	41		42	
Indicator		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	29	30	37	43	0	0	0	0	0	0	0	9
1	East	5	1	2	0	0	0	0	0	0	0	0	0
2	North	0	15	0	0	0	0	0	0	0	0	0	5
3	South	17	10	9	28	0	0	0	0	0	0	0	2
4	West	7	4	26	15	0	0	0	0	0	0	0	2

		4	3	44		4	45		46		7	48	
Indicator		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Sikkim	0	9	14	39	238	279	4,140	4,690	617	742	1,418	10
1	East	0	0	6	9	34	57	1,840	2,090	301	207	850	0
2	North	0	5	2	4	1	4	329	407	43	43	126	8
3	South	0	2	4	23	70	167	796	997	192	315	346	2
4	West	0	2	2	3	133	51	1,175	1,196	81	177	96	0

		4	9	5	0	5	1	5	2	53		
In	dicator	of infants Rotavirus		No. of infants received Rotavirus Vaccine 2nd dose		of infants Rotavirus V	o. received Vaccine 3nd ose	No of child months a Measles		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	
	_Sikkim	0	0	0	0	0	0	3	54	167	7	
1	East	0	0	0	0	0	0	0	0	104	0	
2	North	0	0	0	0	0	0	1	1	58	0	
3	South	0	0	0	0	0	0	0	0	0	0	
4	West	t 0 0		0	0	0	0	2	53	5	7	