										-		6	
				2	2	-	3	4		5		6	
I	ndicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		f Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	262,900	243,151	99.3	99.3	4,465	4,348	98.3	98.2	249,100	228,907	236,338	225,395
1	Central	46,853	43,743	99.1	99.0	1,023	928	97.9	97.9	45,715	41,784	38,668	39,262
2	East	11,539	10,658	99.4	99.8	129	80	98.9	99.3	11,017	9,930	10,750	9,693
3	New Delhi	42,249	39,727	98.5	98.4	1,120	1,055	97.4	97.4	41,926	38,911	38,305	38,035
4	North	9,663	9,568	99.5	99.7	108	139	98.9	98.6	8,508	8,287	8,899	9,328
5	North East	7,212	6,759	100.2	99.9	53	65	99.3	99.0	6,311	6,067	7,168	6,742
6	North West	39,187	35,436	99.6	99.7	631	520	98.4	98.6	36,808	33,270	35,644	31,924
7	Shahdara	36,784	31,679	99.2	98.8	527	578	98.6	98.2	36,159	30,737	36,703	31,840
8	South	12,738	12,488	100.5	101.0	93	91	99.3	99.3	11,869	10,959	11,093	10,638
9	South East	10,417	9,364	100.8	101.0	48	42	99.5	99.6	8,177	7,872	7,180	7,529
10	South West	12,253	11,953	99.5	99.6	97	146	99.2	98.8	11,503	10,987	11,367	11,342
11	West	34,005	31,776	99.5	99.3	636	704	98.2	97.8	31,107	30,103	30,561	29,062

		7		8	3	9		10		1	1	12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		of Infants DPT1	Number of Infants given DPT2		Number of Infants given DPT3	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	303,493	294,128	89.9	92.7	115.4	121.0	36,266	131,945	41,824	140,456	45,779	147,913
1	Central	44,792	41,950	82.5	89.8	95.6	95.9	3,476	7,948	3,411	9,803	3,807	11,670
2	East	14,921	15,726	93.2	90.9	129.3	147.6	1,622	10,852	2,257	11,184	2,382	11,364
3	New Delhi	45,399	42,188	90.7	95.7	107.5	106.2	1,797	10,291	2,169	10,389	2,537	10,255
4	North	17,084	17,484	92.1	97.5	176.8	182.7	3,431	8,055	4,190	9,602	4,452	10,945
5	North East	13,056	13,509	99.4	99.7	181.0	199.9	2,415	11,507	3,058	12,031	3,149	11,542
6	North West	44,030	40,876	91.0	90.1	112.4	115.4	4,440	12,119	4,682	14,383	5,066	16,338
7	Shahdara	39,849	36,427	99.8	100.5	108.3	115.0	3,055	13,720	3,229	13,972	3,358	14,080
8	South	14,727	15,188	87.1	85.2	115.6	121.6	3,363	9,211	3,375	10,007	3,449	10,325
9	South East	15,253	15,221	68.9	80.4	146.4	162.5	5,278	11,415	6,122	12,436	6,994	13,572
10	South West	15,076	15,634	92.8	94.9	123.0	130.8	1,105	11,334	1,924	12,298	2,532	12,941
11	West	39,306	39,925	89.9	91.5	115.6	125.6	6,284	25,493	7,407	24,351	8,053	24,881

		1	3	1	4	1	5	1	6	1	7	1	8
I	ndicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		- 100	Number of Infants given Pentavalent 3		Number of Infants given Measles		6 11 months received raccine to live births	Number of fully immunized children (9-11 months)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	255,554	101,687	233,950	93,660	212,316	82,596	301,051	255,719	114.5	105.2	278,198	243,761
1	Central	24,886	10,647	22,913	9,711	21,419	8,571	32,364	27,388	69.1	62.6	30,114	26,317
2	East	17,659	8,367	16,531	7,642	15,306	6,813	21,508	18,649	186.4	175.0	20,710	18,153
3	New Delhi	16,835	6,330	14,016	5,582	12,475	5,057	17,164	15,025	40.6	37.8	15,617	13,595
4	North	22,723	9,194	20,445	8,368	18,534	7,301	26,273	21,476	271.9	224.5	24,493	20,896
5	North East	24,653	10,210	22,394	9,481	20,393	8,207	29,837	20,515	413.7	303.5	25,422	19,791
6	North West	33,918	12,470	29,632	11,662	27,369	10,258	36,152	31,439	92.3	88.7	34,082	29,482
7	Shahdara	24,227	9,115	21,215	7,965	19,972	6,894	24,269	21,817	66.0	68.9	22,317	20,626
8	South	14,230	5,232	13,476	5,054	12,249	4,577	18,984	17,655	149.0	141.4	16,998	16,729
9	South East	19,345	6,978	21,411	6,390	16,568	5,520	27,989	21,295	268.7	227.4	25,568	19,320
10	South West	20,932	9,117	19,672	8,817	18,611	7,729	25,111	21,817	204.9	182.5	23,737	21,120
11	West	36,146	14,027	32,245	12,988	29,420	11,669	41,400	38,643	121.7	121.6	39,140	37,732

		1	9	2	0	2	1	2	2	2	3	24	
I	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		e Events Imunisation ners)	% immunisation Sessions Held to Immunisation Sessions Planned	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	0.8	13.1	299,159	233,739	113.8	96.1	42.8	33.5	11	33	95.1	93.5
1	Central	27.7	34.7	30,685	23,562	65.5	53.9	29.0	21.0	0	1	93.4	93.0
2	East	-44.1	-18.6	19,353	16,939	167.7	158.9	56.9	25.2	0	0	96.5	96.7
3	New Delhi	62.2	64.4	17,467	14,432	41.3	36.3	74.0	76.3	0	0	94.7	90.7
4	North	-53.8	-22.8	27,546	21,526	285.1	225.0	62.2	37.2	0	0	94.4	91.9
5	North East	-128.5	-51.9	28,954	19,330	401.5	286.0	51.2	42.6	0	0	95.0	95.3
6	North West	17.9	23.1	41,982	31,663	107.1	89.4	38.8	29.8	0	8	94.1	93.1
7	Shahdara	39.1	40.1	23,053	17,823	62.7	56.3	47.7	43.5	1	3	96.0	95.6
8	South	-28.9	-16.2	21,063	16,446	165.4	131.7	28.8	30.8	0	2	97.9	96.3
9	South East	-83.5	-39.9	25,088	16,830	240.8	179.7	44.1	41.4	2	10	96.3	95.8
10	South West	-66.6	-39.5	24,445	18,714	199.5	156.6	27.1	15.3	1	3	93.7	89.9
11	West	-5.3	3.2	39,523	36,474	116.2	114.8	30.4	27.0	7	6	95.5	92.7

		25		26			_	28		29		20	
		2	25		6	27		2	8	2	9	30	
Indicator		9% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		764 Tetanus Orbers in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	41.9	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	18.1	17.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
2	East	54.5	36.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	39.0	31.8	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0
4	North	43.0	34.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	71.1	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	North West	29.5	21.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara	44.0	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	South	33.6	26.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East	40.5	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	South West	68.9	64.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West	49.0	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		3	1	3	2	3	3	3	4	3	5	36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		%  Deaths due to Sepsis to  Total Reported Infant  Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	1.1	0.3	98.3	98.5	0.5	1.2	3,479	2,562	27.2	23.7	10.4	9.7
1	Central	2.4	1.2	96.5	96.9	0.9	1.9	784	561	22.4	23.7	13.9	11.8
2	East	3.8	0.5	95.8	98.5	0.4	0.9	334	320	15.3	21.1	13.2	5.4
3	New Delhi	0.6	0.3	98.2	97.5	1.0	2.0	1,306	804	45.0	33.9	6.3	6.9
4	North	1.8	0.2	97.7	98.2	0.5	1.6	50	63	21.7	7.8	8.7	7.8
5	North East	1.8	0.0	98.0	99.7	0.2	0.3	45	16	15.8	8.3	2.6	41.7
6	North West	0.9	0.2	98.9	98.9	0.2	0.9	449	331	14.9	25.7	23.3	27.9
7	Shahdara	0.6	0.4	98.8	97.8	0.6	1.9	47	37	27.9	15.6	14.0	12.5
8	South	0.9	0.1	98.2	99.5	0.9	0.4	22	24	5.0	8.7	10.0	26.1
9	South East	0.5	0.5	99.0	98.6	0.6	1.0	64	50	1.6	0.0	0.0	0.0
10	South West	0.6	0.2	99.3	99.6	0.1	0.2	41	26	13.5	34.8	5.4	8.7
11	West	0.8	0.3	98.8	98.6	0.4	1.0	337	330	7.1	8.2	3.0	1.5

		3	7	3	8	3	9	4	.0	4	1	42	
1	ndicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		6 to Fever to orted Infant aths	% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	13.7	13.8	7.6	10.2	1.4	0.9	3.2	3.5	0.0	0.0	36.4	38.1
1	Central	13.2	7.8	3.5	4.2	1.0	0.0	0.1	0.4	0.0	0.0	45.9	52.1
2	East	0.3	2.2	20.7	29.3	0.0	0.0	0.0	0.3	0.0	0.0	50.6	41.6
3	New Delhi	4.4	5.4	7.9	11.0	2.0	1.3	6.4	8.5	0.0	0.0	28.0	33.0
4	North	13.0	43.1	8.7	7.8	2.2	3.9	10.9	7.8	0.0	0.0	34.8	21.6
5	North East	5.3	0.0	5.3	8.3	5.3	16.7	7.9	0.0	0.0	0.0	57.9	25.0
6	North West	27.2	24.5	7.2	5.6	1.5	0.7	2.5	2.2	0.2	0.0	23.3	13.4
7	Shahdara	27.9	18.8	4.7	9.4	2.3	0.0	4.7	6.3	0.0	0.0	18.6	37.5
8	South	20.0	26.1	25.0	4.3	0.0	4.3	0.0	8.7	0.0	0.0	40.0	21.7
9	South East	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	98.4	96.0
10	South West	10.8	0.0	5.4	4.3	0.0	4.3	5.4	4.3	0.0	0.0	59.5	43.5
11	West	49.1	43.2	5.1	6.4	0.6	1.5	0.9	0.6	0.0	0.0	34.2	38.6