		1		2	2	3	3	4	1	į	5	6	
In	dicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	7,965	7,915	99.5	99.2	130	112	98.4	98.6	7,579	7,799	7,675	7,380
1	East	4,944	4,665	99.7	99.9	70	51	98.6	98.9	4,598	4,595	4,867	4,546
2	North	249	324	99.6	94.5	3	6	98.8	98.2	248	309	237	305
3	South	1,612	1,705	98.8	98.3	35	29	97.9	98.3	1,587	1,700	1,453	1,463
4	West	1,160	1,221	99.3	99.4	22	26	98.1	97.9	1,146	1,195	1,118	1,066

		7		8	3	9)	1	0	1	1	12	
In	dicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	8,043	8,066	96.4	93.2	101.0	101.9	7,674	7,974	7,513	7,967	7,582	8,159
1	East	4,899	4,649	98.4	97.4	99.1	99.7	3,443	3,631	3,320	3,603	3,322	3,685
2	North	250	344	95.2	94.1	100.4	106.2	524	557	560	578	537	585
3	South	1,665	1,732	90.1	85.8	103.3	101.6	1,866	1,931	1,779	1,936	1,880	1,980
4	West	1,229	1,341	96.4	87.3	105.9	109.8	1,841	1,855	1,854	1,850	1,843	1,909

		1	13		4	1	5	1	6	1	7	18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	483	148	413	145	364	132	8,050	8,425	101.1	106.4	7,926	8,323
1	East	483	148	413	145	364	132	3,740	3,994	75.6	85.6	3,714	3,945
2	North	0	0	0	0	0	0	541	557	217.3	171.9	488	554
3	South	0	0	0	0	0	0	1,911	1,971	118.5	115.6	1,869	1,956
4	West	0	0	0	0	0	0	1,858	1,903	160.2	155.9	1,855	1,868

		19		2	0	2	1	2	2	2	3	24	
In	dicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	-0.1	-4.5	7,971	8,271	100.1	104.5	92.7	82.4	6	1	99.1	99.4
1	East	23.7	14.1	3,719	3,899	75.2	83.6	88.6	59.5	5	1	99.6	99.5
2	North	-116.4	-61.9	533	550	214.1	169.8	69.6	58.9	0	0	96.3	98.2
3	South	-14.8	-13.8	1,913	1,942	118.7	113.9	81.0	104.7	1	0	99.8	99.7
4	West	-51.2	-41.9	1,806	1,880	155.7	154.0	120.4	113.7	0	0	99.3	99.5

Indicator		25 '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29 "% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	87.2	85.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	78.8	75.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	93.4	91.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	98.0	100.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	90.3	87.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		31		3	2	3	3	3	4	3	5	36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	0.6	0.4	99.4	99.5	0.1	0.2	147	57	10.4	5.7	13.9	13.2
1	East	0.3	0.3	99.7	99.5	0.0	0.3	85	27	14.6	8.3	15.9	4.2
2	North	0.4	0.6	99.6	99.4	0.0	0.0	9	4	11.1	0.0	0.0	25.0
3	South	1.2	0.0	98.5	99.8	0.3	0.2	23	14	4.3	7.1	21.7	35.7
4	West	0.2	0.8	99.8	99.2	0.0	0.0	30	12	3.3	0.0	6.7	0.0

		3	37		38		9	4	0	4	1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	11.1	34.0	18.8	11.3	0.0	0.0	3.5	3.8	0.0	0.0	42.4	32.1
1	East	9.8	37.5	14.6	12.5	0.0	0.0	0.0	4.2	0.0	0.0	45.1	33.3
2	North	0.0	25.0	0.0	25.0	0.0	0.0	22.2	0.0	0.0	0.0	66.7	25.0
3	South	17.4	21.4	13.0	7.1	0.0	0.0	4.3	0.0	0.0	0.0	39.1	28.6
4	West	13.3	45.5	40.0	9.1	0.0	0.0	6.7	9.1	0.0	0.0	30.0	36.4