# Test Suite\_multi-browsers

### **Execution Environment**

Host name LAP15239-local - host.docker.internal

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

### Summary

ID Test Suites/Test Suite\_multi-browsers

Description

Total 1

Passed 0 Failed 0 Error 1 Incomplete 0

Skipped 0

Start 2023-02-11 20:44:46 End 2023-02-11 20:44:49

Elapsed 3.389s

# ID Description Status

1 Test Cases/1.MKP/Explore/Verify that Explore\_Collections\_is displayed successfully

**ERROR** 

# Verify that Explore\_Collections\_is displayed successfully

## Information

ID Test Cases/1.MKP/Explore/Verify that Explore\_Collections\_is displayed successfully

Description

Tag

Start 2023-02-11 20:44:46 End 2023-02-11 20:44:49

Elapsed 2.965s Status ERROR

### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.004s	PASSED

# Verify that Explore\_Collections\_is displayed successfully

#	Description	Elapsed	Status
2	callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers_trying"), [:],	2.408s	ERROR
	STOP_ON_FAILURE)		
	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		
	FAILED.		
	Reason: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.		
	MKP/BeforeTest/OpenMultiBrowsers_trying' failed because of error(s)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at Verify that Explore_Collections_is displayed successfully.run(Verify that Explore_Collections_is displayed successfully:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1676123081736.run(TempTestSuite1676123081736.groovy:36)		
	Caused by: groovy.lang.GroovyRuntimeException: Could not find matching constructor for:		
	org.openqa.selenium.firefox.FirefoxDriver(org.openqa.selenium.firefox.FirefoxProfile)		
	at OpenMultiBrowsers_trying.run(OpenMultiBrowsers_trying:59) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		

# Verify that Explore\_Collections\_is displayed successfully

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     20 more		
3	Start listener action : sampleAfterTestCase	0.002s	PASSED