

# Test Suite\_multi-browsers

## Execution Environment

|                 |                                |
|-----------------|--------------------------------|
| Host name       | LAP15239-local - 172.25.40.193 |
| Local OS        | Windows 10 64bit               |
| Katalon version | 8.5.5.208                      |
| Browser         | null                           |

## Summary

|             |                                       |            |                     |
|-------------|---------------------------------------|------------|---------------------|
| ID          | Test Suites/Test Suite_multi-browsers |            |                     |
| Description |                                       |            |                     |
| Total       | 1                                     |            |                     |
| Passed      | 0                                     | Failed     | 1                   |
| Error       | 0                                     | Incomplete | 0                   |
| Skipped     | 0                                     |            |                     |
| Start       | 2023-02-12 11:38:56                   | End        | 2023-02-12 11:38:59 |
| Elapsed     | 3.026s                                |            |                     |

| # | ID   | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully |             | FAILED |

# multibrowsers\_Verify that Explore\_Collections\_is displayed successfully

---

## Information

|             |  |     |                     |
|-------------|--|-----|---------------------|
| ID          | Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully |     |                     |
| Description |  |     |                     |
| Tag         |  |     |                     |
| Start       | 2023-02-12 11:38:56  | End | 2023-02-12 11:38:59 |
| Elapsed     | 2.668s   |     |                     |
| Status      | FAILED   |     |                     |

## Details

| # | Description                                  | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.003s  | PASSED |

## multibrowsers\_Verify that Explore\_Collections\_is displayed successfully

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 2 | <p>callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers' (Root cause: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers' failed because of error(s)<br/>at com.kms.katalon.core.keyword.builtin.<br/>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)<br/>at com.kms.katalon.core.keyword.builtin.<br/>CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)<br/>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br/>(KeywordMain.groovy:74)<br/>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase<br/>(CallTestCaseKeyword.groovy:81)<br/>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute<br/>(CallTestCaseKeyword.groovy:44)<br/>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br/>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br/>at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.<br/>groovy:334)<br/>at multibrowsers_Verify that Explore_Collections_is displayed successfully.run<br/>(multibrowsers_Verify that Explore_Collections_is displayed successfully:20)<br/>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br/>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br/>java:119)<br/>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br/>java:448)<br/>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br/>java:439)<br/>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br/>(TestCaseExecutor.java:418)<br/>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br/>(TestCaseExecutor.java:410)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br/>java:285)<br/>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase<br/>(CommonExecutor.java:65)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br/>(TestSuiteExecutor.java:151)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br/>106)<br/>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br/>185)<br/>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown<br/>Source)<br/>at TempTestSuite1676176731466.run(TempTestSuite1676176731466.groovy:36)<br/>Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed:<br/>file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.<br/>MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve<br/>class org.openqa.selenium.edge<br/>@ line 39, column 1.<br/>import org.openqa.selenium.edge;<br/>^</p> <p>1 error</p> <p>at com.kms.katalon.core.main.ScriptEngine.getScript(ScriptEngine.java:199)<br/>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> | 1.086s  | PASSED |

# multibrowsers\_Verify that Explore\_Collections\_is displayed successfully

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br/>java:119)<br/>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br/>java:448)<br/>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br/>java:439)<br/>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br/>(TestCaseExecutor.java:418)<br/>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br/>(TestCaseExecutor.java:410)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br/>java:285)<br/>at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:<br/>142)<br/>at com.kms.katalon.core.keyword.builtin.<br/>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)<br/>... 20 more<br/>)</pre> |         |        |

# multibrowsers\_Verify that Explore\_Collections\_is displayed successfully

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 3 | <p>navigateToUrl(MKP_url_test)</p> <p>Unable to navigate to 'https://market.test.yoverse.io' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'https://market.test.yoverse.io' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl.call(Unknown Source) at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176731466.run(TempTestSuite1676176731466.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:956) at com.kms.katalon.core.webui.keyword.builtin.</p> | 1.028s  | FAILED |

## multibrowsers\_Verify that Explore\_Collections\_is displayed successfully

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)   at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)   at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)   at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83)   at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)   at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:187)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl. call(Unknown Source)   at Script1676125001697.run(Script1676125001697.groovy:22)   ... 13 more )</pre> |         |        |
| 4 | Start listener action : sampleAfterTestCase  | 0.001s  | PASSED |