

# Test Suite\_multi-browsers

## Execution Environment

Host name	LAP15239-local - host.docker.internal
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	null

## Summary

ID	Test Suites/Test Suite_multi-browsers		
Description			
Total	1		
Passed	0	Failed	0
Error	1	Incomplete	0
Skipped	0		
Start	2023-02-11 20:35:12	End	2023-02-11 20:35:16
Elapsed	4.120s		

#	ID	Description	Status
1	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		ERROR

# Verify that Explore\_Collections\_is displayed successfully

---

## Information

ID	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		
Description			
Tag			
Start	2023-02-11 20:35:12	End	2023-02-11 20:35:16
Elapsed	3.884s		
Status	ERROR		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED

## Verify that Explore\_Collections\_is displayed successfully

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers_trying"), [:], STOP_ON_FAILURE)</p> <p>Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully FAILED. Reason: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers_trying' failed because of error(s)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)     at Verify that Explore_Collections_is displayed successfully.run(Verify that Explore_Collections_is displayed successfully:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1676122506352.run(TempTestSuite1676122506352.groovy:36) Caused by: groovy.lang.GroovyRuntimeException: Could not find matching constructor for: org.openqa.selenium.firefox.FirefoxDriver(org.openqa.selenium.firefox.FirefoxProfile)     at OpenMultiBrowsers_trying.run(OpenMultiBrowsers_trying:57)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)</p>	3.568s	ERROR

## Verify that Explore\_Collections\_is displayed successfully

---

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more</pre>		
3	Start listener action : sampleAfterTestCase	0.002s	PASSED