Test Suite_multi-browsers

Execution Environment

Host name LAP15239-local - 172.25.40.193

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Test Suite_multi-browsers

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2023-02-12 11:41:26 End 2023-02-12 11:41:28

Elapsed 1.948s

# ID	Description	Status

1 Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully **FAILED**

Information

ID Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully

Description

Tag

Start 2023-02-12 11:41:26 End 2023-02-12 11:41:28

Elapsed 1.744s
Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED

#	Description	Elapsed	Status
		0.773s	PASSED
2	callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers"), [:], OPTIONAL)	0.7738	PASSED
	Unable to call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers' (Root cause:		
	com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.		
	MKP/BeforeTest/OpenMultiBrowsers' failed because of error(s)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at multibrowsers_Verify that Explore_Collections_is displayed successfully.run		
	(multibrowsers_Verify that Explore_Collections_is displayed successfully:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1676176881874.run(TempTestSuite1676176881874.groovy:36)		
	Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang.		
	String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User		
	Data]		
	at OpenMultiBrowsers.run(OpenMultiBrowsers:89)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		

```
# Description

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142)
    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
    ... 20 more
)
```

Description	Elapsed	Status
navigateToUrl(MKP_url_test)	0.633s	FAILED
Unable to navigate to 'https://market.test.yoverse.io' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to navigate to 'https://market.test.yoverse.io' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute		
(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl		
(WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl. call(Unknown Source)		
at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:22)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1676176881874.run(TempTestSuite1676176881874.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64',		
os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown		
(DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		

java:956)

at com.kms.katalon.core.webui.keyword.builtin.

Description Elapsed **Status** NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80) at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$ execute Keyword For Platform (Keyword Executor. groovy: 74) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. navigate ToUrl$ (WebUiBuiltInKeywords.groovy:187) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$navigate ToUrl.$ call(Unknown Source) at Script1676125001697.run(Script1676125001697.groovy:22) ... 13 more) Start listener action : sampleAfterTestCase 0.002s **PASSED**