Test Suite_multi-browsers

Execution Environment

Host name LAP15239-local - 172.25.40.193

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Test Suite_multi-browsers

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2023-02-12 11:05:25 End 2023-02-12 11:05:29

Elapsed 3.622s

# ID	Description	Status

1 Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully **FAILED**

Information

ID Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully

Description

Tag

Start 2023-02-12 11:05:25 End 2023-02-12 11:05:29

Elapsed 3.113s
Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.004s	PASSED

2 callTestCase(findTestCase(*1.MKP/BeforeTest/OpenMultiBrowsers*), [3], OPTIONAL) Unable to call Test Case Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers* (Root cause: com.kms. katalon.core.exception.StepErrorException.Call Test Case *Test Cases*), MKP/BeforeTestOpenMultiBrowsers falsed because of arror(s) at com.kms. katalon.core.exception.StepErrorException.Call Test Case *Test Cases*), and com.kms. katalon.core.exception.StepErrorException.Call Test Case *Test Cases*), and com.kms.katalon.core.expevord.builtin. CallTestCaseKeywordS_call** exclusion.core.expevord.builtin.CallTestCaseKeyword.groovy) at com.kms.katalon.core.expevord.builtin.CallTestCaseKeyword.groovy) at com.kms.katalon.core.expevord.builtin.CallTestCaseKeyword.callTestCase* (CallTestCaseKeywordS_call** expevord.expevord.builtin.CallTestCaseKeyword.callTestCase* (CallTestCaseKeywordS_call** expevord.expevord.builtin.CallTestCaseKeyword.callTestCase* (CallTestCaseKeywordS_call** expevord.expevord.builtin.CallTestCaseKeyword.call** expevord.call** at com.kms.katalon.core.expevord.builtin.callTestCaseKeyword.call** expevord.call** expe	#	Description	Elapsed	Status
Unable to call Test Case Test Cases/1.MKP/BeforeTest/OpenMultiBroweers (Root cause: com.kms.katalon.core.exception.stepErrorException: Call Test Case Test Cases/1.MKP/BeforeTest/OpenMultiBroweers falled because of errors) at com.kms.katalon.core.keyword.builtin. CalTestGaseKeywords_GulffeetGase_Gosbuert.docalf(CallTestCaseKeyword.groovy-66) at com.kms.katalon.core.keyword.builtin. CalTestGaseKeywords_GulffeetGase_Gosbuert.docalf(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal KeywordMain.runKeyword (KeywordMain.groovy-74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CalTestCaseKeyword groovy-81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CalTestCaseKeyword groovy-81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CalTestCaseKeyword groovy-84) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute executeKeywordForPlatom(KeywordSexebuto.groovy-74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy-33) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy-33) at com.kms.katalon.core.main.ScriptEngine.runCarlpAsRam/ark(ScriptEngine.java.194) at com.kms.katalon.core.main.ScriptEngine.runCarlpAsRam/ark(ScriptEngine.java.194) at com.kms.katalon.core.main.TestCaseExecutor.or.docard-ark-ark-ark-ark-ark-ark-ark-ark-ark-ark	2	callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers"), [:], OPTIONAL)	1.394s	PASSED
com.kms.katalon.core.exception.StepErrofException: Call Test Case Test Case4: MKPBefore TestOpenMultiBrowsers' falled because of error(s) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywords.callTestCase.closurert.dotal(CallTestCaseKeyword.groovy;66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywords_callTestCase.closurert.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywords_callTestCase.closurert.call(CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy;74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy;44) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy;44) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute cexcuteKeyword.forPlatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.keyword.builtin.keywords.callTestCase(BuiltinKeywords.groovy;334) at multibrowsers. Verify that Explore. Collections is displayed successfully.run (multibrowsers_Verify that Explore. Collections_is displayed successfully.20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawToxt(ScriptEngine.java1199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java1419) at com.kms.katalon.core.main.TestCaseExecutor.dexecute(TestCaseExecutor.java149) at com.kms.katalon.core.main.TestCaseExecutor.grocesExecutionPhase (TestCaseExecutor.java1419) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java1419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestScaseExecutor.java1419) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java161) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java161) at com.kms.katalon.core.main.TestCaseE				
MKP/Before Test/OpenMultiBrowsers' failed because of error(s) at com, kms, katalon, core, keyword-builtin. CallTestCaseKeywordS_callTestCase_closure1.doCall(CallTestCaseKeyword,groovy:66) at com, kms, katalon, core, keyword builtin. CallTestCaseKeywordS_callTestCase_closure1.call(CallTestCaseKeyword,groovy) at com, kms, katalon, core, keyword builtin. CallTestCaseKeywordS_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com, kms, katalon, core, keyword builtin.CallTestCaseKeyword.callTestCase(Keyword) at com, kms, katalon, core, keyword.builtin.CallTestCase(Keyword.groovy.44) at com, kms, katalon, core, keyword.builtin.CallTestCase(Keyword.groovy.44) at com, kms, katalon, core, keyword.builtin/callTestCase(Eyword.groovy.44) at com, kms, katalon, core, keyword.builtin/keywords.callTestCase(Builtin/Keywords,groovy.334) at on, kms, katalon, core, keyword.Builtin/keywords.callTestCase(Builtin/Keywords,groovy.334) at multibrowsers_Verify that Explore_Collections is displayed successfully.run (multibrowsers_Verify that Explore_Collections is displayed successfully.groovy.334) at com, kms, katalon, core, main, ScriptEngine, run, ScriptEngine, paya-194) at com, kms, katalon, core, main, ScriptEngine, run, ScriptEngine, paya-194) at com, kms, katalon, core, main, TestCaseExecutor, run, Script(TestCaseExecutor, jaya-448) at com, kms, katalon, core, main, TestCaseExecutor, processExecutionPhase (TestCaseExecutor, jaya-418) at com, kms, katalon, core, main, TestCaseExecutor, accessMain, Phase (TestCaseExecutor, jaya-418) at com, kms, katalon, core, main, TestCaseExecutor, accessExecutor, Phase (TestCaseExecutor, jaya-418) at com, kms, katalon, core, main, TestCaseExecutor, accessExecutor, processExecutor, jaya-194) at com, kms, katalon, core, main, TestCaseExecutor, accessTestGuiteMainPhase (TestCaseExecutor, jaya-418) at com, kms, katalon, core, main, TestCaseExecutor, accessTestGuiteMainPhase (TestCaseExecutor, jaya-418) at com, kms, katalon, core, main, TestCaseExecutor, accessTestGuiteMain, paya-194) at com				
at com, kms, katalon, core, keyword, buildin. CallTestCase(KeywordS, callTestCase (sourer, doCall(CallTestCaseKeyword, groovy; 66) at com, kms, katalon, core, keyword, buildin. CallTestCaseKeywordS, callTestCase (sourer, call(CallTestCaseKeyword, groovy) at com, kms, katalon, core, keyword, internal, KeywordMain, runKeyword (KeywordMain, groovy; 74) at com, kms, katalon, core, keyword, builtin, CallTestCaseKeyword, callTestCase (CallTestCaseKeyword, groovy; 81) at com, kms, katalon, core, keyword, builtin, CallTestCaseKeyword, execute (CallTestCaseKeyword, groovy; 44) at com, kms, katalon, core, keyword, builtin, CallTestCaseKeyword, execute (CallTestCaseKeyword, groovy; 44) at com, kms, katalon, core, keyword, builtin, CallTestCaseKeyword, executor, cover, core, co				
CallTestCaseKeywords_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywords_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runkeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:47) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:47) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. caccuteKeywordforPaldrom(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.builtinKeywords.callTestCase(BuiltinKeywords.groovy:334) at multibrowsers_Verify that Explore_Collections_is displayed successfully.c0) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuteExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuteExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuteExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuteExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuteExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor				
at com. kms. katalon.core.keyword.builtin. CallTestCaseKeyword.gorovy:74) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword groovy:41) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at multibrowsers.Verify that Explore.Collections.is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.tunCscriptEngine.grava:194) at com.kms.katalon.core.main.ScriptEngine.tunCscriptEngine.grava:194) at com.kms.katalon.core.main.ScriptEngine.tunScriptEngine.grava:194) at com.kms.katalon.core.main.TestCaseExecutor.tunScriptCaseExecutor.grava:488 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.grava:48) at com.kms.katalon.core.main.TestCaseExecutor.grava:489 at com.kms.katalon.core.main.TestCaseExecutor.grava:489 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CaseExecutor.grava:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CaseExecutor.grava:45) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCrestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCrestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCrestCa				
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groov;74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groov;24) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groov;24) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groov;74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groov;334) at multibrowsers_Verify that Explore_Collections_is displayed successfully.c0) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:104) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:104) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:104) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:104) at com.kms.katalon.core.main.ScriptEngine.runScriptTestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:48) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:48) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:410) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:167) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:167) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestC				
(KeywordMain groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:41) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (callTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.un(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:194) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:48) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSui				
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.groovy;74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy;74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute executeKeywordForPlatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy;734) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy;334) at multibrowsers. Verify that Explore. Collections_is_displayed successfully.run (multibrowsers_Verify that Explore_Collections_is_displayed successfully.20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.scriptCaseExecutor.giava:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 107 at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 108 at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseExecutor.ausCript(TestCaseExecuto				
(CallTestCaseKeyword,groovy;41) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy;44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForeIntorm(KeywordExecutor.groovy;74) at com.kms.katalon.core.keyword.builtinKeywords.callTestCase(BuiltinKeywords.groovy;334) at multibrowsers. Verify that Explore.Collections is displayed successfully.run (multibrowsers Verify that Explore.Collections.grooting.gr				
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy;44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordFofPlatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy;334) at multibrowsers. Verify that Explore. Collections. is displayed successfully.run (multibrowsers. Verify that Explore. Collections. is displayed successfully.run at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor. java:48) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 108 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor. 100 at com.kms.katalon.core.main.TestCaseEx				
(CallTestCaseKeyword-groovy-44) at com.kms.katalon.core.keyword.builtinKeywords.callTestCase(BuiltinKeywords.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at multibrowsers. Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully.20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:466) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:465) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:194) at com.kms.k				
at com.kms.katalon.core.keyword.builtness.l.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.builtnKeywords.callTestCase(BuiltinKeywords. groovy:334) at multibrowsers. Verify that Explore. Collections is displayed successfully.run (multibrowsers.Verify that Explore.Collections is displayed successfully.run (multibrowsers.Verify that Explore.Collections is displayed successfully.run (multibrowsers.Verify that Explore.Collections is displayed successfully.run (multibrowsers.Verify that Explore.Collections.Incollections) at com.kms.katalon.core.main.TestCaseExecutor.Incollections.Collections.Incol				
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCrestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:168 at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteOx.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: (java.lang.disingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: (java.lang.disingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types:				
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy;334) at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:106) at com.kms.katalon.core.main.ScriptEngine.runScriptTengine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.moScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java				
groovy:334) at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 135) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 135) at com.kms.katalon.core.main.TestCaseMainsstartTestSuite(TestCaseMain.java: 136) at com.kms.katalon.core.main.TestCaseMainsstartTestSuite(TestCaseMain.java: 137) at com.kms.katalon.core.main.TestCaseMainsstartTestSuite(TestCaseMain.java: 138) at com.kms.katalon.core.main.TestCaseMainsstartTestSuite(TestCaseMain.java: 139) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.maScriptCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecutor.deExecutor.				
(multibrowsers_Verify that Explore_Collections_is_displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:461) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:168) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseExecutor.java:194) at com.kms.katalon.core.main.TestCaseExecutor.tunScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:194)				
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:456) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TestCaseExecutor.java: 180) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor.java: 180) at com.kms.katalon.core.main.ScriptEngine.runScriptCaseExecutor.java: 180) at com.kms.katalon.core.main.TestCaseExecutor.runScriptCaseExecutor.java: 180) at com.kms.katalon.core.main.TestCaseExecutor.deExecutor.deExecutor.				
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TostCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TostCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TostCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TostCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TostCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TostCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TostCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMainStartTestSuite(TostCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseExecutor.ator.yocriptAsRawText(ScriptEngine.java: 180) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java: 180) at com.kms.katalon.core.main.TestCaseExecutor.ator.yocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCaseExecutor.atom.xocriptCas				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseExecutor.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.deExecutor.deExecutor.				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.goovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/UserData] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:119) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openga. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptGriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptGriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/UserData] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 188) at Cam.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 189) at Cam.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.ScriptEngine.para.top.accept.gava: 180 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java: 180 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java: 180 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java: 180 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/UserData] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa.selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/UserData] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
Source) at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa. selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang. String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36)		
String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
Data] at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at OpenMultiBrowsers.run(OpenMultiBrowsers:76) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		•		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.				
1ava.4a91				
jara. 180)		java. 400)		

```
# Description

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142)
    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
    ... 20 more
)
```

	Description	Elapsed	Status
r	navigateToUrl(MKP_url_test)	1.071s	FAILED
	Unable to navigate to 'https://market.test.yoverse.io' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'https://market.test.yoverse.io' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
r	navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute		
(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
6	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
(at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl WebUiBuiltInKeywords.groovy:187)		
(at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl. call(Unknown Source)		
(at multibrowsers_Verify that Explore_Collections_is displayed successfully.run multibrowsers_Verify that Explore_Collections_is displayed successfully:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
j	ava:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
j	ava:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
j	ava:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
j	ava:285)		
(at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase CommonExecutor.java:65)		
(at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1676174719007.run(TempTestSuite1676174719007.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
i	s not opened		
9	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'		
	Oriver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
(DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
(DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		

at com.kms.katalon.core.webui.keyword.builtin.

java:956)

Description Elapsed **Status** NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80) at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$ execute Keyword For Platform (Keyword Executor. groovy: 74) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. navigate ToUrl$ (WebUiBuiltInKeywords.groovy:187) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$navigate ToUrl.$ call(Unknown Source) at Script1676125001697.run(Script1676125001697.groovy:22) ... 13 more) Start listener action : sampleAfterTestCase 0.001s**PASSED**