

Test Suite_multi-browsers

Execution Environment

Host name	LAP15239-local - host.docker.internal
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	null

Summary

ID	Test Suites/Test Suite_multi-browsers		
Description			
Total	1		
Passed	0	Failed	0
Error	1	Incomplete	0
Skipped	0		
Start	2023-02-11 20:49:48	End	2023-02-11 20:49:52
Elapsed	3.302s		

#	ID	Description	Status
1	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		ERROR

Verify that Explore_Collections_is displayed successfully

Information

ID	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		
Description			
Tag			
Start	2023-02-11 20:49:49	End	2023-02-11 20:49:52
Elapsed	2.907s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.003s	PASSED

Verify that Explore_Collections_is displayed successfully

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers_trying"), [:], STOP_ON_FAILURE)</p> <p>Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully FAILED. Reason: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers_trying' failed because of error(s) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at Verify that Explore_Collections_is displayed successfully.run(Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676123382318.run(TempTestSuite1676123382318.groovy:36) Caused by: org.openqa.selenium.WebDriverException: 'webdriver.firefox.bin' property set, but unable to locate the requested binary: C:/Users/LAP15239- local/AppData/Local/Mozilla/Firefox/Profiles.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.firefox.FirefoxBinary. locateFirefoxBinaryFromSystemProperty(FirefoxBinary.java:194) at org.openqa.selenium.firefox.FirefoxBinary.<init>(FirefoxBinary.java:87)</p>	2.317s	ERROR

Verify that Explore_Collections_is displayed successfully

#	Description	Elapsed	Status
	<pre>at org.openqa.selenium.firefox.FirefoxOptions.getBinary(FirefoxOptions.java:216) at org.openqa.selenium.firefox.FirefoxDriver.toExecutor(FirefoxDriver.java:187) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:147) at OpenMultiBrowsers_trying.run(OpenMultiBrowsers_trying:62) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more</pre>		
3	Start listener action : sampleAfterTestCase	0.002s	PASSED