# Test Suite\_multi-browsers

### **Execution Environment**

Host name LAP15239-local - host.docker.internal

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

### Summary

ID Test Suites/Test Suite\_multi-browsers

Description

Total 1

Passed 0 Failed 0 Error 1 Incomplete 0

Skipped 0

Start 2023-02-11 20:14:59 End 2023-02-11 20:15:01

Elapsed 1.830s

# ID Description Status

1 Test Cases/1.MKP/Explore/Verify that Explore\_Collections\_is displayed successfully

**ERROR** 

# Verify that Explore\_Collections\_is displayed successfully

## Information

ID Test Cases/1.MKP/Explore/Verify that Explore\_Collections\_is displayed successfully

Description

Tag

Start 2023-02-11 20:15:00 End 2023-02-11 20:15:01

Elapsed 1.491s Status ERROR

### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED

# Verify that Explore\_Collections\_is displayed successfully

	otion	Elapsed	Status
	tCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers_trying"), [:], ON_FAILURE)	1.029s	ERROR
FAILE			
Reaso			
	ns.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1. eforeTest/OpenMultiBrowsers_trying' failed because of error(s) at com.kms.katalon.core.keyword.builtin.		
CallTe	stCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin.		
CallTe	at com.kms.katalon.core.keyword.bullun. stCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywo	ordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTe	stCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTe	stCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execut	eKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy			
Explore	e_Collections_is displayed successfully:20)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
java:11	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:44	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:43	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase aseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase aseExecutor.java:410)		
java:28	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
•	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase uiteExecutor.java:151)		
106)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
185)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
Source	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	at TempTestSuite1676121282705.run(TempTestSuite1676121282705.groovy:36) d by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed:		
file:/C:/	Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. eforeTest/OpenMultiBrowsers_trying/Script1676120919473.groovy: 28: unable to		
resolve	e class WebUIDriverType  28, column 17.		
	JIDriverType executedBrowser = DriverFactory.getExecutedBrowser()		

```
Description
                                                                                                                                                                                                                                                                                                            Elapsed
                                                                                                                                                                                                                                                                                                                                                                      Status
 resolve class FirefoxProfile
    @ line 45, column 18.
                                                               FirefoxProfile FF = profile.getProfile("SeleniumFF");
 file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.
 MKP/BeforeTest/OpenMultiBrowsers_trying/Script1676120919473.groovy: 46: unable to
 resolve class FirefoxOptions
    @ line 46, column 18.
                                                               FirefoxOptions options = new FirefoxOptions().setProfile(FF);
 file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.
 MKP/BeforeTest/OpenMultiBrowsers_trying/Script1676120919473.groovy: 46: unable to
 resolve class FirefoxOptions
    @ line 46, column 28.
                                                               FirefoxOptions options = new FirefoxOptions().setProfile(FF);
 file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.
 MKP/BeforeTest/OpenMultiBrowsers trying/Script1676120919473.groovy: 48: unable to
 resolve class FirefoxDriver
    @ line 48. column 22.
                                                               WebDriver driver = new FirefoxDriver(options);
 5 errors
                                at com.kms.katalon.core.main.ScriptEngine.getScript(ScriptEngine.java:199)
                                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                                 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:448)
                                at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
 java:439)
                                at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
  (TestCaseExecutor.java:418)
                                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
  (TestCaseExecutor.java:410)
                                at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata
 java:285)
                                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
  142)
                                at com.kms.katalon.core.keyword.builtin.
  CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                                ... 20 more
```