### Test Suite\_multi-browsers

#### **Execution Environment**

Host name LAP15239-local - 172.25.40.193

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

#### Summary

ID Test Suites/Test Suite\_multi-browsers

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2023-02-12 11:01:29 End 2023-02-12 11:01:32

Elapsed 3.462s

# ID Description Status

1 Test Cases/1.MKP/Explore/multibrowsers\_Verify that Explore\_Collections\_is displayed successfully

**FAILED** 

#### Information

ID Test Cases/1.MKP/Explore/multibrowsers\_Verify that Explore\_Collections\_is displayed successfully

Description

Tag

Start 2023-02-12 11:01:29 End 2023-02-12 11:01:32

Elapsed 3.065s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.003s	PASSED

#	Description	Elapsed	Status
2	callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers"), [:], OPTIONAL)	1.531s	PASSED
	Unable to call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers' (Root cause:		
	com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.  MKP/BeforeTest/OpenMultiBrowsers' failed because of error(s)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at multibrowsers_Verify that Explore_Collections_is displayed successfully.run		
	(multibrowsers_Verify that Explore_Collections_is displayed successfully:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1676174479310.run(TempTestSuite1676174479310.groovy:36)		
	Caused by: groovy.lang.MissingMethodException: No signature of method: org.openqa.		
	selenium.edge.EdgeOptions.addArguments() is applicable for argument types: (java.lang.		
	String) values: [user-data-dir=C:/Users/LAP15239-local/AppData/Local/Microsoft/Edge/User		
	Data]		
	at OpenMultiBrowsers.run(OpenMultiBrowsers:75)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	java. 100)		

```
# Description

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:142)
    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
    ... 20 more
)
```

#	Description	Elapsed	Status
3	navigateToUrl(MKP_url_test)	0.965s	FAILED
	Unable to navigate to 'https://market.test.yoverse.io' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to navigate to 'https://market.test.yoverse.io' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
	navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute		
	(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl		
	(WebUiBuiltInKeywords.groovy:187) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl.		
	call(Unknown Source) at multibrowsers_Verify that Explore_Collections_is displayed successfully.run		
	(multibrowsers_Verify that Explore_Collections_is displayed successfully:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1676174479310.run(TempTestSuite1676174479310.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'		
	Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen		
	(DriverFactory.java:985) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver		
	(DriverFactory.java:970) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		
	iava·956)		

java:956)

at com.kms.katalon.core.webui.keyword.builtin.

Description Elapsed **Status** NavigateToUrlKeyword\$\_navigateToUrl\_closure1.doCall(NavigateToUrlKeyword.groovy:80) at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$\_navigateToUrl\_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)  $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$ execute Keyword For Platform (Keyword Executor. groovy: 74) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. navigate ToUrl$ (WebUiBuiltInKeywords.groovy:187)  $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$navigate ToUrl.$ call(Unknown Source) at Script1676125001697.run(Script1676125001697.groovy:22) ... 13 more ) Start listener action : sampleAfterTestCase 0.003s **PASSED**