

# Test Suite\_multi-browsers

## Execution Environment

Host name	LAP15239-local - host.docker.internal
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 110.0.0.0

## Summary

ID	Test Suites/Test Suite_multi-browsers		
Description			
Total	1		
Passed	0	Failed	0
Error	1	Incomplete	0
Skipped	0		
Start	2023-02-11 20:19:13	End	2023-02-11 20:19:19
Elapsed	6.947s		

#	ID	Description	Status
1	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		ERROR

# Verify that Explore\_Collections\_is displayed successfully

---

## Information

ID	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		
Description			
Tag			
Start	2023-02-11 20:19:13	End	2023-02-11 20:19:19
Elapsed	6.696s		
Status	ERROR		

## Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED

## Verify that Explore\_Collections\_is displayed successfully

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers_trying"), [:], STOP_ON_FAILURE)</p> <p>Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully FAILED. Reason: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers_trying' failed because of error(s)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)     at Verify that Explore_Collections_is displayed successfully.run(Verify that Explore_Collections_is displayed successfully:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1676121548851.run(TempTestSuite1676121548851.groovy:36) Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: exited normally.     (unknown error: DevToolsActivePort file doesn't exist)     (The process started from chrome location C:\Program Files (x86) \\Google\\Chrome\\Application\\chrome.exe is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: ChromeDriver</p>	6.372s	ERROR

## Verify that Explore\_Collections\_is displayed successfully

#	Description	Elapsed	Status
	<pre>remote stacktrace: Backtrace:     (No symbol) [0x007937D3]     (No symbol) [0x00728B81]     (No symbol) [0x0062B36D]     (No symbol) [0x0064B7EF]     (No symbol) [0x00646FC9]     (No symbol) [0x00681ED5]     (No symbol) [0x00681B2C]     (No symbol) [0x0067B216]     (No symbol) [0x00650D97]     (No symbol) [0x0065253D]     GetHandleVerifier [0x00A0ABF2+2510930]     GetHandleVerifier [0x00A38EC1+2700065]     GetHandleVerifier [0x00A3C86C+2714828]     GetHandleVerifier [0x00843480+645344]     (No symbol) [0x00730FD2]     (No symbol) [0x00736C68]     (No symbol) [0x00736D4B]     (No symbol) [0x00740D6B]     BaseThreadInitThunk [0x770F7D69+25]     RtlInitializeExceptionChain [0x776CBB9B+107]     RtlClearBits [0x776CBB1F+191]      at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)     at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30)     at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)     at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)     at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java: 131)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:181)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:168)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:157)     at OpenMultiBrowsers_trying.run(OpenMultiBrowsers_trying:74)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</pre>		

## Verify that Explore\_Collections\_is displayed successfully

---

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more</pre>		
3	Start listener action : sampleAfterTestCase	0.001s	PASSED