Test Suite_multi-browsers

Execution Environment

Host name LAP15239-local - host.docker.internal

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Test Suite_multi-browsers

Description

Total 1

Passed 0 Failed 0 Error 1 Incomplete 0

Skipped 0

Start 2023-02-11 20:14:48 End 2023-02-11 20:14:50

Elapsed 2.103s

ID Description Status

1 Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully

ERROR

Verify that Explore_Collections_is displayed successfully

Information

ID Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully

Description

Tag

Start 2023-02-11 20:14:48 End 2023-02-11 20:14:50

Elapsed 1.725s Status ERROR

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED

Verify that Explore_Collections_is displayed successfully

Description	Elapsed	Status
callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers_trying"), [:], STOP_ON_FAILURE)	1.191s	ERROR
Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully FAILED. Reason:		
com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.		
MKP/BeforeTest/OpenMultiBrowsers_trying' failed because of error(s) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334)		
at Verify that Explore_Collections_is displayed successfully.run(Verify that		
Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
$at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1676121280894.run(TempTestSuite1676121280894.groovy:36)		
Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed:		
file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.		
MKP/BeforeTest/OpenMultiBrowsers_trying/Script1676120919473.groovy: 28: unable to resolve class WebUIDriverType		
@ line 28, column 17.		
WebUIDriverType executedBrowser = DriverFactory.getExecutedBrowser()		
^		
#1/O-//// A.D.4.5000 1///-/ 10/0001 1/- 1/-//		
file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.		
MKP/BeforeTest/OpenMultiBrowsers_trying/Script1676120919473.groovy: 45: unable to		

```
Description
                                                                                                                                                                                                                                                                                                            Elapsed
                                                                                                                                                                                                                                                                                                                                                                      Status
 resolve class FirefoxProfile
    @ line 45, column 18.
                                                               FirefoxProfile FF = profile.getProfile("SeleniumFF");
 file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.
 MKP/BeforeTest/OpenMultiBrowsers_trying/Script1676120919473.groovy: 46: unable to
 resolve class FirefoxOptions
    @ line 46, column 18.
                                                               FirefoxOptions options = new FirefoxOptions().setProfile(FF);
 file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.
 MKP/BeforeTest/OpenMultiBrowsers_trying/Script1676120919473.groovy: 46: unable to
 resolve class FirefoxOptions
    @ line 46, column 28.
                                                               FirefoxOptions options = new FirefoxOptions().setProfile(FF);
 file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1.
 MKP/BeforeTest/OpenMultiBrowsers trying/Script1676120919473.groovy: 48: unable to
 resolve class FirefoxDriver
    @ line 48. column 22.
                                                               WebDriver driver = new FirefoxDriver(options);
 5 errors
                                at com.kms.katalon.core.main.ScriptEngine.getScript(ScriptEngine.java:199)
                                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
 java:119)
                                 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
 java:448)
                                at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
 java:439)
                                at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
  (TestCaseExecutor.java:418)
                                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
  (TestCaseExecutor.java:410)
                                at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata
 java:285)
                                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
  142)
                                at com.kms.katalon.core.keyword.builtin.
  CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                                ... 20 more
```