Test Suite_multi-browsers

Execution Environment

Host name LAP15239-local - 172.25.40.193

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Test Suite_multi-browsers

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2023-02-12 11:38:26 End 2023-02-12 11:38:29

Elapsed 3.065s

ID Description Status

1 Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully

FAILED

Information

ID Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully

Description

Tag

Start 2023-02-12 11:38:26 End 2023-02-12 11:38:29

Elapsed 2.723s
Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED

2 callTestCase(findTestCase(*1.MKP/BeforeTest/OpenMultiBrowsers*), [3], OPTIONAL) Unable to call Test Case Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers* (Root cause: com kms katalon.core.exception.5tepErrofException: Call Test Case Test Cases/1. MKP/BeforeTest/OpenMultiBrowsers* (Root cause: com kms katalon.core.exception.5tepErrofException: Call Test Case Test Cases/1. MKP/BeforeTest/OpenMultiBrowsers* (all testCase) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywordS_callTestCase_Colsure1.dcallCallTestCaseKeyword.groovy;66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywordS_callTestCase_Colsure1.callCallCallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword.callTestCase ((exportedMain.groov;74)) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy.44) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy.44) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy.44) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy.44) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.groovy.334) at com.kms.katalon.core.main.ScriptEngine.collections is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully.20) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java191) at com.kms.katalon.core.main.TestCaseExecutor.groovp.341) at com.kms.katalon.core.main.TestCaseExecutor.groovp.342 16 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor,java151) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestSuiteExecutor,java151) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor,java151) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java151) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseMain.java155) at com.km	#	Description	Elapsed	Status
com.kms.katalon.core.exception.StepErrofException: Call Test Case Test Cases/1. MKPJBoforeTest/OpenMulBiorowsers* Jailed because of error(s) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywordS_callTestCase_Closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywordS_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword groovy:84) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword groovy:84) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.groovy:334) at om.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.groovy:334) at multibrowsers.Verify that Explore.Collections.is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.tor.core.seExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:419)	2	callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers"), [:], OPTIONAL)	1.126s	PASSED
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BullfinKeywords.callTestCase(BuiltinKeywords.groovy:334) at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine.java:148) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 108) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 100 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 101 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 101 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 101 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 101 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:	2	Unable to call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers' (Root cause: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1. MKP/BeforeTest/OpenMultiBrowsers' failed because of error(s) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)	1.126s	PASSED
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:1194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:1199) at com.kms.katalon.core.main.TestCaseExecutor.gript(TestCaseExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 182) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 183) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 184) at com.kms.katalon.core.main.TestCaseMain.sta				
at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(Te		$at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords.)$		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 182) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 183) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 184) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.		at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(Dunknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;				
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		java:448)		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		java:439)		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		(TestCaseExecutor.java:418)		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		(TestCaseExecutor.java:410)		
(CommonExecutor,java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		java:285)		
(TestSuiteExecutor.java:151)		(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		106)		
Source) at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		185)		
Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		Source)		
		Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge;		
1 error		1 error		
at com.kms.katalon.core.main.ScriptEngine.getScript(ScriptEngine.java:199) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)				

#	Description	Elapsed	Status
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.)$		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:		
	142)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)		
	20 more		

Des	cription	Elapsed	Status
nav	igateToUrl(MKP_url_test)	1.018s	FAILED
exc	able to navigate to 'https://market.test.yoverse.io' (Root cause: com.kms.katalon.core. eption.StepFailedException: Unable to navigate to 'https://market.test.yoverse.io' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	ebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(We	ebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.		
nav	igateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute		
(Na	vigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exe	cuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl		
(We	ebUiBuiltInKeywords.groovy:187)		
call	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$navigateToUrl. (Unknown Source)		
(mu	at multibrowsers_Verify that Explore_Collections_is displayed successfully.run ltibrowsers_Verify that Explore_Collections_is displayed successfully:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java	a:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java	a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java	a:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Te	stCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Te	stCaseExecutor.java:410)		
java	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.a:285)		
(Co	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase mmonExecutor.java:65)		
(Te	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase stSuiteExecutor.java:151)		
106	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
185	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown irce)		
	at TempTestSuite1676176701776.run(TempTestSuite1676176701776.groovy:36) used by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is n	ot opened		
Sys	d info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' tem info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64',		
	version: '10.0', java.version: '1.8.0_282' ver info: driver.version: unknown		
(Dri	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen verFactory.java:985)		
(Dri	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver verFactory.java:970)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.		

java:956)

at com.kms.katalon.core.webui.keyword.builtin.

Description Elapsed **Status** NavigateToUrlKeyword\$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80) at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword\$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67) $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$ execute Keyword For Platform (Keyword Executor. groovy: 74) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. navigate ToUrl$ (WebUiBuiltInKeywords.groovy:187) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords \$navigate ToUrl.$ call(Unknown Source) at Script1676125001697.run(Script1676125001697.groovy:22) ... 13 more) Start listener action : sampleAfterTestCase 0.002s **PASSED**