

Test Suite_multi-browsers

Execution Environment

Host name	LAP15239-local - 172.25.40.193
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	null

Summary

ID	Test Suites/Test Suite_multi-browsers		
Description			
Total	1		
Passed	0	Failed	0
Error	1	Incomplete	0
Skipped	0		
Start	2023-02-12 10:57:16	End	2023-02-12 10:57:18
Elapsed	1.375s		

#	ID	Description	Status
1	Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully		ERROR

multibrowsers_Verify that Explore_Collections_is displayed successfully

Information

ID	Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully		
Description			
Tag			
Start	2023-02-12 10:57:17	End	2023-02-12 10:57:18
Elapsed	1.100s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.002s	PASSED

multibrowsers_Verify that Explore_Collections_is displayed successfully

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers"), [:], STOP_ON_FAILURE)</p> <p>Test Cases/1.MKP/Explore/multibrowsers_Verify that Explore_Collections_is displayed successfully FAILED.</p> <p>Reason:</p> <p>com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.MKP/BeforeTest/OpenMultiBrowsers' failed because of error(s)</p> <p>at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at multibrowsers_Verify that Explore_Collections_is displayed successfully.run (multibrowsers_Verify that Explore_Collections_is displayed successfully:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1676174228223.run(TempTestSuite1676174228223.groovy:36) Caused by: org.codehaus.groovy.control.MultipleCompilationErrorsException: startup failed: file:/C:/Users/LAP15239-local/Katalon%20Studio/git/katalon/Scripts/1. MKP/BeforeTest/OpenMultiBrowsers/Script1676170079589.groovy: 39: unable to resolve class org.openqa.selenium.edge @ line 39, column 1. import org.openqa.selenium.edge; ^</p> <p>1 error</p>	0.732s	ERROR

multibrowsers_Verify that Explore_Collections_is displayed successfully

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.ScriptEngine.getScript(ScriptEngine.java:199) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more</pre>		
3	Start listener action : sampleAfterTestCase	0.001s	PASSED