Test Suite_multi-browsers

Execution Environment

Host name	LAP15239-local - host.docker.internal
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	null

Summary

ID	Test Suites/Test Suite_multi-browsers		
Description			
Total	1		
Passed	0	Failed	0
Error	1	Incomplete	0
Skipped	0		
Start	2023-02-11 20:29:22	End	2023-02-11 20:29:32
Elapsed	10.368s		

#	ID	Description	Status
1	Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully		ERROR

Verify that Explore_Collections_is displayed successfully

Information

ID   Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully

Description

Tag

Start   2023-02-11 20:29:22   End   2023-02-11 20:29:32

Elapsed   10.118s

Status   ERROR

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.003s	PASSED

Verify that Explore_Collections_is displayed successfully

#	Description	Elapsed	Status
2	callTestCase(findTestCase("1.MKP/BeforeTest/OpenMultiBrowsers_trying"), [:], STOP_ON_FAILURE)	9.696s	ERROR

Test Cases/1.MKP/Explore/Verify that Explore_Collections_is displayed successfully
FAILED.
Reason:
com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/1.
MKP/BeforeTest/OpenMultiBrowsers_trying' failed because of error(s)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:74)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Verify that Explore_Collections_is displayed successfully.run(Verify that
Explore_Collections_is displayed successfully:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1676122158102.run(TempTestSuite1676122158102.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to
start: exited normally.
  (unknown error: DevToolsActivePort file doesn't exist)
  (The process started from chrome location C:\Program Files (x86)
\Google\Chrome\Application\chrome.exe is no longer running, so ChromeDriver is assuming
that Chrome has crashed.)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'MANHTT', ip: '172.25.40.193', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: ChromeDriver

Verify that Explore_Collections_is displayed successfully

#	Description	Elapsed	Status

	remote stacktrace: Backtrace:
	        (No symbol) [0x007937D3]
	        (No symbol) [0x00728B81]
	        (No symbol) [0x0062B36D]
	        (No symbol) [0x0064B7EF]
	        (No symbol) [0x00646FC9]
	        (No symbol) [0x00681ED5]
	        (No symbol) [0x00681B2C]
	        (No symbol) [0x0067B216]
	        (No symbol) [0x00650D97]
	        (No symbol) [0x0065253D]
	        GetHandleVerifier [0x00A0ABF2+2510930]
	        GetHandleVerifier [0x00A38EC1+2700065]
	        GetHandleVerifier [0x00A3C86C+2714828]
	        GetHandleVerifier [0x00843480+645344]
	        (No symbol) [0x00730FD2]
	        (No symbol) [0x00736C68]
	        (No symbol) [0x00736D4B]
	        (No symbol) [0x00740D6B]
	        BaseThreadInitThunk [0x770F7D69+25]
	        RtlInitializeExceptionChain [0x776CBB9B+107]
	        RtlClearBits [0x776CBB1F+191]
	
	        at org.openqa.selenium.remote.W3CHandshakeResponse.
	lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	        at org.openqa.selenium.remote.HandshakeResponse.
	lambda$getResponseFunction$0(HandshakeResponse.java:30)
	        at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0
	(ProtocolHandshake.java:126)
	        at org.openqa.selenium.remote.ProtocolHandshake.createSession
	(ProtocolHandshake.java:128)
	        at org.openqa.selenium.remote.ProtocolHandshake.createSession
	(ProtocolHandshake.java:74)
	        at org.openqa.selenium.remote.HttpCommandExecutor.execute
	(HttpCommandExecutor.java:136)
	        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
	(DriverCommandExecutor.java:83)
	        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
	java:552)
	        at org.openqa.selenium.remote.RemoteWebDriver.startSession
	(RemoteWebDriver.java:213)
	        at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
	131)
	        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181)
	        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168)
	        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:157)
	        at OpenMultiBrowsers_trying.run(OpenMultiBrowsers_trying:80)
	        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
	java:119)
	        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
	java:448)
	        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
	java:439)
	        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
	(TestCaseExecutor.java:418)
	        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
	(TestCaseExecutor.java:410)		

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more		
3	Start listener action : sampleAfterTestCase	0.016s	PASSED