



General overview of the Language

Preamble

This document provides an overview of the project, including key objectives, methodologies, and anticipated outcomes.

Chapter 1

Context of MetaScript

Let us imagine a scenario where the creation of graphical interfaces, video games, virtual or augmented reality experiences and even virtual simulations are not limited by conventional tools.

By Conventional tools, we mean technologies, frameworks or programming language usen nowadays. (ex : Three.js pour du JavaScript, Unity pour du C#), all of them have some ls, whether in terms of complexity, rigidity, or performance, which can hamper the creativity of developers and designers. MetaScript is there to turn this vision into reality.

It's not simply a new item for the UI developments. It's a new way of paradigm changement, created to redefine the standards of interactive and immersive design. this programming language allows you to push the boundaries of what is possible. whether creating intuitive interfaces, breathtaking games, or virtual and augmented reality environments of unprecedented depth, MetaScript is the ally that offers you speed of execution without compromising on quality.

1.1 Virtual Simulation, What is it

1.1.1 Meta-World

Theorem 1. A meta world W_0 is characterized by these properties:

- W_0 is made up of elements with which we can physically interact by touching, seeing, listening, tasting or smelling
- W_0 is made up of elements to which we have attributed a meaning. These elements are designated by $w_{0,i}$ with $i \in N$
- The $w_{0,i}$ are splitted into 2 categories : the liven ones and the static ones

Theorem 2. The world where human beings are living is a Meta-World. It is called by convention the real World and it is designated by ΩW and in this world, humans are an example on liven element.

Theorem 3. $meta(W)$ is the set which gather all the meta-worlds

Theorem 4. Let us considerate 2 meta-worlds W_1 and W_2 . Simulation is a set of finite functions $\{ f_1 f_2, ..., f_n \}$ which assure that $\forall w_1 \in W_1 \exists f_i, \exists w_2 \in W_2, f_i(w_1) = w_2, i \in \{1,2,...,n\}$

All functions which define a Simulation must be finite, meaning that they are either clearly stated either it exists some rational expressions to check if a function is defined into that simulation.

1.1.2 Meta-World Component

Theorem 5. Let us take a Meta-World W_0 . Everything which are defined in this meta-world is its meta-world component. $w_0 \in W_0$ means that w_0 is a meta-world component of W_0

- w_0 is made up of elements with which we can physically interact by touching, seeing, listening, tasting or smelling
- a meta-world component is a set of differents characteristics. $w_0 = \{ 'attr1', 'attr2', ... 'attrn' \}$.
For example a meta-world component can have a name, a size, a colour, a position ans so many others possibilities

- all meta-world component has at least one attribute, this attribute tell either or not the component is alive or not
- all meta-world component can have so many finite attributes as possibles, even another one meta-world component. However all the attributes of a meta-world component must be defined in the same meta-world as its.

1.1.3 Meta-World Phenomenon

Theorem 6. A Meta-World Phenomenon is some event that occurs into a meta-world which affect one or more of its components. we represent a phenomenon defined in a meta-World W_0 by this term f_{W_0} .

- a phenomenon can affect a component either it is alive or not.
- a phenomenon just happens to components defined in the meta-eorld where it is defined
- a phenomenon is declenched by something, it can be a component, another phenomenon or the meta-world itself where they are contained
- if a phenomenon f_{W_0} is launched by a component w_0 , this function is written $w_0 f_{W_0}$.
- if a phenomenon f_{W_0} is launched by a meta-world itself, this function is just written f_{W_0} .
- if a phenomenon f_{W_0} is launched by another phenomenon g_{W_0} , this function is written $\frac{\Delta f_{W_0}}{\Delta g_{W_0}} = g' f_{W_0}$.

1.1.4 Virtual Simulation

Theorem 7. ΔW is the Meta-World which have been created by an human. By Convention, it is called the virtual World ΔW . ΔW is the only Meta-World which respect this property : $\forall w_1 \in \Omega W, \exists w_2 \in \Delta W, f_i(w_1) = w_2$

Theorem 8. Virtualisation means to pass from a meta-world $W_a \subseteq \Omega W$ to a meta-world $W_b \subseteq \Delta W$

Theorem 9. Virtual Creation means to pass from a meta-world $W_a \subseteq \Delta W$ to another meta-world $W_b \subseteq \Delta W$

Theorem 10. If $W_b \subseteq \Delta W$ is defined by virtualisation from another meta-world $W_a \subseteq \Omega W$. We call the real-world experimentation, thes simulation which means to pass from W_b to W_a .

1.1.5 Some Examples of Simulations

- Let us suppose we want to simulate a world where a little plumber an walk in left and right axis, this plumber can jumb over holes and some foes. He casn also jump under somefloating boxes in the sky and gather rewards from them.

This scenario happened in an imaginary world but we want to simulate it into some 2D visible Simulation.

- Our Starting Meta-World W_a : The Imagination where we are representing the scene. (or even a paper where we have drawn what we have imagined)
- In this meta World, the meta-components can be :
 - * w_1 : the Plumber
 - * w_2 : the Foes
 - * w_3 : the Ground
 - * w_4 : the Sky
 - * w_5 : the Boxes
 - * w_6 : A Control System between a Player and the plumber
- Our Destination world is a 2D-simulate world where each of the meta-components state-above and their inter-actions with each other and the environnement are properly defined via the Metascript Algebra,
- We want to simulate a virtual laboraty where students can execute some physic, chemistry and also biology experi-ences despite the fact they didn't have enough material or maybe a true laboratory

- Our Starting Meta-World W_a : A Real Laboratory with all equipments necessary to make experiences.
 - In this meta World, our meta-components can be :
 - * w_1 : the Laborator Equipments and Tools
 - * w_2 : Chemical or biological substances and reagents
 - * w_3 : Chemical and Physical Laws
 - * w_4 : A Feedback tool manager
 - * w_5 : A Control System where students can manipulate the components
 - Our Destination world is a 3D-simulate world where each of the meta-components state-above and their interactions conformely to the phycis and chemistry laws with each other and the environnement are properly defined via the Metascript Algebra,
- We want to simulate a critical chiriual opeation, for example an Heart operation.
 - Our Starting Meta-World W_a : A Real Laboratory with all equipments necessary to make experiences.
 - In this meta World, our meta-components can be :
 - * w_1 : Anatomy and Physiology of the Human Heart
 - * w_2 : Blood Flow and Hemodynamics
 - * w_3 : Surgical Instruments and Tools
 - * w_4 : The Patient (especially Patient's Vital Signs and Monitoring)
 - * w_5 : Preoperative Planning and Medical Imaging
 - * w_6 : A Control System where students can manipulate the tools and the patient
 - Our Destination world is a 3D-simulate world oriented between the patient where each of the meta-components state-above and their interactions conformely to the phycis and chemistry laws with each other , with the environnement and Complications and Emergency Scenarios also tissus and organism interactions are properly defined via the Metascript Algebra,

1.2 Types of Virtual Simulations made by Computer

Theorem 11. we call *Simulating Setup* all the set of components which in charge to make a simulation

There are many kinds of simulations, every process where we are corresponding some World elements to another one can be considered as a simulation.

Imagination for example is a meta-world, that is its formal definition.

- starting meta-world : *some scene that a people has already lived*
- simulating setup : *human mind*
- ending meta-world : *a mind-created world where static items are represented as the setup's memory and events occurs as the setup remembered them or wanted them to happens.*

In our case, we still focus in Virtual Simulations where the setup is a computer

1.2.1 2D-World Simulation

2D Simulation is one of the lowest exigence capacities in simulations a 2D world is a word where the space has just 2 axis, one for the width and one another for the height. (An example is a paper sheet).

A 2D simulation refers to a computer-based model that represents objects, environments, or phenomena in a two-dimensional plane, meaning it only accounts for two axes: height (Y-axis) and width (X-axis). In a 2D simulation, depth (the Z-axis) is not considered, so everything happens in a flat, planar space.

1.2.2 3D-World Simulation

3D Simulation is A 3D simulation refers to World that represents objects, environments, or phenomena in a three-dimensional space, incorporating the three primary axes: width (X-axis), height (Y-axis), and depth (Z-axis). This allows the simulation to closely mimic real-world conditions, as it provides a realistic portrayal of how objects and environments behave in a physical 3D space.

1.2.3 Mathematical Models Simulation

This simulation is kinda different of others virtuals ones. A Mathematical Model Simulation refers to the use of mathematical formulas and algorithms to represent, simulate, and study the behavior of real-world systems or processes. These simulations rely on abstract mathematical models to describe how different variables within a system interact over time. The goal is to analyze, predict, or optimize the behavior of a system by solving mathematical equations that represent physical, biological, social, or economic processes.

The main concept to understand is [the Mathematical Models](#):

A mathematical model is a set of mathematical expressions (equations, inequalities, functions) that describe relationships between different variables in a system.

The model can be deterministic (where the output is predictable given certain inputs) or stochastic (where there is randomness or uncertainty in the output). Examples include algebraic equations, differential equations, and statistical models.

1.2.4 The Case of Simulation made by IA

This simulation is kinda different of others virtuals ones. It is a mix of the three kind of simulations state above but there it's not only a human who in charge to implement the simulations functions, but trained IA.

Simulation made by AI refers to the use of artificial intelligence to create realistic models or environments that mimic real-world systems, processes, or behaviors.

1.3 Problems solved with Virtual Simulations

Virtual environments, such as immersive simulations and 3D virtual worlds, offer a multitude of solutions for various problems in several fields. Virtual simulations are powerful tools used across diverse domains to solve problems related to training, design, testing, risk assessment, decision-making, and optimization. By providing a safe, cost-effective, and flexible platform, they enable innovation, enhance safety, reduce costs, and improve efficiency in various industries and fields.:

1.3.1 HealthCare and Medicine

Applications

- **Surgical Training:** Surgeons can practice complex procedures in a virtual environment, reducing the risk of errors during actual surgeries.
- **Medical Diagnosis and Treatment:** Simulations can help doctors understand the effects of diseases on the body and predict outcomes of different treatments.
- **Healthcare Planning:** Simulations can model patient flow in hospitals to optimize resource allocation and improve patient care.

Problems Solved

- Reducing risks associated with medical training.
- Improving diagnosis and treatment planning.
- Enhancing patient safety and operational efficiency

1.3.2 Aerospace and Aviation

Applications

- Flight Training: Pilots use flight simulators to practice maneuvers, emergency procedures, and instrument navigation without real-world risks.
- Aircraft Design and Testing: Simulations are used to test aerodynamics, structural integrity, and system performance of new aircraft designs.
- Air Traffic Management: Simulations help in designing and optimizing air traffic control systems for safer and more efficient air travel.

Problems Solved

- Reducing costs and risks associated with pilot training.
- Improving aircraft safety and performance.
- Enhancing air traffic management and reducing congestion.

1.3.3 Military and Defense

Applications

- Combat Training: Virtual simulations provide a realistic environment for soldiers to practice combat scenarios, tactics, and strategy without real-world risks.
- Mission Planning: Simulations help in planning military operations by modeling potential outcomes and assessing risks.
- Equipment Testing: Simulations are used to test new weapons, vehicles, and technologies in various combat scenarios.

Problems Solved

- Improving training effectiveness and readiness.
- Enhancing mission planning and execution.
- Reducing costs and risks associated with real-world testing.

1.3.4 Automotive Industry

Applications

- Vehicle Design and Testing: Simulations help engineers test vehicle performance, safety features, and aerodynamics without the need for physical prototypes.
- Driver Training: Virtual simulators are used to train drivers in safe driving techniques and to prepare them for various road conditions.
- Autonomous Vehicle Development: Simulations are crucial for testing and refining algorithms for self-driving cars.

Problems Solved

- Reducing costs and time associated with vehicle prototyping and testing.
- Improving driver safety and training.
- Accelerating the development of autonomous vehicles.

1.3.5 Engineering and Manufacturing

Applications

- **Product Development:** Virtual simulations allow for rapid prototyping, testing, and optimization of new products, reducing time-to-market.
- **Process Optimization:** Simulations help optimize manufacturing processes, improve efficiency, and reduce waste.
- **Failure Analysis:** Simulations are used to analyze potential failure points in products and processes, enhancing quality and reliability.

Problems Solved

- Reducing costs and time in product development.
- Improving manufacturing efficiency and reducing waste.
- Enhancing product quality and reliability.

1.3.6 Education and Training

Applications

- **Students** can conduct experiments in a virtual environment, enhancing understanding without the need for physical resources.
- **Distance Learning:** Simulations provide interactive, immersive learning experiences for remote learners.
- **Professional Training:** Professionals in fields like engineering, healthcare, and emergency response use simulations for hands-on training.

Problems Solved

- Enhancing learning experiences and engagement.
- Providing access to practical training without physical constraints.
- Reducing costs associated with physical labs and training facilities.

1.3.7 Urban Planning and Architecture

Applications

- **City Planning:** Simulations model traffic flow, population growth, and infrastructure needs to optimize urban development.
- **Building Design:** Virtual simulations help architects visualize and optimize building designs for aesthetics, functionality, and energy efficiency.
- **Disaster Preparedness:** Simulations model the impact of natural disasters on urban areas to improve emergency response and resilience.

Problems Solved

- Improving urban planning and infrastructure development.
- Enhancing building design and sustainability.
- Increasing preparedness for natural disasters and emergencies.

1.3.8 Entertainment and Gaming

Applications

- Game Development: Simulations create realistic environments and physics in video games, enhancing player experience.
- Virtual Reality (VR) and Augmented Reality (AR): Simulations are used to create immersive experiences for entertainment, education, and training.

Problems Solved

- Enhancing user engagement and experience in gaming.
- Providing new forms of interactive and immersive entertainment.
- Expanding the possibilities for storytelling and experiential learning.

1.3.9 Environmental Science and Climate Modeling

Applications

- Climate Modeling: Simulations predict the impact of various factors on climate change, helping in policy-making and environmental protection.
- Ecosystem Management: Simulations model the impact of human activities on ecosystems to develop sustainable management practices.
- Natural Resource Management: Virtual models help in managing resources like water, forests, and fisheries by predicting future scenarios.

Problems Solved

- Predicting and mitigating the impact of climate change.
- Promoting sustainable practices in ecosystem and resource management.
- Enhancing decision-making for environmental policies.

1.3.10 Finance and Economics

Applications

- Market Simulation: Simulations model financial markets to test investment strategies and assess risk.
- Economic Modeling: Virtual simulations are used to predict the impact of policy changes on economic variables like GDP, inflation, and employment.

Problems Solved

- Improving financial decision-making and risk management.
- Enhancing understanding of economic dynamics and policy impacts.
- Reducing uncertainties in financial planning and economic forecasting.

1.3.11 Telecommunications and Network Management

Applications

- **Network Design and Optimization:** Simulations help in designing and optimizing communication networks for better coverage, capacity, and reliability.
- **Cybersecurity:** Simulations model cyber-attack scenarios to develop and test defense mechanisms.

Problems Solved

- Enhancing network performance and reliability.
- Improving cybersecurity preparedness and resilience.
- Reducing costs associated with network failures and security breaches.

1.3.12 Construction and Civil Engineering

Applications

- **Structural Analysis:** Simulations assess the stability and durability of buildings, bridges, and other infrastructure under various conditions.
- **Project Planning:** Simulations optimize construction processes and resource allocation.
- **Safety Training:** Virtual environments provide construction workers with training on safety protocols and equipment handling.

Problems Solved

- Reducing risks and improving safety in construction.
- Enhancing project planning and efficiency.
- Improving structural integrity and durability of infrastructure.

1.4 Some of the actual Virtualizing tools

1.4.1 Game Engine

Game engines are powerful platforms used for creating and running virtual simulations, offering a range of tools that allow developers to build interactive 3D environments, characters, and objects with complex behaviors. These engines are widely used in game development but are also employed in other domains, such as architectural visualization, training simulations, virtual reality (VR), and augmented reality (AR). Here's how game engines proceed with virtual simulations:

Real-Time Rendering

Graphics Rendering: The game engine handles real-time rendering, where 3D models are transformed into visual images on the screen. This includes calculating lighting, shadows, textures, and camera perspectives in real time. **Rendering Pipelines:** Game engines utilize rendering pipelines (such as deferred or forward rendering) to efficiently draw complex scenes with multiple objects, handling how each pixel on the screen is computed based on light, color, and material properties.

Physics Engine

Simulation of Physical Laws: Game engines integrate physics engines to simulate realistic physical interactions, such as gravity, collision detection, friction, and forces. This is critical in creating believable movements and interactions within a virtual environment. **Rigid Body Dynamics:** The physics engine simulates solid objects (rigid bodies) like cars, characters, or furniture, making sure they move, rotate, or collide in realistic ways. **Soft Body and Fluid Simulation:** Some advanced engines also simulate soft bodies (e.g., cloth, water, or jelly-like objects) and fluid dynamics to create more immersive environments.

Animation System

Character Animation: Game engines come with animation systems that control the movements of characters and objects. These animations can be pre-made (keyframe animations) or generated dynamically using algorithms such as inverse kinematics (IK), which allows characters to interact with their environment realistically. **Blend Trees:** To transition smoothly between different animations (e.g., walking to running), engines use blend trees, which blend various animations based on the context or inputs.

Artificial Intelligence (AI)

NPC Behavior: Game engines use AI systems to simulate non-player characters (NPCs) or autonomous agents that react to player actions or environmental stimuli. This can involve pathfinding (moving characters from one point to another) or decision-making based on predefined rules or AI learning models. **Procedural Generation:** AI can also be used for procedural content generation, where levels, terrains, or even story elements are dynamically generated rather than manually designed.

Input Handling

Player Input: Game engines manage input from various devices (e.g., keyboard, mouse, game controllers, VR equipment) and translate that input into actions within the simulation. For example, pressing a button might cause a character to jump, while moving the mouse might change the camera angle. **Multiplayer Input Synchronization:** For multiplayer simulations, game engines synchronize inputs across different clients so that players can interact with each other in real time.

Scripting and Logic

Custom Logic: Developers use scripting languages (such as C, Lua, or custom languages like Unreal's Blueprints) to define the logic and rules governing how the simulation operates. Scripts can handle everything from gameplay mechanics to interactive features like doors opening when approached. **Event-Driven Systems:** Game engines often rely on event-driven systems where certain actions trigger events. For instance, when a player reaches a specific point, a door may open, or an enemy may appear.

Networking and Multiplayer

Real-Time Synchronization: For multiplayer simulations, game engines handle network communication between players, ensuring the state of the game is synchronized across different devices. This involves complex protocols to reduce latency and ensure a smooth experience even with multiple users interacting in real time. **Client-Server Architecture:** Many game engines use a client-server model where a central server manages the overall state of the simulation, while clients (players) interact with the environment through their local game instances.

Sound Engine

3D Audio Simulation: Game engines incorporate sound engines to create realistic 3D audio effects. This means sounds change based on the player's position relative to the sound source, providing a more immersive experience. **Environmental Soundscapes:** Game engines can generate dynamic soundscapes where audio reacts to changes in the environment, such as echoing in caves or muffling underwater.

Environment Systems

Weather and Time Simulation: Advanced game engines simulate changing environmental conditions, such as rain, snow, or day/night cycles, all in real-time. These effects are often linked with the lighting and physics engines to ensure the environment feels cohesive. **Terrain and Water Simulation:** Many game engines feature tools for creating realistic terrains, water, and vegetation. These systems allow for dynamic environments that change based on player interaction or predefined events.

Example of Popular Game Engines:

- **Unity:** Widely used for both 2D and 3D simulations, Unity is known for its flexibility and ease of use. It supports multiple platforms, making it ideal for mobile, desktop, VR, and AR development.
- **Unreal Engine:** Known for its high-fidelity graphics and robust physics engine, Unreal Engine is popular for AAA games and simulations requiring advanced visual effects and realistic physics.
- **CryEngine:** CryEngine specializes in rendering large-scale, open-world environments and realistic visuals, making it ideal for detailed simulations involving natural environments.

1.4.2 Dedicated Simulation Softwares

specialized programs designed to model and simulate real-world processes, environments, or systems with high accuracy. These tools are developed for specific industries or applications, offering features tailored to their respective fields.

Examples of Dedicated Simulations

- **Engineering :** ANSYS, COMSOL, Abaqus □ Simulate mechanical, thermal, and fluid dynamics. MATLAB / Simulink Models Control Systems, Robotics, and Embedded Systems.
- **Healthcare :** AnyLogic, OpenSim □ Simulates biological processes, drug interactions, or hospital workflows.
- **Finance :** MATLAB, R, Python-based models □ Financial risk modeling and economic simulations.
- **Military :** VBS (Virtual Battlespace), OneSAF □ Tactical training and battlefield simulations.

While general-purpose simulation tools (like spreadsheets or basic programming environments) can model various scenarios, dedicated simulation software is designed with built-in models, libraries, and optimizations for specific industries.

1.5 MetaScript, the Virtual Simulations Language

1.5.1 Limitations of the actuals technologies

Current technologies like Unreal Engine or Unity who enable to make great effects ask a lot of ressources (as example, UE ask a common computer of 32 Go RAM, 16 Go VRAM and around 2.5 GHz of procesor. We are in Africa, get a computer like this one is really expensive.

However they are some engine whic can wo use with low setup like Three.JS and Godot but these require a lot of knowledge and resources to accomplish something that can be done with less difficulty with a great engine.

1.5.2 Backlogs in technological education in Africa

In Africa, we are not up-to-date in terms of education, also we do not always have adequate technology for professional teaching.

1.5.3 MetaScript, the language made to assure world simulations

In order to solve the limitations looked with the technologies, we built the Metascript. All Engines, even the high and the low ones use the same logic, there are methamatical notions which represent EVERYTHING which is simulate, the mate-catimal rules which define all of them, we call it the [Virtual Algebra](#). Metascript is the Language which enable computers to uild softwares with this Algebra.

Chapter 2

Presentation of the Langage

2.1 MetaScript Philosophy

MetaScript is essentially inspired by C++. We can see it as C++ to which we have added a layer for virtual simulation. However the Syntax differs a little with the language.

One of MetaScript's main goals is to democratize the creation of virtual worlds and simulations. Here are its main principles:

2.1.1 Easy to learn:

- The syntax is simple, clear, and intuitive, even for people who are not programming experts. The goal is that creators, artists, or designers can easily use MetaScript without the need for advanced technical expertise.
- Documented and guided: The community and developers should have access to comprehensive documentation, tutorials, and concrete examples. The emphasis is on learning by doing, with accessible resources for every skill level.

2.1.2 Power to create

MetaScript emphasizes creativity and freedom. It allows creators to:

- Build detailed and interactive environments: Users should be able to create rich virtual worlds with dynamic interactions, complex behaviors, and immersive effects.
- Simulate Complex Phenomena: The language should include robust tools to simulate physics, artificial intelligence, fluid dynamics, and other complex aspects of reality, without sacrificing ease of use.
- Facilitate Immersive Interactions: By emphasizing the creation of natural interfaces (such as virtual or augmented reality), MetaScript should encourage immersive experiences where users can interact intuitively with virtual worlds.

2.1.3 Flexibility and Extensibility

MetaScript is designed to be modular and adaptive so that users can extend and customize it to their needs:

- Modularity: Creators can choose modules and plugins that are tailored to their projects, such as specific physics engines or 3D rendering libraries.
- Interoperability: The language should be able to easily integrate with other technologies and frameworks, allowing compatibility with existing platforms such as Unity, Unreal Engine, or even web frameworks such as WebGL.

2.1.4 Experimentation and Innovation

Drive innovation by allowing creators to quickly test new ideas and experiment without the traditional barriers of programming:

- **Rapid Iteration:** Changes in simulations should be visible in real time, allowing developers to easily experiment and instantly see the results of their adjustments.
- **Boundless Creation:** The language encourages curiosity and exploration, providing a space where the limits of physical worlds can be exceeded, opening the way to creative and unique experiences.

2.1.5 Adaptability


On both powerful monsters and very modest machines, programmers can generate virtual environments, this can be in 2D or 3D

2.2 MetaScript Softwares Architecture

A MetaScript Program is a set of 4 parts :

- A Core , where all the logical part of the code is in
- Graohical Scenes, interfaces where the program will be seen for the users.
- Connectors between Core and Graphical Scenes which are in charge to convert the logic into graphical characteristics
- Graphical Systems in charge of rules and configuration of all the scenes

Each component work in synergy with each others



MetaScript Software Architecture

Figure 2.1: MetaScript Software Architecture

This program is a little illustration of MetaScript behaviour :

```

1      Load execLib;
2
3      Program calcul1 {
4          int number1,number2,result;
5          char sign;
6          connector scene_number[3];
7          scene_number[0] = this.MAIN_SCREEN.readBox(&number1,"Prompt a First Number");
8          scene_number[1] = this.MAIN_SCREEN.readBox(&number2,"Prompt a Second Number");
9          scene_number[2] = this.MAIN_SCREEN.readChoicesBox(&sign,["+","-","x","/"]);
10         for ( int i=0; i<3: i++) {
11             scene_number[i].changeEvt() => {
12                 result = execLib.eval("{} {} {}".scene_number[0],scene_number[2],
13                     scene_number[1]);
14             }
15         }
16         this.MAIN_SCREEN.printBox(result);
17     }
18 }
```

2.3 Characteristics of MetaScript

That's some Characteristics of the MetaScript

2.3.1 Expressivity

The syntax of Metascript is simple and intuitive, it herits from the C++ syntaxe. We want everyone able to acces to this laguage. Skillfully Creators to Pures novices.

2.3.2 Paradigm : Object-Oriented and Virtual Objects support

Virtual environments are naturally made up of distinct objects (entities, avatars, physical objects), which makes object-oriented programming a suitable choice. MetaScript has a robust object system with features like inheritance, composition, and abstractions suited to virtual environments. Example: Primitives like Object3D, Entity, Agent to model objects in the environment with native methods to handle 3D transformations, physics and interactions.

2.3.3 2D & 3D Functions

The creation of virtual environments requires the easy manipulation of 2D, 3D and physical simulations (gravity, collisions, etc.).

The MetaScript Integrates specific primitives for the manipulation of 3D geometry, transformations (rotation, translation , scale), as well as physics simulations (integrated physics engine to manage gravity, collisions, dynamics). Example: Functions like applyGravity(), detectCollision(), or simulatePhysics(timeStep)

2.3.4 Parallelism

Complex simulations (such as physics simulations or worlds populated by agents) may require parallel processing to remain efficient.

Metascript Integrate concurrency and parallelism primitives, such as coroutines or actor models, to allow entities to act simultaneously in a virtual environment without slowing down performance.

2.3.5 Typing

Typing is dynamic with static typing options

For what ? Flexibility is crucial in a simulation language, but static typing options can help avoid errors in complex projects. The type system is primarily dynamic (like Python) to make it easier to write prototypes quickly, but offers the option of using static types for optimized performance and better error detection.

2.3.6 Garbage Management

Garbage Collection is operational for efficient memory management

Virtual environments can involve a large number of objects in memory, especially during complex simulations. Automatic memory management avoids many bugs related to memory leaks.

Basically, memory management is automatic by default, but the Metascript provides mechanisms to manually manage critical objects if necessary (like `allocate()` and `free()` for specific objects).

2.3.7 Interoperability with other tools and engines

Creators of virtual environments will often use other tools like Unity, CryEngine, Phaser, Unreal Engine or Blender to model or manage elements of their world. MetaScript graphics integrators are essentially designed to take into account the different graphics engines

Integrated libraries for importing and exporting 3D models in standard formats (OBJ, FBX, etc.), as well as plugins for integrating MetaScript code into projects already running on these infrastructures

2.3.8 Portability

Metascript programs are made to work over any OS and on any supports (computers, special dedicated hardwares, video-consoles)

2.3.9 Abstraction

MetaScript is a low-level language but which eases some libraries with enable high-level manipulations

2.3.10 AI Integration

In order to ensure virtual simulations, there can be many components to simulate. the simulation of all these components should be difficult for a human, so Metascript Integrate IA support like as primitives for autonomous agent management, decision-making based on machine learning models or rule systems, and intelligent interactions with the virtual environment, for example : Built-in functions like `trainAI()`, `pathfinding()`, or `behaviorTree()` to manage the artificial intelligence of entities.

2.4 Graphical Scene Tools

2.5 Comparison with Programming Languages

Chapter 3

MetaScript Algebra

3.1 Basic Fundamentals

Some Basics Maths Properties we have to know before understanding the MetaScript Algebra

- Set Theory
- Linear Algebra
- Differential Equations and Numerical Methods
- Geometry and Trigonometry
- Graph Theory
- Lagrangian and Hamiltonian Mechanics
- Fourier Analysis

3.2 Properties of MetaScript Algebra

3.3 Applications of MetaScript Algebra

3.4 A

lgebra implementation

Chapter 4

Formal Grammar of the Language

4.1 Heritage for the C++

4.2 New Features of MetaScript

4.3 Examples of some programs / Grammar Illustration

Chapter 5

MetaCore : Graphical Integrator

5.1 Graphical Selector

5.1.1 Meta - CLI

5.1.2 Meta - WebView

5.1.3 Meta - MobileView

5.1.4 Meta - WindowView

5.1.5 Meta - TvViewer

5.2 Graphical Engine

5.2.1 The Default Graphical Engine

5.2.2 Meta - for Unity

5.2.3 Meta - for Unreal Engine

5.2.4 Meta - for Godot

5.2.5 Meta - for Three.js

5.2.6 Meta - for Phaser

5.2.7 Switching Graohical Engine with MetaScript

5.3 Graphical Templates

Chapter 6

The New Paradigm : Visual Oriented Programming

6.1 Actual Code Designs

6.2 Design your COde for MetaScripting

Chapter 7

Memory Management

Chapter 8

MSCP : MetaScript Compiler

Chapter 9

Hardware Management with MetaScript

Chapter 10

Vision and Scope of Language

Bibliography